CITY OF MISSION VIEJO CALIFORNIA

SPECIFICATIONS
AND CONTRACT DOCUMENTS

FOR

NORMAN P. MUR. A. COMMUNITY A'. COMUNITY A'. COMMUNITY A'.

SEPTEMBER 2023

PREPARED BY:

CITY OF MISSION VIEJO 200 CIVIC CENTER DRIVE MISSION VIEJO, CALIFORNIA 92691-2778 (949) 470-3095

CITY OF MISSION VIEJO CALIFORNIA

SPECIFICATIONS AND CONTRACT DOCUMENTS

FOR

NORMAN P. MURRAY COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IM PROVEMENTS

Ar 'RO' ED BY:

JERRY HILL

DIRECTOR OF PUBLIC SERVICES

1-28-23

CITY OF MISSION VIEJO TABLE OF CONTENTS

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

NOTICE INVITING SEALED BIDSNB
PROPOSAL DOCUMENTS Instructions to Bidders
CONTRACT AGREEMENT
Agreement
Compensation Insurance Certificate
GENERAL SPECIFICATIONS Scope of Work GS-1 Location of Work GS-1 Work to be Done GS-1 Utility Requirements GS-2 Flow and Acceptance of Water GS-3 Preservation of Property GS-4 Alterations and Additions GS-4 Standard Specification GS-5 Wage Rates and Labor Cless GS-5 Temporary Suspension of Cork GS-6 Suspension of Cork GS-6 San Diego Region Water Quarry Requirements GS-6 SPECIAL PROVISIONS
PA I - NERAL PROVISIONSSP-1
P RT II - CC STRUCTION MATERIALS
F RT III - COI STRUCTION METHODSSP-11
CAL DE FICATIONS
S. CTION 275117 - AUDIOVISUAL SYSTEMS275117-1
SE_FION 275117.5 – AUDIOVISUAL SUPPORT AND WARRANTY REQUIREMENTS275117.5-30 PF_JECT DRAWINGS

NOTICE INVITING BIDS

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

NOTICE IS HEREBY GIVEN that sealed bids will be received by the **City of AISS on Viejo**, "AGENCY," for furnishing all materials, equipment, tools, labor, and incidentals as equired for the above-stated project in strict accordance with the specifications and drawing on file at the office of the City Clerk of the **City of Mission Viejo**.

Bids will be received at the office of the City Clerk, 200 Civic Cerer, Council Chambers, City of Mission Viejo, until the hour of October 19, 2023, 9:00 a.m., loch time, at ynich time and place the bids will be publicly opened and read aloud. Bide small be so mitter in sealed envelopes marked on the outside, "NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS".

The Work to be constructed under the Contract clocated in the Lay of Mission Viejo. The Work to be performed consists of furnishing all reversals, equipment, tools, labor, and incidentals as required by the Plans, Specifications, and contract Documents for the above-stated Contract. The general items of Work to be done hereunder consist of:

Audio and visual (A/V) rer' .ceme and imp. vements to the Norman P. Murray Community and Senior C .nter.

The Agency reserves the right after opening ids, to reject any or all bids, or to make award to the lowest responsive and responsive block and reject all other bids; to waive any informality in the bidding; and to take the lowest responsive and reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the bidding; and to take the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to waive any informality in the lowest reject all other bids; to

At the tile of Contract award to a bidder, the bidder shall possess current California Contractor Low Voltage Contractor).

A manda pry pre-bid meeting will be held on October 12, 2023 at 9:00 a.m., local time, The N rman P. Murray Community and Senior Center, 24932 Veterans Way, Mission Vic. A 92691-2778, in Mission Viejo. Failure to attend the mandatory pre-bid meeting will cause all non-attending bidders to be deemed non-responsive and their bid package shall not be further considered by the City for any reason. The bid submittal shall be held for seven (7) days for pick-up by the bidder who submitted it and if not picked up, then shall be disposed of in a public trash receptacle. The City, in its sole discretion, may retain and immediately draw down on the bid bond, in whole or part, to compensate it for the time expended on reviewing the bid package as submitted.

Each bid must be accompanied by all required pages of the Proposal (see Instructions to Bidders), including a certified or cashier's check, or a corporate surety bond on the form furnished by the AGENCY, as a guarantee that the bidder will, if an award is made to him in accordance with the terms of his bid, promptly secure workmen's compensation insurance and liability insurance, execute a contract in the required form, and furnish satisfactory bonds for the faithful performance of the contract and for the payment of claims of material and laborers thereunder. Said check or bidder's bond shall be in an amount not less than 10% of the amount of the bid.

The successful bidder will be allowed to substitute securities or establish an escrow of retainage, pursuant to Public Contract Code Section 22300, and as described Agreem to Between Agency and Contractor and General Conditions.

The Performance and Payment Bonds shall be submitted before execution of Contract. The Performance Bond shall be not less than 100% of the total amount of the Contract. The Payment Bond shall be not less than 100% of the total amount of the bid price named in the Contract. The AGENCY reserves the right to reject any bond it in the opinion of the AGENCY Attorney, the Surety's acknowledgment is possible to the contract Documents or in another form substantially as prescriber by law.

In accordance with provisions of Section 1773.2 (amen od 1977) If the California Labor Code copies of the prevailing rate of per diem wages as determined by the State Director of Industrial Relations are on file in the office of the City of the City of Mission Viejo. It shall be mandatory upon the Contractor to whom the contract is awarded and upon any subcontractor under him to pay not less than said specified rates to any orkmen employed by them in the execution of the Contract.

The Contractor and all Subcon actors, of a y tier, must comply with the requirements of the California Labor Code including aut not limited to Sections §§1715.5, 1725.5, 1771.1, 1771.1a, 1771.4(a)(1), 1774, 1775, 17 (17.75.1), 13 and 1815. A contractor or subcontractor shall not be qualified to submit a bid or be listed in a bid proposal subject to requirements of Public Contract Code Section 4107, and all it be qualified to enter into, or engage in the performance of, any contract of public work, unless it is currently registered and qualified under Labor Code Section 1725.5 to perform public work (as "public work" is defined by Division 2, Part 7, Chapter 1 (§§1727 et seq. of the Labor Code). [Note: Required in the Notice by Labor Code §1771.1(b).]

Contractors are registed to register with the Department of Industrial Relations (DIR). Notwiths ending at a other requirements (including federal labor requirements), this contract is subject to compliance monitoring and enforcement by the Department of Industrial relations (DIR).

Of Mission Viejo hereby notifies all bidders that it will affirmatively ensure that in any Condact entered into pursuant to this advertisement, Disadvantaged Business and Underutilized Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, creed, color, or national origin in consideration for an award.

Complete sets of said Contract Documents may be purchased at a cost of \$40.00 (Forty Dollars) per set and are obtainable from the **City of Mission Viejo**, 200 Civic Center, Engineering Counter, Mission Viejo, California 92691, 949-470-3040. No refund will be made of any charges for sets of Contract Documents. Plans and specifications can be mailed for an additional \$10.00 (Ten Dollars) per set. For additional information, contact the Project Manager, Jerry Hill, at 94 470-3095.

Dated this _____day of _______, 20____.

im Schmitt City Clerk

v of Mis on Viejo 200 Center Mission Viejo, California 92691

INSTRUCTIONS TO BIDDERS

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

1. PROPOSAL FORMS, AND REVIEW OF PLANS AND SPECIFICATIONS.

Bids shall be submitted in writing on the Proposal forms provided by the AGEN Y. A. information requested therein must be clearly and legibly set forth in the manner and form indicated. The P posal must include all pages of the Proposal form with all of the required information, including but a limited to the Bidder's Information, Proposal Bid Sheet, List of Subcontractors, Bidder's State Lent of Past Contract Disqualifications, Non-Collusion Affidavit, Bid Bond, Iran Contracting Act Certification (if recuired), and Sufficient Funds Declaration. The AGENCY will not consider any proposal not meeting these requirements.

In addition, the AGENCY shall not accept any bid or enter in any contract. Lout proof of the Bidder's current registration to perform public work under Labor Code Sect on 1725.5; and the Bidder shall not accept any subbid or enter into any subcontract without proof of the subcontract or enter into any subcontract without proof of the subcontract or enter into any subcontract without proof of the subcontract or enter into any subcontract without proof of the subcontract or enter into any subcontract without proof of the subcontract or enter into any subcontract without proof of the Bidder's current registration to perform public work under Labor Code Section 1725.5.

Each bidder must review the plans and specifications in its capacity as a contractor prior to submitting its bid, and any errors must be reported to the AGENCY.

2. PROPOSAL GUARANTEY (BID B. ND)

Proposals must be accompanied by a proposal guarantee consisting of a certified check or bid bond payable to the AGENCY in the minimum mount of the percent (10%) of the total amount bid. Any proposal not accompanied by such a guarantee will not be considered. If a bidder to whom a Contract is awarded fails or refuses to execute the Contract with the required insurance policies and bonds as set forth in those documents, the proposal guarantee shall be forfeited to the AGENCY. The proposal guarantees of all bidders will be held until the successful bidder has properly executed all Contract Documents.

3. PR POSED THEDULE

Oct 5 20. Advertise in trade journals and on the Internet

viober 1. 2025 MANDATORY* pre-bid meeting at 9:00 a.m. on Thursday at the Norman P. Murray Community and Senior

Center - 24932 Veterans Way, Mission Viejo, CA 92691

October 19, 2 23 Bid opening at 9:00 a.m., City Clerk's counter, City Hall 2nd Floor

ember 1/ 2023 Award of contract consideration

Dec ber 2023 Construction begins

This schedule is proposed. Should the "Construction begins" date slip, the contract days take precedence

^{**}Failure to attend the mandatory pre-bid meeting will cause all non-attending bidders to be deemed non-responsive and their bid package shall not be further considered by the City for any reason. The bid submittal shall be held for seven (7) days for pick-up by the bidder who submitted it and if not picked up, then shall be disposed of in a public trash receptacle. The City, in its sole discretion, may retain and immediately draw down on the bid bond, in whole or part, to compensate it for the time expended on reviewing the bid package as submitted."

4. <u>NON-COLLUSION AFFIDAVIT</u>

Bidder shall declare that the only persons or parties interested in the Proposal as principals are those named therein; that no officer, agent, or employee of the AGENCY is personally interested, directly or indirectly, in the Proposal; that the Proposal is made without connection to any other individual, firm, or corporation making a bid for the same Work; and that the Proposal is in all respects fair and without collusion or found. The Non-Collusion Affidavit shall be executed and submitted with the Proposal.

5. **PROPOSAL BID SHEET**

Bidders shall give unit prices for each and all of the items set forth. No aggregate bids will be considered. The bidder shall set forth for each item of Work, in clearly legible figures, a unit item price and a total for the item in the respective spaces provided for this purpose. The quantities listed in the broad street are supplied to give an indication of the general scope of Work, but the accuracy of figures is of guaranted and the bidder shall make its estimates from the drawings. In case of a variation between the unit price and the totals shown by the bidder, the unit price will be considered to be the bid.

6. **DELIVERY OF PROPOSAL**

Proposals may be mailed or delivered by messenge. However, in he bidder's responsibility alone to ensure delivery of the Proposal to the hands of the A ENCY's designated official prior to the bid opening hour stipulated in the "Notice Inviting Bids." Late rop sals will not be considered. Proposals shall be enclosed in a sealed envelope plainly marked on the outside, "SL LED BID FOR NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL RETAILS EMENT ND IMPROVEMENTS."

7. WITHDRAWAL OF PROIDSALS

A Proposal may be withdrawn by write the est signed by the Bidder. Such requests must be delivered to the AGENCY's designated official priouto the bid-opening hour stipulated in the "Notice Inviting Bids." The withdrawal of a Proposal with not proposal to the right of the Bidder to submit a new Proposal, providing there is time to do so. Proposals may not be withdrawn after said hour without forfeiture of the proposal guarantee, unless withdrawal is allowed up a rlaw.

8. IRR GULAR ROPOSALS

Unauthorized andition, limitations or provisions attached to a Proposal will render it irregular and may cause its rejection. The completed Proposal forms shall be without interlineations, alterations or erasures. Otwithstand up the foregoing, the City may waive such if allowed by law, and if, in the City's discretion, it doesn't have viver is in the City's best interest and that such interlineations, alterations or erasures do not substantially alter the written response or create an unfair advantage to such bidders. Alternative Proposals will not be considered unless specifically requested. No oral, telegraphic or telephonic Proposal, modification or withdrawal will be considered.

9. TAXES

No mention shall be made in the proposal of Sales Tax, Use Tax, or any other tax, as all amounts bid will be deemed and held to include any such taxes, which may be applicable.

10. DISOUALIFICATION OF BIDDERS

In the event that any bidder on the Contract submits a proposal on another contract on the same work of improvement, all such proposals will be rejected and the bidder will be disqualified. This restriction does not apply to subcontractors or suppliers who may submit quotations to more than one bidder.

The Contract will not be awarded or executed unless the Bidder is licensed in accordance with the provisions of the State Business and Professions Code.

11. INTERPRETATION OF PLANS AND DOCUMENTS

If any person contemplates submission of a bid for the proposed Contract and sin dow, as to the true meaning of any part of the plans, specifications or other proposed Contract Documents, or ands discrepancies in, or omissions from, the drawings or specifications, he may submit to the large per a said AGENCY a written request for an interpretation or correction thereof. The person submit ing the recent will be responsible for its prompt delivery. Any interpretation or correction of the proposed documents shall be made only by addendum duly issued and copy of such addendum will be mailed or delivered to each reson receiving a set of such documents. The Engineer will not be responsible for any conference to each reson receiving a set of such documents.

12. ADDENDA OR BULLETINS

The effect of all addenda to the Contract Doom onts shall be considered in the bid, and said addenda shall be made a part of the Contract Documents and shall be returned with them. Before submitting its bid, each bidder shall inform itself as to whether or not annualdenda is ve been issued, and failure to cover in this bid any such addenda issued, may render its bid ir gular a. I may result in its rejection by the AGENCY.

13. LEGAL RESPONSIBILITY ES

All Proposals must be submitted, red, made, and executed in accordance with State and Federal laws relating to bids for contracts of the same are expressly referred to herein or not.

Any bidder submitting a Proposal shall by such action thereby agree to each and all of the terms, conditions, provisions, a proposal shall by such action thereby agree to each and all of the terms, conditions, provisions, are proposed for the contemplated, and referred to in the Plans, Specifications, and Contract Documents and to fur compliance therewith.

14. AW RD OF ONTRACT

The award contract, if made, will be to the most responsible Bidder as determined solely by the City, pursuant the City's Plans, Specifications and Contract Documents and in the best interests of the City pursuant to law. At the time of contract award, the successful bidder shall hold the contractor's license(s) required in Notice Inviting and an Additionally, the AGENCY reserves the right to reject any or all Proposals, to accept any bid to waive any irregularity if allowed by law, and to take the bids under advisement for the period of time stated in the "Notice Inviting Bids," all as may be required to provide for the best interests of the AGENCY. In no event will an award be made until all necessary investigations are made as to the responsibility and qualifications of the bidder to whom the award is contemplated.

No bidder may withdraw its proposal for a period of Ninety (90) days after the time set for opening thereof, unless permitted by law. However, the AGENCY will return all proposal guarantees within ten (10) days after

IB-6

the award of the Contract or rejection of the bids, as the case may be, to the respective bidders whose Proposals they accompany.

15. <u>LABOR CODE</u>

Pursuant to the provisions of Section 1773 of the Labor Code of the State of California, the AGENCY has obtained the general provisions rate of per diem wages and the general prevailing rate for holic y and overtime work in this locality for each craft, classification, or type of workman needed to execute the Contract from the State Director of the Department of Industrial Relations (DIR). It shall be the responsional of the prime Contractor to comply with all applicable sections of the Labor Code.

Travel and subsistence payments to each workman needed to execute the Work sall banade as such travel and subsistence payments are defined in the applicable collective bargaining accepted. filed in accordance with Section 1773.8 of the Labor Code.

The Contractor shall comply with the provisions of Section 1774 of the Labor Cod. Failure to comply with the subject section will subject the Contractor to penalty and for the provisions of Section 1775 of the Labor Code.

Pursuant to the provisions of Section 1770 of the Labor Co., the general prevailing rate of wages has been ascertained (which rate includes employer payments for hear, welfare, vacation, pension and similar purposes) applicable to the Work to be done, for straight time, overtime, Saturday, Sunday, and holiday work. The holiday wage rate listed shall be applicable to a holidays recognized in the collective bargaining agreement of the particular craft, classification, or type of works in concerned.

This project is subject to compliance egistration monitoring, and enforcement by the DIR. (See, among others, Labor Code §§1715.5, 1725.5, 1771 and 1771.

The AGENCY will not recognize any property for additional compensation because of the payment by the Contractor of any wage rate in excess of the prevailing wage rate or the Federal Minimum Wage Rate (whichever is greater) as set forth in the Contractor in the Contractor in determining its bid, and will not under any circumstances be considered as the basis of a claim against the AGENCY on a Contract.

The Contractor and sub-intractors shall comply with Section 1777.6 which stipulates that it shall be unlawful to refuse to accept othe wise qualified employees as registered apprentices solely on the grounds of race, religions creek color national origin, ancestry, sex, or age, except as provided in Section 3077, of such employee.

16. WOF CERS' COMPENSATION CERTIFICATE

Section ...00 of the State Labor Code requires that every employer shall secure the payment compensation by either being insured against liability to pay compensation with one or more insurers or by securing a certificate of consent to self-insure from the State Director of Industrial Relations. In accordance with this section and with Section 1861 of the State Labor Code, the Contractor shall sign a Compensation Insurance Certificate, which is included with the Contract Agreement, and submit same to City along with the other required Contract Documents prior to performing any Work. Reimbursement for this requirement shall be considered as included in the various items of Work.

17. CLAYTON ACT AND CARTWRIGHT ACT

In accordance with Section 7103 of the Public Contract Code, in entering the Contract to supply goods, services, or materials, the Contractor and its subcontractors offer and agree to assign to the AGENCY all rights and interest in and all causes of action it may have under Section 4 of the Clayton Act (15 U.S.C. Sec. 15) or under the Cartwright Act (Chapter 2 [commencing with Section 16700] of Part 2 of Division 7 of the Business and Professions Code), arising from purchases of goods, services, or materials pursuant to the Contract or the subcontracts. This assignment shall be made and become effective at the time the AGENCY tenders final payment to the Contractor, without further acknowledgment by the parties.

18. SUBLETTING AND SUBCONTRACTING

Pursuant to the Subletting and Subcontracting Fair Practices Act (commencing who ection 4100 of the Public Contract Code), bidders are required to list in their Proposal the name focus in or alace of business, license number, and the portion of the Work of each subcontractor who will be erform Who is a portion of the Work or improvement, and each is becontracted who specially fabricates and installs a portion of the Work or improvement according to detaile drawing contained in the Plans and Specifications, but only if (a) for a Contract for construction in streets or more ays, including bridges, the dollar amount of the subcontractor's work is in excess of \$10,000 × ½ of 1% Contract bid in the Proposal, whichever is greater; or (b) for all other Contracts, the dollar amount of the subcontractor's work is in excess of ½ of 1% of the total bid in the Proposal. Failure to list a subcontractor for a portion of the work means that the prime Contractor will do that portion of the work. It is the AGENCY's intent for the Subletting and Subcontracting Fair Practices Act to apply to all phases of the work.

Attention is directed to the provisions in Sections 102.2 and 10262.5 of the Public Contract Code and Section 7108.5 of the Business and Professions Code concerning prompt payment to subcontractors. The Contractor shall return all moneys withheld in catention from the subcontractor within 30 days after receiving payment for Work satisfactorily Completed even if the other Contract Work is not Completed and has not been accepted by the Agency. This requirement shall not be conscued to limit or impair any contractual, administrative, or judicial remedies otherwise available to the Contractor or subcontractor in the event of a dispute involving late payment or nonpayment by the Contractor of Scient subcontract performance or noncompliance by a subcontractor.

19. INSURANCE

Prior to commencement of Work, Contractor shall obtain, provide, and maintain at its own expense policies of insurance of the type are amounts described below and in a form satisfactory to City. If Contractor uses existing coverage to amply with these requirements and that coverage does not meet the requirements set forth herein, Contractor agree amend, supplement, or endorse the existing coverage to do so.

the period Lie ility Insurance. Contractor shall maintain a policy of general liability insurance against any and all coims a sing out of or in connection with the work to be performed for this Project with coverage at least as broad a LSO form CG 00 01. Contractor shall provide coverage in an amount not less than two million dollars (\$2,000,000.00) per occurrence, four million dollars (\$4,000,000.00) general aggregate, for bodily injury, personal injury, and property damage, and a four million dollar (\$4,000,000.00) completed operations aggregate. The policy shall be endorsed to reflect that the per occurrence and aggregate coverage shall apply on a per PROJECT basis, coverage available shall not be eroded by other claims on other projects. The policy must include contractual liability that has not been amended. Any endorsement restricting standard ISO "insured contract" language will not be accepted. Coverage provided by Contractor shall be primary, and any insurance or self-insurance procured or maintained by City shall not be required to contribute with it. This policy shall

name City, its officers, officials, employees, agents, and volunteers as additional insureds, covering both ongoing and completed operations, using ISO additional insured endorsement forms CG 20 10 and CG 20 37, or equivalent form(s). Coverage shall not be limited to the vicarious liability or supervisory role of any additional insured.

Automobile Liability Insurance. Contractor shall maintain automobile insurance at least as by ad as Insurance Services Office form CA 00 01 covering bodily injury and property damage for all activities of the Contractor arising out of or in connection with Work to be performed for this Project, including coverage for any owned, hired, non-owned, or rented vehicles, in an amount not less than one million dollars (\$1,000,000,000,000) combined single limit for each accident.

Workers' Compensation/Employers' Liability. Contractor acknowledges aware of Section 3700 et seq. of the California Labor Code, which requires every employer to be insured agoust liability for workers' compensation. Contractor covenants that it shall comply with such projections pair to commencement of work performed for this Project. Contractor shall maintain workers' compensation insurence with statutory limits and employer's liability insurance in an amount not less than one million 'ollars (\$1,00,000.00) per accident for bodily injury or disease. Contractor shall require all subcontractors on projects and workers' compensation and employer's liability insurance for all of subcontractors' employees. Contractor shall submit to City, along with the certificate of insurance, a waiver of subrogation endorser and in favor of City, its officers, agents, employees, and volunteers. Contractor shall similarly require all subcontractors to y live subrogation.

Umbrella or Excess Liability Insurance. (If equired to meet higher limits). Contractor shall obtain and maintain an umbrella liability insurance police with limits that will provide bodily injury, personal injury, and property damage liability coverage, including commedial general liability, automobile liability, and employer's liability. Such policy or policies shall in the following terms and conditions:

- A. A drop-down feature requiring the policy to respond if any primary insurance that would otherwise have applied proves to be uncollectibe in whole or in part for any reason, other than bankruptcy or insolvency of said primary insurer;
- B. "Pay on behalf of" we ling as ed to "reimbursement";
- C. Concurrency of effective da s with primary policies.

Should Con actor obtal and maintain an excess liability policy, such policy shall be excess over commercial general liability, automobile liability, and employer's liability policies. Such policy or policies shall include wording that the excess liability policy follows the terms and conditions of the underlying policies.

stallation pater. Contractor shall obtain an installation floater for the value of and covering the portion of the 'ork to b' constructed, installed, altered, or repaired by the Contractor. The installation floater policy must include coverage for the fixtures, materials, supplies, machinery, equipment used in or incidental to the construction project, and property kept off-site or while in transit. Coverage must include the property of others in the Contractor's care, custody, or control. In addition to the Contractor, the City and all subcontractors shall be named additional insureds on the policy, extending coverage through the final completion date.

Self-Insured Retentions

Any self-insured retentions must be declared to and approved by City. City reserves the right to require that self-insured retentions be eliminated, lowered, or replaced by a deductible, or require proof of ability to pay losses

IB-9

and related investigations, claim administration, and defense expenses within the retention through confirmation from the underwriter.

Other Insurance Provisions:

Proof of Insurance. Contractor shall provide certificates of insurance and required endorsements to City as evidence of the insurance coverage required herein. Insurance certificates and endorsements i ust be approved by City's Risk Management prior to commencement of Work. Current certification of insurance shall be kept on file with City for the contract period and any additional length of time required thereafter. Serves the right to require complete, certified copies of all required insurance policies, at any time.

Requirements not Limiting. Requirements of specific coverage features of simits of intended as a limitation on coverage, limits on other requirements, or a waiver of an of verage normally provided by any insurance. Specific reference to a given coverage feature is for purpose of the fication only as it pertains to a given issue and is not intended by any party or insured to be a inclusive or to the exclusion of other coverage, or a waiver or limitation of any type. If the Contractor me intains higher limits than the minimums shown above, the City requires and shall be entitled to coverage or the higher limits maintained by the Contractor. Any available insurance proceeds in excess of the specific maintain limits of insurance and coverage shall be available to the City.

Duration of coverage. Contractor shall procure and maintain for the contract period, and any additional length of time required thereafter, insurance against claims for injuries to persons or damages to property, or financial loss which may arise from or in connection to the performance of the Work for this project by Contractor, their agents, representatives, employees, or subcontractors/subconsultants. Contractor must maintain general liability and umbrella or excess liability insurance to as long as there is a statutory exposure to completed operations claims. City and its office is, office is, employees, and agents shall continue as additional insureds under such policies.

Primary/noncontributing. Co rage provided by Contractor shall be primary and any insurance or self-insurance procured or maintained by City shall not be required to contribute with it. The limits of insurance required herein may be a solution combination of primary and umbrella or excess insurance. Any umbrella or excess insurance shall contain or be endorsed to contain a provision that such coverage shall also apply on a primary and non-contributory asis for the benefit of City before City's own insurance or self-insurance shall be called upon the product it as a named insured. For any claims related to this project, the Contractor's insurance coverage shall be propagated in surance as respects to the City, its officers, officials, employees, agents, or volunteers. Any insurance coverage in all be in a cess of the Contractor's insurance and shall not contribute with it.

roducts/c npleted operations coverage. Products/completed operations coverage shall extend a minimum of the ee (3) years after project completion. Coverage shall be included on behalf of the insured for covered claims arising out of the actions of independent contractors. If the insured is using subcontractors, the Policy must include ork performed "by or on behalf" of the insured. Policy shall contain no language that would invalidate or remove the insurer's duty to defend or indemnify for claims or suits expressly excluded from coverage. Policy shall specifically provide for a duty to defend on the part of the insurer. The City, its officials, officers, agents, and employees, shall be included as additional insureds under the Products and Completed Operations coverage.

Waiver of Subrogation. All insurance coverage maintained or procured pursuant to these specifications/for this Project shall be endorsed to waive subrogation against City, its elected or appointed officers, agents, officials, employees, and volunteers or shall specifically allow Contractor or others providing insurance evidence in

V. 6/18

compliance with these specifications to waive their right of recovery prior to a loss. Contractor hereby waives its own right of recovery against City and shall require similar written express waivers and insurance clauses from each of its subcontractors/ subconsultants.

Additional Insured Status. The general liability, automobile liability, and umbrella/excess liability policies shall provide, or be endorsed to provide that the City, its officers, officials, employees, agents and volunteers are to be covered as additional insureds as respects: liability arising out of activities performed by or on behalf of the Contractor, products and Completed operations of the Contractor; premises owned occur ied or used by the Contractor; or automobiles owned, leased, hired, or borrowed by the Contractor. The coverage shall contain no special limitations on the scope of protection afforded to the City, its officers. The ls, employes, agents, or volunteers.

Separation of Insureds. A severability of interests provision must apply for all addragal insureds ensuring that Contractor's insurance shall apply separately to each insured against from care is brought, except with respect to the insurer's limits of liability. The policy(is) shall no contain any cross-liability exclusions.

Notice of Cancellation. Each insurance policy required by his clause shall be endorsed to state that coverage shall not be suspended, voided, canceled by either party, reduced in coverage or in limits except after thirty (30) days' prior written notice by certified mail, return receipt required, has been given to the City. Contractor agrees to oblige its insurance agent or broker and insurers to provide the finite at thirty (30) day notice of cancellation (except for nonpayment for which a ten (10) day so tice is required) or nonrenewal of coverage for each required coverage. If any of the Contractor's insurers a function in the entropy of the contractor shall have the responsibility of notifying City immediately in the entropy of Contractor's failure to renew any of the required insurance coverages, or insurer's cancellation or non-renewal.

Timely notice of claims. Contractor hall give C y prompt and timely notice of claims made or suits instituted that arise out of or result from Concetor's performance for this Project, and that involve or may involve coverage under any of the requirectiable.

Any failure to comply with reporting ther provisions of the policies including breaches of warranties shall not affect coverage provided. the City, its officers, officials, employees, agents, or volunteers.

Prohibition c and s osed coverage limitations. None of the coverages required herein will be in compliance with these requirements of they include any limiting endorsement of any kind that has not been first submitted to City and approved of in criting.

At ational resurance. Contractor shall also procure and maintain, at its own cost and expense, any additional rids of insurance, which in its own judgment may be necessary for its proper protection and prosecution of the We 's.

Accepta. Aity of Insurers

Insurance is to be placed with insurers with a current A.M. Best's rating of no less than A:VII.

Verification of Coverage

Contractor shall furnish the City with original endorsements effecting coverage required herein. The endorsements are to be signed by a person authorized by that insurer to bind coverage on its behalf. All

certificates and endorsements are to be received and approved by the City before Work commences. Contractor's insurer shall provide complete, certified copies of all required insurance policies, including endorsements effecting the coverage required by these specifications.

Contractor acknowledges and agrees that any actual or alleged failure on the part of the City to inform Contractor of non-compliance with any requirement imposes no additional obligations on the City nor does it waive any rights hereunder.

Subcontractors

Contractor agrees to ensure that its subconsultants, subcontractors, and any other party who is brought onto or involved in the project/service by Contractor (hereinafter collectively "sucontractor"), provide the same minimum insurance coverage and endorsements required of Contractor. Contractors were sees to monitor and review all such coverage and assumes all responsibility for ensuring that such average is provided in conformity with the requirements of this section. However, in the event Contractor's subcontractor comply with this requirement, which proof must be submitted to the City, Contractor subcontractor comply with this subcontractor provide and maintain insurance coverage and ondors ments sufficient to the specific risk of exposure involved with subcontractor's scope of work and services, which maintain the contractor of the Contractor, but in all other terms consistent with the Contractor's requirements herein. This provision does not relieve the Contractor of its contractual obligations under the agreement and/or limit its liability to the amount of insurance coverage provided by its subcontractors. This provision is intended solely to provide Contractor with the ability to utilize a subcontractor whom may be otherwise qualified to perform the work or services but may not carry the same insurance limits as referred of the Contractor herein given the limited scope of work or services provided by the subcontractor. Contractor crees that upon request, all agreements with subcontractors, and others engaged in the project, will be submitted to City for review.

20. ARBITRATION

Optional Arbitration; Applica le L.

In lieu of litigation of a specific contractor and City may agree to submit the dispute to binding arbitration so long as agreed by the parties in writing and approved in writing by the Board as an amendment to the Contract Documents. Except as provide below or as may be agreed upon by the parties in writing, (a) any such arbitration shall be governed. Code of Civil Procedure §§1280 et seq., and (b) the arbitration award must be supported by law and substantic evidence, and that the award may be vacated if not so supported, per Code of Civil Procedure ection 129 Should any provision in this "Arbitration" section be found to be unenforceable, then such provision shall be severed and the parties agree that the remaining provisions shall be binding and er orcea is as in peter absent the unenforceable provision. Should the parties wish to modify any provision in this "Artitration" section, the parties may do so.

Sen tion Arbitrator

If the parties agree to binding arbitration, upon notification of a party's election to proceed with arbitration under this section, the parties shall have thirty (30) days to jointly select an arbitrator. In the event that the parties are unable to reach an agreement as to the selection of an arbitrator, an arbitrator will be selected from the American Arbitration Association's panel of construction arbitrators. There shall be no limit on the number of arbitrators that a party can disqualify with respect to the American Arbitration Association's list of arbitrators.

Amount in Controversy/Discovery

If the parties agree to arbitration, the following would apply:

- 1. If the amount in controversy is less than \$50,000, then, notwithstanding any other provision of law, the only discovery permitted will be (1) the noticing and taking of one deposition (in accordance with Code of Civil Procedure Section 2025) by each party to the dispute and (2) inspection demands pursuant and Code of Civil Procedure Section 2031.
- 2. If the amount in controversy is equal to or greater than \$50,000 but less than \$50,000, then, notwithstanding any other provision of law, the only discovery permitted will be (*), us noticing a d taking of no more than three depositions (in accordance with Code of Civil Procedure Section 202) by each party to the dispute and (2) inspection demands pursuant to Code of Civil Procedure Section 231
- 3. If the amount in controversy is equal to or greater than \$150,0° s, then a discovery rules contained in the California Civil Discovery Act, Code of Civil Procedure Section 2 16, et seq., hall apply to the arbitration, except each party will only be allowed to propound no more than the fixed sequence of the contained in the California Civil Discovery Act, Code of Civil Procedure Section 2 16, et seq., hall apply to the arbitration, except each party will only be allowed to propound no more than the contained in the California Civil Discovery Act, Code of Civil Procedure Section 2 16, et seq., hall apply to the arbitration, except each party will only be allowed to propound no more than the california Civil Discovery Act, Code of Civil Procedure Section 2 16, et seq., hall apply to the arbitration, except each party will only be allowed to propound no more than the california Civil Discovery Act, Code of Civil Procedure Section 2 16, et seq., hall apply to the arbitration, except each party will only be allowed to propound no more than the california Civil Discovery Act, Code of Civil Procedure Section 2 16, et seq., hall apply to the arbitration, except each party will only be allowed to propound no more than the code of Civil Procedure Section 2 16, et seq., hall apply to the arbitration, except each party will only be allowed to propound no more than the code of Civil Procedure Section 2 16, et seq., hall apply to the arbitration, except each party will be permitted.

The above deposition limits shall not be applicable to expert deposit and deposed in accordance with Code of Civil Procedure §2034.

Procedure/Evidence

If the parties agree to arbitration, the following would pply:

- 1. General and specific rules of rial processure and evidence as set forth in the California Code of Civil Procedure and the California Evidence Code, resectfully, shall apply except that the arbitrator may admit any relevant evidence which he believes a puld be af orded consideration.
- 2. Motions for summary iudgm, at and/or summary adjudication of issues shall be permitted only if the amount in controversy is the part of the attention attention at the state of the summary judgment and/or summary adjudication of issues shall be heard in accordance with the Federal Rules of Civil Procedure, Rule 56. The arbitrator shall also have the at bority to decide specific legal and/or factual issues by way of a motion for summary judgment at 1/or summary adjudication of issues regardless of whether or not such resolve a cause of action.
- 3. Demu ers and lotions for judgment on the pleadings shall not be allowed. The arbitrator shall review the pleading and, ... the arbitrator's sole, discretion a dismissal and/or amendment of a pleading can be ordered.
- 4. The a citrator shall conduct a pre-arbitration conference for purposes of coordinating the arbitration. At the prarbitation conference, all of the following issues shall be addressed: procedural matters, exchange of exhibits, vitness lists, motions in limine, arbitration briefs, and the potential for narrowing issues and/or factual disputes by stipulation or by bifurcating the arbitration. The arbitrator can bifurcate specific factual and/or legal issues in addition to causes of action.
- 5. The arbitrator will close the arbitration hearing after presentation of the evidence and receipt of final briefs, which must be submitted within twenty (20) days from the final presentation of evidence. The time limit within which the award must be filed begins with the closing of the hearing.

- 6. The arbitrator may for good cause reopen the hearing through request of either party, at any time, before the award is made and/or legal issues in addition to causes of action.
- 7. The arbitrator's award must be mailed promptly to the parties, but no later than thirty (30) days after the closing of the hearing. The award will be based upon the evidence introduced at the hearing, including all logical and reasonable inferences made therefrom. Pursuant to Code of Civil Procedure Section 1296, the arbitration award must be supported by law and substantial evidence, or else it may be vacated. The arbitrator may grant any remedy that is just and equitable.

Joinder

No arbitration in which the parties elect to participate that arises out of or relate to the contract documents shall include by consolidation, joinder, or any other manner any other person or entering to this contract unless:

- 1. the inclusion of such other person or entity is necessary if controllete relief to be afforded among those who are already parties to the arbitration, and
- 2. such other person or entity is substantially involved a question of law or fact which is common to those who are already parties to the arbitration and which will arily in such proceedings, and
- 3. the written consent of the other person coentity sought to be included and of City and Contractor has been obtained for such inclusion, which conserve a left make specific reference to this section; but no such consent shall constitute consent to arbitration of any dispute pot specifically described in such consent or to arbitration with any party not specifically identified in such conserve.

Costs and Fees

Prior to a decision being rendere in an arbitration, the parties shall split the arbitrator's fees and be responsible for the prompt payment thereof.

Conclusiveness of Judgme

Any arbitratic law d will be final and binding and there is no direct appeal from the award on the grounds of error in the application of the law or based upon the arbitrator's interpretation of the facts presented. The only reasons for hallenging in arbitrator's award are those set forth in the Code of Civil Procedure, Section 1286.2(a), (b), (c) and (f), and ection 1296 (failure to base the award on applicable law and substantial evidence). If ar party, there are City seeks to challenge the arbitrator's award pursuant to these Code of Civil Procedures ections, such party must post a bond in the amount of 150% of the arbitrator's award (including the award of costs and fee).

Durai.

From the time any arbitration proceedings are initiated, such proceedings must be completed within six (6) months, unless (1) the amount in controversy equals or exceeds \$150,000, the arbitration must be completed within one year or (2) the arbitrator extends the completion period for good cause or based upon the stipulation of the parties. Arbitration proceedings shall be deemed initiated upon the appointment of the arbitrator.

21. HOURS FOR PERFORMANCE

Working hours for the construction project will be 7:00 a.m. to 4:00 p.m. unless approved by City in advance on any Working Day. Contractor is to take into special consideration that the nature of the Work is located in public areas and facilities. As such, all work will not disrupt or conflict with public activities.



Bidder's Name	
---------------	--

PROPOSAL

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

TO CITY OF MISSION VIEJO, as AGENCY:

In accordance with AGENCY's "Notice Inviting Bids", the undersigned 'ader BIDDER') hereby proposes to furnish all materials, equipment, tools, labor, and incide tals required for the above-stated Contract as set forth in the Plans, Specifications, and Contract Learnents therefor, and to perform all Work in the manner and time prescribed therein.

BIDDER declares that this proposal, including the bid sheets, the subcontractor list, the non-collusion declaration, the Iran Contracting Act declaration and the sufficient funds declaration ("Proposal") is based upon careful examination of the work site, Plant specifications, Notice Inviting Bids, Instructions to Bidders, and other Contract Document If this proposal is accepted for award, BIDDER agrees to enter into the Contract with AGENC' at the unit and/or lump sum prices set forth in this Proposal. BIDDER understands that filter is enter into the Contract in the manner and time prescribed will result in for after to AGENCY of the Bid Bond accompanying this proposal.

BIDDER understands that a bid is record for the otire Work, that any estimated quantities set forth in the Proposal are solely for the purpose of comparing bids, and that final compensation under the Contract will be based upon the actual quantities of Work satisfactorily Completed. It is agreed that any unit and/or lund sum prices in the Proposal include all appurtenant expenses, taxes, royalties, and fees. In the case of discrepancies in the amounts bid, unit prices shall govern over extended amounts.

BIDDER agrees and ack twiledges that he is aware of the provisions of Section 3700 of the Labor Code which requires every imployer to be insured against liability for workmen's compensation or to under take of finisurance in accordance with the provisions of that code, and that the BIDDER will corresplay with such provisions of that code before commencing the performance of this Contract if aware of to it.

BIDE R ce. Let that in all previous contracts or subcontracts, all reports that may have been due under the requirements of any agency, State, or Federal equal employment opportunity orders have been satiliactorily filed, and that no such reports are currently outstanding.

BILLER declares that the only persons or parties interested in this Proposal as principals are those named herein; that no officer, agent, or employee of the AGENCY is personally interested, directly or indirectly, in this Proposal; that this Proposal is made without connection to any other individual, firm, or corporation making a bid for the same work; and that this Proposal is in all respects fair and without collusion or fraud.

BIDDER'S INFORMATION

Business Address Telephone: (BIDDER certifies that the following information is true and correct:
E-mail State Contractor's License No. and Class Original Date Issued Expiration Date Department of Industrial Relations (DIR) Registration No mber The following are the names, titles, addresses, and place numbers of all individuals, firm members, partners, joint ventures, and/or corrorate officersving a principal interest in this proposal: The dates a composition of the proposition of	Bidder's Name
State Contractor's License No. and Class	Business Address
State Contractor's License No. and Class	Telephone: ()
Original Date Issued	E-mail
Department of Industrial Relations (DIR) Registration Number The following are the names, titles, addresses, and place numbers of all individuals, firm members, partners, joint ventures, and/or corporate officers	State Contractor's License No. and Class
The following are the names, titles, addresses, and place numbers of all individuals, firm members, partners, joint ventures, and/or correcte officers and a principal interest in this proposal: The dates of any coluntary or involuntary bankruptcy judgments against any principal having an interest in this Proposal are as follows:	Original Date Issued Expiration Date
The dates composal are as follows: The composal are as follows:	Department of Industrial Relations (DIR) Registration N mber
interest is this Prope all are as follows: All currers and prior DBAs, alias, and/or fictitious business names for any principal having an	
interest is this Prope all are as follows: All currers and prior DBAs, alias, and/or fictitious business names for any principal having an	

LIST OF SUBCONTRACTORS

All Contractors (and sub-contractors) must be registered with the State Division of Industrial Relations and certified to bid on Public Works contracts before bid/proposal submission. Please register at: https://efiling.dir.ca.gov/PWCR/ActionServlet?action=displayPWCRegistrationForm

BIDDER proposes to subcontract certain portions of the work, as follows [NOTE: There is no need to require listing of suppliers under Public Contract Code §4104. If supplier, d, it makes compliance with the 50% rule (Greenbook, §2-3.2) difficult to ascertain

Name of Subcontractor	Contractor's License #	DIR PWCR#	Address/Phone # of Office, Mill or	Percent of Total Contract	Bid Items (List % of Bid Item if Portion Only)
	- val	spot a dona		ed SIRC berry	50 .a. (
				bases	

If more space is needed to list subcontractors, please copy this page and fill out.

P-3

REFERENCES

The following are the project names, addresses, contact persons, and phone numbers for all public agencies for which BIDDER has performed similar work within the past two years:
DESIGNATION OF SURETIES
The following are the names, ad resses, and phone numbers for all brokers and sureties from whom BIDDER intends to p. cure surance and bonds:

CITY OF MISSION VIEJO PUBLIC SERVICES DEPARTMENT

BIDDER'S STATEMENT OF PAST CONTRACT DISQUALIFICATIONS

The Bidder is required to state any and all instances of being disqualified, removed, or other wise prevented from bidding on or Completing any contract for construction.

1.	Have you	ever been disqualified from any contract?	
	Yes 🗖	No □	
2.	If yes, expl	lain the circumstances:	
	1		
	-		
Signa	Dona 10 9 If	er	

PROPOSAL

IN WITNESS Wand seals of all f	HEREOF, Bidder executes an orenamed principals this	d submits this Proposalday of	with the names, titles, hands, 20
BIDDER _			
_			
_			
_			
Subscribed and	sworn to this day of	, 20	
NOTARY PUB	LIC		
A GENERAL A			
specified, and the specified and the specified and the specified and the specified are specified.	owledge that une posal what it was companied by the	as received and opened ne required guarantee in	at the time and in the place to the amount of ten percent
(1070) of the is	ar old.		
Bv			
Title:			

NON-COLLUSION AFFIDAVIT

(To be executed by bidder and submitted with its bid)

STATE OF CA	LIFORNIA)			
COUNTY OF) ss)			
			, being first du	ly sworn, depos	e and says that he or
she is					
of, any undiscle such bid is genu or solicited any conspired, conn shall refrain fro agreement, con other bidder, or bidder, or to s interested in the that the bidder thereof, or the on not pay, any depository, or t paid, and will n	osed person, aine and not coother bidder to aived, or agree on bidding; the munication, to fix any ovecure any acceptode proposed coontents there fee to any on any member of pay, any part of the contents of the pay, any part of the contents there fee to any on any member of pay, any part of the contents there fee to any on any member of pay, any part of the contents there fee to any on any member of pay, any part of the contents there fee to any on any member of pay, any part of the contents there fee to any member of pay, any part of the contents the conten	partnership, collusive or shaped with any boat the bidder or conference or conference derhead, profil lyantage againstract; that eactly or indirectly or ind	company, association; that said bidder are sham bid, a carried in the many many many many many many many many	on, of anization r has not a directly nas not a directly nas not a directly or fix the old price of the old price of the old price of ained in the bid as or her bid pridata relative the pany association e a collusive or it.	finsert bidder to est a or on behalf to corporation; that to indirectly induced indirectly colluded, im bid, or that anyone indirectly, sought by to of the bidder or any or of that of any other te contract of anyone are true; and further, te or any breakdown reto, or paid, and will on, organization, bid sham bid, and has not tion, partnership, joint other entity, hereby
venture, limite represents that the bidder	he or she h	full power to	nted hability partropers execute, and does	execute, this de	eclaration on behalf of
I declar under is true a d corruin. mia.	ethe enalty of dect a d that the	of perjury und his declaratio	der the laws of the n is executed on _	State of Califor	nia that the foregoing 20_, at,
Signed				_	
	Print Name			-	
	Title			-	
Subscribed and	l sworn to be	fore me this _	day of	, 20)

Signature of Notary Public (SEAL)

(10%	of the	Proposed	Amount)
------	--------	----------	---------

BID BOND

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

(To be submitted by bidder with its bid)

KNOW ALL MEN BY THESE PRESENT	S that we	
as "Principal/Bidde		
		Mission Vejo a "Agency" in
the penal sum ofDol	lars (\$),	, for the ayment of which
sum well and truly to be made, we bind our	selves, our heirs, eventors	dministr lors and successors,
jointly and severally, firmly by these prese		
The conditions of this obligation are such the	hat whereas the Principal/F	dder submitted to the Agency
a certain Proposal, attached hereto and her		
for the	work of improv	vement and will furnish all
required certificates of insurance and bone	as equired by the Contract	ct.

NOW THEREFORE, if said Proposal hall be rejected; or in the alternate, if said Proposal shall be accepted, and the Principal/Bidde shall excute and deliver a contract in the prescribed Form of Agreement, shall deliver certificates evidenting that the required insurance is in effect and shall execute and deliver Performance and Paymer Bonds in the forms prescribed, and shall in all other respects perform the agreement created by the acceptance of said Proposal, then this obligation shall be void; otherwise, this obligation shall remain in force and effect, it being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expressly understood and agreed that the liability of the principal being expression as herein stated.

The Surety, 101. value received, hereby stipulates and agrees that the obligations of said Surety and its bond, shall in no any be impaired or affected by an extension of the time within which the Agency may accept such a poposal; and said Surety does hereby waive notice of any such extension.

BID BOND (Page Two)	
several seals thisda each corporate party being	ne above-bounded parties have executed this instrument under their y of, 20, the name and corporate seal of hereto affixed and these presents duly signed by its undersigned thority of its governing body.
ATTEST:	
	(Principal/Bidder)
	(Address)
	(By)
	(Title)
NOTE: SIGNATU	RE OF CORPC ATE OFFICIALS MUST BE NOTARIZED
ATTEST:	(Surety)
	(By)
	(Title)
NO TE: SIC NATUR	E OF SURETY OFFICIALS MUST BE NOTARIZED
BOND A. PROVED AS TO	FORM:
William P. Curley III	
City Attorney City of Mission Viejo	

ACKNOWLEDGEMENT
A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.
State of California
County of)
On before me, (insert name and title the office
(insert name and title the office
who proved to me on the basis of satisfactory evidence to be seed to the within instrument and acknowledged to reather the the same in his/her/their authorized capacity(ies), and that by his/her/their signature (s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.
I certify under PENALTY OF PERJURY under the law of the State California that the foregoing paragraph is true and correct.
WITNESS my hand and official seal.
Signature (Seal)

IRAN CONTRACTING ACT CERTIFICATION (Public Contract Code sections 2202-2208)

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

(To be executed by bidder and submitted with its bid)

As required by Public Contract Code ("PCC") section 2204 for core acts of \$\.\ 0.000\, 000\ or more, please insert bidder's or financial institution's name and Federal D Number if available) and complete **one** of the options below. Please note that California aw establines penalties for providing false certifications, including civil penalties equal to the general \$250,000 or twice the amount of the contract for which the false certification was made; contract termination; and three-year ineligibility to bid on contracts. (PCC §2205.)

OPTION #1 - CERTIFICATION

I, the official named below, certify I am duly authorized to execute this certification on behalf of the bidder/financial institution identified below is <u>not</u> on the current list of persons engaged in investment activities in Iran created by California Department of General Structure ("DGS"), and is not a financial institution extending twenty million dollars (\$20,000,000) or mode in credit to another person/bidder, for 45 days or more, if that other person/bidder vill use the credit to provide goods or services in the energy sector in Iran and is identified on the current I's of persons engaged in investment activities in Iran created by DGS. (PCC §2204(c))

Bidder Name/Financi, Institution (Printed)	Federal ID Number (or n/a)
By (Auth Signature)		
Printe Name and itle of Person Sig	gning	
Date "vecu"	Executed in	

OP1. JN #2 – EXEMPTION

Pursuant to Public Contract Code sections 2203(c) and (d), a public entity may permit a bidder/financial institution engaged in investment activities in Iran, on a case-by-case basis, to be eligible for, or to bid on, submit a proposal for, or enters into or renews, a contract for goods and services. If you have obtained an exemption from the certification requirement under the Iran

Contracting Act, please fill out the information below, and attach documentation demonstrating the exemption approval.

Bidder Name/Financial Institution (Printed)	Federal ID Number (or n/a)
By (Authorized Signature)	
Printed Name and Title of Person Signing	Date Executed

Notification to All Contractors and Grantees (EO Paragraph #3)

[DATE], 20___

[Name Here] [Title Here] [Name of Business or Organization] [Address line 1] [Address line 2]

RE: Contractor and Grantee Compliance with Economic Schools Imposed in Response to Russia's Actions in Ukraii

Dear [Name Here]:

On March 4, 2022, Governor Gavin Newsom issued Executive Ord N-6-22 (EO) regarding sanctions in response to Russian aggression in Caine. The EO is located at https://www.gov.ca.gov/wp-content/uploads/ 322/03/3.4.22-Russia-Ukraine-Executive-Order.pdf.

The EO directs all agencies and departments that a subject to the Governor's authority to take certain immediate steps, including notifying all contractors and grantees of their obligations to comply with existing economic anctions imposed by the

U.S. government in response to lessia's actions in Ukraine, as well as any sanctions imposed under state law.

This correspondence with the economic sanctions imposed in response to Russia's actions in Ukraine is required, including with respect to, by not limited to, the federal executive orders identified in the EO and the sanctions identified on the U.S. Department of the Treasury website (https://ome.treas_v.gov/policy-issues/financial-sanctions/sanctions- programs-and-country-information/ukraine ussia-related-sanctions). Failure to comply may result in the termination of contracts or grant, as applicable.

Please 1 te that for any agreements or grants valued at \$5 million or more, a separate notification will be sent outlining additional requirements specified under the EO.

Sincerely,

[Name]
[Title]

SUFFICIENT FUNDS DECLARATION (Labor Code section 2810)

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

(To be executed by bidder and submitted with its bid)

Owner: City of Mission Vie	
	NANCE PROGRAM FOR [NAME OF SEPTACES NTICET]
I,	, declare that I am the [insert
title] of	, declare that I am the
above Contract that accomp	nies this Declaration, and Lat such bid includes sufficient funds to
permit	_[the entity] to comply w h all local, tate or federal labor laws or
regulations during performa	nce of the Contract, including payment of prevailing wage, and that
[the ent	ty] will comply with the proving a Labor Code section 2810(d) if
awarded the Contract.	
I declare under pen	lty of perjury und the laws of the State of California that the
foregoing is true and corre-	t and
[state].	
Date:	
	Signature
	Print Name:
	Print Title:



PROPOSAL BID SHEET

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

TO THE CITY CLERK OF MISSION VIEJO, CALIFORNIA

BIDDER (Firm Name)			
The undersigned hereby proposes and agrees to furnish any and all materials, labor	and	rvices for	
following:		7	

Project: NPM Community and Senior Center Audio and Visual Replacement and Improvents.

All in accordance with Drawings and Specifications on file at the office of the City Clerk, ity a Mission Viejo.

The following estimates of quantities of work to be done and materials to furnished re approximate only. They are given as a basis for comparison of bids and the City does for express, or by it plication agree that the actual amount of work will correspond therewith, but reserves are right to increase or decrease the amount of any class or portion of the work, or to omit portions of the work that may be remed necessary or expedient by the City.

SCHEDUV OF PRICES

NPM COMMUNITY AN SENIOR CENTER AUDIO AND VIS AL RE. ACEMENT AND IMPROVEMENTS

ITEM	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	SUBTOTAL
BASE	BID:				
I.	SYSTEM HEAD.				
1.	Tripp Lite PDUMV2 1.9kW 1-Phase PDU with Digital Spot Meter 120V Outlets (28 5-15/20R) 20P and 5-20. Adapter, 15' Cord JU Vers 31. Part No. TC-PDUMV20.	2	Ea.	\$	\$
2.	Atla Sound 15A Power Sequencer and No. ECS-3.	1	Ea.	\$	\$
	Specificany assigned for telephone paging applications.	1	Ea.	\$	\$
1	Extro 60-1545-11 XTP II CrossPoint 1600 Fr2 e with Redundant Power Supply. Note: ms 4-8 are part of XTP System Custom Configuration 60-1545-009472.	1	Ea.	s	S
5.	Extron 70-940-31 Four Input Board, XTP 4K with IR/RS-232 Insertion - 26W Remote Power				
	Capable. Extron 70-943-31 Four Output Board, XTP 4K	2	Ea.	\$	\$
6.	with IR/RS-232 Insertion - 26W Remote Power	2	Ea.	\$	\$

	Capable.		T		
<u> </u>				-	
7.	Extron 70-1113-01 Four Output Board, HDMI	1	E -		
	4K/60 with Stereo Audio.	1	Ea.	<u> </u>	5
8.	Extron 70-939-01 XTP Matrix Blank Plate	3	Ea.	\$	\$
9.	Extron 70-1112-02 Four Input Board, 4K/60				
	HDMI with Downmixing Audio.	1	Ea.	\$	s
10.	Extron 60-1511-10 12x8 ProDSP Digital Matrix				
	Processor with Dante.	2	Ea.	\$	R
11.	Extron 60-1917-01A IP Link Pro Quad Control				
	Processor w/LinkLicense for User Interfaces				
	Upgrade.	1	Ea.	\$	\$
12.	Extron 60-1301-01 Four Channel Bridgeable				
	Output Amp, 100/200 Watts.	4	Ea.	_\$	S
13.	Extron 26-754-06 HDMI Premium High-Speed				
	HDMI Cables.	30	Ea	\$	s
14.	Extron 22-156-03 Serial Control/Audio Cable -				
	1,000' (305 m) spool.	1	Ea.	\$	s
15.	Extron 22-154-03 16 AWG Speaker Cable -				
	Plenum - 1,000' (305 m) spool.		Ea.	\$	s
16.	Extron 22-235-03 Shielded Digital Twisted Pair				
100	Cable for XTP & DTP products - Plenum,				
	1000' (305 m) spool.	3	-41	s	s
17.	Cisco 28-Port Gigabit PoE+ Managed Swit (.				
1	Part No. SG300- 28PP-K9-NA.	1	Ea.	s	s
18.	Extron 60-1170-01eBUS® Distribution Hub.	1	Ea.	6	6
	Extron 70-988-01eBUS® 12 VP	1	Ea.	3	3
19.	Supply and Distribution Hub.	1	Ea.	•	6
20	Extron 101-005-02 XTP DTP 2 Plug, Pack ge	1	La.	3	3
20.	of 10.	5	Ea.	6	6
21.	CAT6 Plenum Cable White.			3	3
		2	Ea.	\$	\$
22.	3/4" D X 30" W X A" H Fire- tardant				
	Treated Plywood Ba 'er po shown on				
	A/V drawings.	1	Ea.	\$	\$
23.	Metal Shelf for Existing L vadcast Control				
	Panel. Pro. vate shelf size 10" W x 4" D	1	Ea.	\$	\$
24.	Ladd Rack - 1 long by 18" wide Ladder				
	Rack with Corne Accessory and Wall/Ceiling				
	Moun ig Bracke , End Caps, Waterfall				
	way bot' A/V Cabinets, and Bonding				
	Acces ries.	11	LS	\$	\$
75.	Install. ion and Misc. Materials – Head End				
	Equip ent. Includes Pathway within A/V Head				
	nd .com.	1	LS	\$	\$
	S	SUBTOTAL -	- SYSTEN	I HEAD I	END:\$
II.	SYCAMORE A AUDIOVISUAL				
	"WA" Wireless Microphone Antenna on A/V				
24.	Drawings: Shure MXWAPT8 Microflex				
	Wireless Access Point Transceiver, Provide	1	Ea.	6	G
	wheress Access runit Transceiver, Provide	1	La.	Þ	D

	drywall trim ring and faceplate with cable				
	grommet for cabling.				
25.	Shure MXWNCS8 Microflex Wireless 8CH				
	NETWORKED CHARGING STATION.	1	Ea.	\$	\$
26.	Shure MXW2/SM58 Microflex Wireless				
20.	Handheld Transmitter with SM58®				4
	Microphone (Includes one SB902 Battery).	4	Ea.	\$	s
27.	Shure MXW1 Microflex Wireless hybrid				
21.	bodypack transmitter.	4	Ea.	s	s
20	Shure CVL Centraverse Lavalier Condenser				
28.	Microphone.	2	Ea.	8	s
	Williams Sound FM+ FM & Wi-Fi Assistive		La.	No.	B
29.	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
	Listening System (4 Receivers) (2) Neck Loops.	4	IF		•
	Part No. FM 557.	1	Ea.	\$	3
30.	"P1" Projector at Stage on A/V drawings:				
	NEC/NP-PV800UL-W1-41ZL WUXGA 1920 x				'
	1200 8000 Lumens LCD Laser Projector with				
	NP41Z Lens – White.	1	Ea	\$	\$
31.	Chief KITEZ006W Projector Ceiling Mount				
	Kit – White.		Ea.	\$	\$
32.	Stage screen on A/V drawings: Screen				
	Innovations S3TF200SL-6S24W110SIO 200"				
	Projection Screen.	1	46.	\$	\$
33.	Side screen on A/V drawings: Screen				
	Innovations S3WF150SL-5S12W110SV 15				
	Projection Screen.	1	Ea.	\$	\$
34.	Equipment for "H4" data locatio V				
34.	drawings: Extron XTP SR HD K Scalin.				
	Receiver for HDMI, for "P1" rojector. P. t				
	No. 60-1524-02.	1	Ea.	s	s
35.	Data Connection for "H4 data ration A/V				
35.	drawings: Wiremold 2400 S. face-mount				
	junction box, whi				
	faceplate. Provide C 6 data jac for XTP				
	cabling and blank, who insert for second jack				
		1	Ea.	•	s
	position	1	La.	D	5
36.	"H5" .ata loc. ons on either side of stage on				
	A/V rawings: 1 tron XTP R HWP 201 4K				
	HDl Decorato Style Receiver – Black. Part	2	TC a	g.	6
	No. 6 1629-22	2	Ea.	\$	\$
37.	"r. " onwall in A/V drawings: Extron				
	XTP HWP 101 4K Transmitter for HDMI -				
	Decor tor-Style Wall plate – Black. Part No.				
	60-1 /1-12.	1	Ea.	\$	\$
38.	'z" in floor boxes on A/V drawings: Extron				
	XTP T HWP 101 4K Transmitter for HDMI -				
	Decorator-Style Wall plate – Black. Part No.				
	60-1611-12	3	Ea.	\$	\$
39.	"M1" Microphone Jack in A/V drawings:				
37.	Microphone Jack to fit in Existing Stage Floor				
	Boxes.	3	Ea.	\$	\$
		•			

40.	Extron 26-726-300 HDMI Premium High					
	Speed Optical Cables - Plenum up to 300'.	1	Ea.	\$	\$	
41.	"TP" Touch Panel on A/V drawings: Extron					
	60-1566-02 10" Wall Mount TouchLink® Pro					
	Touchpanel – Black.	1	Ea.	s	\$	
42.	Extron 70-1141-23 Recessed Wall Mount Kit					1
	for TLP Pro 1025M, TLP Pro 725M, TLS					
	1025M, and TLS 725M.	1	Ea.	s	s	
43.	"PS" partition sensor on A/V drawings: Extron					
	60-1705-03 eBUS Partition Sensor.	1	Ea.	S	S	
44.	"A1" Audio Speakers on A/V drawings:					-
	Extron SpeedMount Two-Way Surface Mount					
	SM28 Speakers with 8" Woofer (Pair) - White.					
	Part No. 60-1309-03.	3	Ea.	-	S	
45.	"S1" Paging Speakers on A/V drawings:					
43.	Extron 60-1881-03 SoundField XD 6.5" Two-					
	Way Ceiling Speaker with Low Profile Back					
	Can (Pair).	1	Ea.		•	
46.	Installation and Misc. Materials – Sycamore A		a.	19	3	
40.	Audiovisual, with cabling installation,					
	including sleeves, conduit or raceway where					
	needed (see Head End Installation for					
	inceded (See Head Ella Histaliation for			6	0	
		1				
	additional cabling material for this room).	1 SVCAM	ODE A AI	h	TAT.	
	additional cabling material for this room).	1 - SYCAM		UDIOVISU	AL:	
	additional cabling material for this room).	1 - SYCAM		UDIOVISU	AL:§	-
III.	additional cabling material for this room).	1 - SYCAM		UDIOVISU	AL:§	
	additional cabling material for this room). SUBT TAL	1 - SYCAM		UDIOVISU	AL: _{\$}	
III. 47.	additional cabling material for this room). SUB7 VAI	1 - SYCAM		UDIOVISU	AL: _{\$}	
	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: 5 reen Innovations S3WF150SL-5S12 /110SIO 15 "	1 - SYCAM	ORE A A	UDIOVISU	AL:S	
47.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2} \text{reen} \text{Innovations S3WF150SL-5S12 } \text{/110SIO 15 "} Projection Screen.			UDIOVISU \$	AL: _S	
	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: 5 reen Innovations S3WF150SL-5S12 V110SIO 15 " Projection Screen. "H1" on side wall in A/V d. wing Extra		ORE A A	UDIOVISU \$	AL:S	
47.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: 5 reen Innovations S3WF150SL-5S12 /110SIO 15 " Projection Screen. "H1" on side wall in A/V o. wing Extro XTP T HWP 101 4K Transmoor for HDMI -		ORE A A	UDIOVISU \$	S S	
47.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: 5 reen Innovations S3WF150SL-5S12 /110SIO 15 " Projection Screen. "H1" on side wall in A/V d. wing Extra XTP T HWP 101 4K Transm. or for HDMI - Decorator-Style W. RIA 'S. Part No.	1	Ea.	UDIOVISU \$	AL:s	
48.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2} reen Innovations \$3WF150SL-5S12 \text{110SIO 15} reconstruction The projection Screen. "H1" on side wall in A/V dowing Tate of XTP T HWP 101 4K Transmore for HDMI - Decorator-Style Way RIA v. Part No. 60-1611-12.		ORE A A	S S S	S S	
47.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2}\$ reen Innovations \$3WF150SL-5S12 \(\frac{1}{2} \) 110SIO 12 \(\frac{1}{2} \) Projection Screen. "H1" on side wall in A/V d. wing Extra XTP T HWP 101 4K Transm. or for HDMI - Decorator-Style W. Part No. 60-1611-12. Extron 26-726-300 HDM. Premium High	1	Ea.	S S	\$ \$ \$	
48.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: Screen Innovations S3WF150SL-5S12 /110SIO 15 " Projection Screen. "H1" on side wall in A/V d. wing Extrox XTP T HWP 101 4K Transmor for HDMI-Decorator-Style W. Risch. Part No. 60-1611-12. Extron 26-726-300 HDM. Premium High Speed Optical Cables - Plen. m up to 300'.	1	Ea.	\$ \$ \$	\$ \$ \$	
48.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: S reen Innovations S3WF150SL-5S12 /110SIO 15 " Projection Screen. "H1" on side wall in A/V o. wing Extro XTP T HWP 101 4K Transm. or for HDMI - Decorator-Style W. Rla 's. Part No. 60-1611-12. Extron 26-726-300 HDM. Premium High Speed Option Cables - Plea mup to 300'. "TP" Jouch Parl on A/V drawings: Extron	1	Ea.	S S S	S S	
48.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2}\$ reen Innovations \$S3WF150SL-5S12 \sqrt{110SIO}\$ 15 " Projection Screen. "H1" on side wall in A/V d. wing Extraction Streen. XTP T HWP 101 4K Transm. or for HDMI-Decorator-Style W. Rlack, Part No. 60-1611-12. Extron 26-726-300 HDM. Premium High Speed Ordinal Cables - Plen. m up to 300'. "TP" Juch Pa. Jon A/V drawings: Extron 60-15 6-02 10" Well Mount TouchLink® Pro	1 1 1	Ea. Ea.	S S S	\$ \$ \$ \$	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2} \text{reen} \text{Innovations S3WF150SL-5S12 /110SIO 15} \text{"Projection Screen.} \text{"H1" on side wall in A/V d. wing Extra XTP T HWP 101 4K Transm. or for HDMI-Decorator-Style W. Rland, Part No. 60-1611-12. Extron 26-726-300 HDM. \text{ Premium High Speed Ordinary Cables - Plen. m up to 300'.} \text{"TP" ouch Pa. \text{ on A/V drawings: Extron 60-15 6-02 10" W. \text{ Il Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ Il Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkÂ\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} \text{ In Mount Touch LinkA\text{ \text{ Pro} Touch Nanel - Blact.}} In Mount Touch	1	Ea.	\$ \$ \$ \$	\$ \$ \$ \$	
48.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2}\$ reen Innovations \$3WF150SL-5S12 \(\frac{1}{2} \) 110SIO 15 \(\frac{1}{2} \) Projection Screen. "H1" on side wall in A/V dowing Extra XTP T HWP 101 4K Transmor for HDMI-Decorator-Style W. Riant, Part No. 60-1611-12. Extron 26-726-300 HDM Premium High Speed Ordinary Cables - Plear mup to 300'. "TP" Juch Part I on A/V drawings: Extron 60-15 6-02 10" Will Mount TouchLink® Pro Touch and - Blace	1 1 1	Ea. Ea.	S S S	\$ \$ \$ \$	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: Screen Innovations S3WF150SL-5S12 /110SIO 15 " Projection Screen. "H1" on side wall in A/V of wing Extrox XTP T HWP 101 4K Transmor for HDMI-Decorator-Style Way Riants. Part No. 60-1611-12. Extron 26-726-300 HDM. Premium High Speed Option Cables - Plen mup to 300'. "TP" Fouch Parl on A/V drawings: Extron 60-15 6-02 10" Will Mount TouchLink® Pro Touch and Blad and TouchLink® Pro Touch and Blad and TouchLink® Pro Touch and Product Style Wall Mount Kit for Products.	1 1 1	Ea. Ea. Ea.	S S S	\$ \$ \$ \$	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: Screen Innovations S3WF150SL-5S12 V110SIO 15 " Projection Screen. "H1" on side wall in A/V or wing Extrox XTP T HWP 101 4K Transmor for HDMI-Decorator-Style Way Ria 's Part No. 60-1611-12. Extron 26-726-300 HDM Premium High Speed Option Cables - Plear mup to 300'. "TP" Jouch Parallon A/V drawings: Extron 60-15 6-02 10" Will Mount TouchLink® Pro Touch and - Blacia. ""Tron 19-1141-2 Recessed Wall Mount Kit for Pro 225M, TLP Pro 725M, TLS 1025M, and TLS 725M.	1 1 1	Ea. Ea.	S S S	S S S	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{7}{2} reen Innovations \$3WF150SL-5S12 \/ 110SIO 15 \\ \text{"Projection Screen.} \\ "H1" on side wall in A/V d. wing \text{Extro.} \\ XTP T HWP 101 4K Transm. \\ \text{er for HDMI} - \\ Decorator-Style W. \\ \text{Part No.} \\ 60-1611-12. Extron 26-726-300 HDM. \\ \text{Premium High Speed Optical Cables - Plen mup to 300'.} \\ "TP" / Juch Pa. \\ \text{I on A/V drawings: Extron } \\ 60-15 \\ 6-02 10" \\ \text{U mount TouchLinkÂ\text{\text{\text{B}} Pro } \\ Touch \\ \text{anel} - \text{Black.} \\ \text{"Ton } \\ \text{\text{0-1141-2}} \\ \text{Recessed Wall Mount Kit } \\ \text{for } \text{\text{P Fro.} 225M, TLP Pro 725M, TLS } \\ 1025\text{\text{N and TLS 725M.}} \\ "A1" / \\ \text{Idio Speakers on A/V drawings:} \end{array}	1 1 1	Ea. Ea. Ea.	S S S S	\$ \$ \$ \$	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2} \text{reen} \text{Innovations S3WF150SL-5S12 }/110SIO 15 " Projection Screen. "H1" on side wall in A/V d. wing Extractory Style W. Projection Screen. "H1" on side wall in A/V d. wing Extractory Style W. Premium High Speed Ording Cables - Plen mup to 300'. "TP" fouch Pa. Jon A/V drawings: Extron 60-15 6-02 10" W. Il Mount TouchLink® Protouch and - Blactory Style W. Projection Screen. "Touch and - Blactory Style W. Projection Style W. Premium High Speed Ording Style W. Premium High Speed Ording Style W. Projection Style W. Project	1 1 1	Ea. Ea. Ea.	S S S S	\$ \$ \$ \$	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: Screen Innovations S3WF150SL-5S12 /110SIO 15 " Projection Screen. "H1" on side wall in A/V drawings: Extro XTP T HWP 101 4K Transmar for HDMI- Decorator-Style Wransmar for	1 1 1	Ea. Ea. Ea. Ea.	\$ \$ \$ \$	\$ \$ \$ \$	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: Screen Innovations S3WF150SL-5S12 /110SIO 15 " Projection Screen. "H1" on side wall in A/V of wing Extrox XTP T HWP 101 4K Transmor for HDMI-Decorator-Style Way Ria 's Part No. 60-1611-12. Extron 26-726-300 HDM. Premium High Speed Option Cables - Plen mup to 300'. "TP" fouch Parl on A/V drawings: Extron 60-15 6-02 10" Will Mount TouchLink® Pro Touch and - Blad and TLS 725M, TLP Pro 725M, TLS 1025M, and TLS 725M. "A1" A Idio Speakers on A/V drawings: Speed fount Two-Way Surface Mount SM28 so the Kers with 8" Woofer (Pair), including Yoke Mount - white. Part No. 60-1309-03.	1 1 1	Ea. Ea. Ea.	S S S S	S S S S	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: Screen Innovations S3WF150SL-5S12 V110SIO 15 " Projection Screen. "H1" on side wall in A/V on wing Extrox XTP T HWP 101 4K Transmor for HDMI-Decorator-Style Way Ria 's, Part No. 60-1611-12. Extron 26-726-300 HDM Premium High Speed Ordinary Cables - Plen mup to 300'. "TP" Jouch Parl on A/V drawings: Extron 60-15 6-02 10" Will Mount TouchLink® Pro Touch and - Blacia. ""Tron 10-1141-2 Recessed Wall Mount Kit for Processed. TLP Pro 725M, TLS 1025M, and TLS 725M. "A1" Jidio Speakers on A/V drawings: Speed Jount Two-Way Surface Mount SM28 Scrience Mount - white. Part No. 60-1309-03. "S1" Paging Speakers on A/V drawings:	1 1 1	Ea. Ea. Ea. Ea.	S S S S	S S S S	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2} reen Innovations \$\frac{1}	1 1 1	Ea. Ea. Ea. Ea.	S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{\text{reen}}{\text{reen}} \text{Innovations S3WF150SL-5S12 \sqrt{110SIO 15}} \text{"Projection Screen.} "H1" on side wall in A/V d. wing Extraction Screen. "H1" on side wall in A/V d. wing Extraction Screen. "H1" on side wall in A/V d. wing Extraction Screen. "H1" on side wall in A/V d. wing Extraction Screen. "TP T HWP 101 4K Transm. or for HDMI - Decorator-Style W	1 1 1 1	Ea. Ea. Ea. Ea. Ea.	S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2} reen Innovations \$3WF150SL-5S12 \times 110SIO 15 \text{ "Projection Screen.} "H1" on side wall in A/V d. wing Extract XTP T HWP 101 4K Transm. 2r for HDMI-Decorator-Style W	1 1 1	Ea. Ea. Ea. Ea.	S S S S	S S S S S S S S S S S S S S S S S S S	
47. 48. 49. 50.	SYCAMORE B AUDIOVISUAL Side Screen of A/V Drawings: \$\frac{1}{2}\$ reen Innovations \$3WF150SL-5S12 \(\) \(1 1 1 1	Ea. Ea. Ea. Ea. Ea.	S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

	sleeves, conduit or raceway where needed (see				
	Head End Installation for additional cabling				
	material for this room).				
	SUBTOTAL – S	YCAMOR	E A & B A	UDIOVISU	JAL: _§
IV.	CREEK SIDE TERRACE AUDIO				
55.	"A2" Exterior Audio Loudspeakers on A/V				
	drawings: Bogen LB8TW 8" 2-way				
	Weatherproof Loudspeaker with Built- in 70V				
	Transformer, White.	2	Ea.	\$	S
56.	Installation and Misc. Materials - Creek Side				
	Terrace Audio with cabling installation,				
	including sleeves, conduit or raceway where				
	needed (see Head End Installation for				
	additional cabling material for this room).	1	L.	<u> </u>	\$
	SUBTOTAL	- CREEK	SIDE TER	RACE U	DIO:\$
v.	ORCHARD TERRACE AUDIO				
57.	"A2" Exterior Audio Loudspeakers on A/V				
"	drawings: Bogen LB TW 8" 2-way				
	Weatherproof Loudspeaker with Built- in 70V				
	Transformer, White.	2	Ea.	\$	\$
58.	Installation and Misc. Materials - Orch				
00.	Terrace Audio with cabling installation,				
	including sleeves, conduit or raceway where				
	needed (see Head End Installation 101				
	additional cabling material fo this room,	1	LS	\$	\$
	SUB' DTA	AL - ORCH	ARD TER	RACE AU	DIO: ₈
					Line
тот	AL LUMP SUM B. SELETT. IS I, II, III, IV	7 37 AMOI	INIT IN NI	IMDEDS.	•
101	AL LUMP SUM B. S. I. II, III, IV	, v AMOU		JIVIDENS.	Φ
TOT	AL II AD CHA DACE DID ITEMS I II III I	N N AMC	TINT IN	NODDS.	
101	AL L'MP SUN. BASE BID ITEMS I, II, III, I	iv, v Aivic	UNI IN	MOKDS:	

<u>SCHEDULE OF PRICES – BID ALTERNATES</u>

TOTAL C	DESCRIPTION	nom com:		UNIT	
	DESCRIPTION [TIVE BID ALTERNATE NO. 1:	EST QTY	UNIT	PRICE	SUBTOTAL
			T	1	
I.	JACARANDA A & B AUDIOVISUAL		Ea.	\$	\$
1.	Samsung 85" AU8000 Crystal UHD 4K Smart TV (Consumer Grade). Part No. UN85AU8000.	2	Ea.	s	s
2.	Chief PDR UB Full Motion Mount.	2	Ea.	8	\$
3.	Equipment for "H3" data location on A/V drawings: Extron XTP SR HD 4K Scaling Receiver for HDMI, for flat panel display. Part No. 60-1524-02.	2	Ea	s	s
4.	New Trim Ring within the wall, with singlegang 2-port faceplate - white. Provide Cat 6 data jack for XTP cabling and blank, white insert for second jack position. Provide 2' Cat 6 patch cable – white.		Ea.	s	\$
5.	Extron 26-726-300 HDMI Premium High Speed Optical Cables - Plenum up to 300'.	2	ra.	s	s
6.	"H1" on A/V drawings: Extron 60-1611-1 XTP Transmitter for HDMI - Decorato -Style	-			,
	Wall plate – White.	2	Ea.	\$	\$
7.	"TP" Touch Panel on A/V draw; gs: p., on 60-1563-02 7" Wall Mount Tou hLink® of Touchpanel – Black. Extron 70-1141-23 Reces 1 Wa Mount K	2	Ea.	\$	\$
8.	for TLP Pro 1025M, TLP P. 725.				
	1025M, and TLS 725M.	2	Ea.	\$	\$
9.	"PS" Partition Sens on ings:				
	Extron 60-1705-03 eBc Partition Sensor.	1	Ea.	\$	\$
10.	"WA" Wireless Microph Antenna on A/V Drawing MXWAP 4 Microflex Wirel s Access int Transceiver. Provide dryw I trim ring 1 d faceplate with cable				
	grom t for cabli g.	1	Ea.	\$	\$
1'	"e N. WNC 4 Microflex Wireless 4-CH NET ORKED CHARGING STATION.	1	Ea.	s	\$
12.	Shure XW2/SM58 Microflex Wireless Handh d Transmitter with SM58®	1		G .	5
	licr phone (Includes one SB902 Battery).	2	Ea.	\$	\$
13.	Source MXW1 Microflex Wireless hybrid bodypack transmitter.	2	Fo	6	6
14.	Shure CVL Centraverse Lavalier Condenser	2	Ea.	3	3
17,	Microphone.	2	Ea.	\$	\$
15.	Williams Sound FM+ FM & Wi-Fi Assistive Listening System (4 Receivers) (2) Neck Loops.	_			
	Part No. FM 557.	1	Ea.	\$	\$

16.	"A1" Audio Speakers on A/V drawings:				
	SpeedMount Two-Way Surface Mount SM28				
	Speakers with 8" Woofer (Pair). Part No. 60-				
	1309-03.	4	Ea.	\$	\$
17.	"S1" Paging Speakers on A/V drawings:				
	Extron 60-1881-03 SoundField XD 6.5" Two-				
	Way Ceiling Speaker with Low Profile Back				
	Can (Pair).	1	Ea.	\$	\$
18.	Installation and Misc. Materials – Jacaranda A				
	& B Audiovisual with cabling installation to				
	Head End, including sleeves, conduit or				
	raceway where needed.	11	LS	\$	s
		BID ALTE	RNATE 1	NO. TOT	[/ _: <mark>s</mark>
ADD	ITIVE BID ALTERNATE NO. 2:				
I.	SYCMORE A & B – NEW PROJECTORS FOR	SIDE SCRI	EEI S	\neg	
1.	"P1" Projector on A/V drawings: NEC/NP-				
	PV800UL-41ZL WUXGA 1920 x 1200 8000				
	LMNS LCD Laser Projector with NP41Z Lens		Ea.	•	6
	- White.		Ea.	3	3
2.	Chief KITEZ006W Projector Ceiling Mount				6
	Kit – White.	2	4.	3	3
3.	Equipment for "H4" data location on A/V				
	drawings: Extron XTP SR HD 4K Scal .g				
	Receiver for HDMI, for "P1" Projector. Part		TF o	6	6
	No. 60-1524-02.	2	Ea.	<u> </u>	3
4.	Data Connection for "H4" dat location A/V				
	drawings: Wiremold 2400 Su ace-mount				
	junction box, white, with mate ing 2-port				
	faceplate. Provide Cat 6 a 'a ja for XT				
	cabling and blank, white ins t for second jack				
	position. Provide patc. Pable by	2	LS	6	6
	manufacturer to ma h cabling color: white.	2	LS	3	3
5.	Extron 26-726-300 HD. Y Premium High				
	Speed Optical Cables - Pr um up to 300'.	2	Ea.	\$	\$
6.	Instal ation an Misc. Materials – Sycamore A				
	& B New Proje tors for Side Screens, with				
	cable g installation to Head End, including				
	eve. conduit r raceway where needed.	2	LS	<u>\$</u>	S
		BID ALTI	ERNATE	NO. 2 TO	TAL:
A. 7	ITIVV BID ALTERNATE NO. 3:	.,			
I.	ZAMORE A – ADDITIONAL PROJECTOR	R & SCREE	N AT REA	AR OF ST.	AGE / 2 FLAT
	PANEL DISPLAYS				
1.	"P2" Projector on A/V drawings: Short Throw				
	Projector. NEC/NP-PV800UL-41ZL WUXGA				
	1920 x 1200 8000 LMNS LCD Laser Projector				
	with NP41Z Lens – White.	1	Ea.	\$	\$
2.	Screen Innovations S3TE200PG-6S24W110SIO	1	Ea.	S	\$

	2009 1 (0 3V 11 3V (1 10) () C					
	200" 16:9 Wall-Mounted Projection Screen.					
3.	Chief Wall Mounting Hardware for "P2"					
	Projector.	1	Ea.	\$	\$	
4.	Equipment for "H3" data location on A/V					
	drawings: Extron XTP SR HD 4K Scaling					
	Receiver for HDMI, for "P1" Projector. Part					
	No. 60-1524-02.	1	Ea.	\$	\$	
5.	Data Connection for "H3" data location on A/V					
	drawings: Wiremold 2400 Surface-mount					
	junction box, white, with matching 2-port					
	faceplate. Provide Cat 6 data jack for XTP					
	cabling and blank white insert for second jack					
	position. Extend Wiremold 2400 raceway					
	across wall to A/V Head End Room. Provide 4'					
	Cat 6 patch cable by manufacturer to match					
	cabling – color: white.	1	E:	S	\$	
6.	Installation and Misc. Materials - Additional					
	Projector & Screen at Rear of Stage, with					
	cabling installation to Head End, including					
	sleeves, conduit or raceway where needed.		LS	\$	\$	
7.	Samsung 85" AU8000 Crystal UHD 4K Smart					
	TV (Consumer Grade). Part No. UN85AU8000	2	Fo	\$	\$	
8.	Chief Static Wall Mount.	2	Ea.	\$	s	
9.	Equipment for "H3" data location on A					
	drawings: Extron XTP SR HD 4K Scaling					
	Receiver for HDMI, for flat panel disalay. Part					
	No. 60-1524-02.	2	Ea.	\$	\$	
10.	Fish wall from above soffit dov 1 to new tra					
	ring in the wall. Provide single ang 2-port					
	faceplate - white. Provide at 6 ta jack fr					
	XTP cabling and blank, white insert second					
	jack position. Provide Cat 6, tch cable by					
	manufacturer to ma h caping lor: white.	2	Ea.	\$	\$	
11.	Installation and Misc. Anterials - 2 Flat Panel					
	Displays, with cabling ins. Vation to Head End,					
	including siec and conduit or raceway					
	wher needed.	1	LS	\$	\$	
12.	Dedu t "H5" data ocations on either side of					
	stage A/V dravings from the project:					
	wP 201 4K HDMI Decorator-					
	Style eceiver – Black. Part No. 60-1629-22.	-2	Ea.	\$	\$	
		BID ALT	ERNATE	NO. 3 TO	TAL:	
					•	
ADD	E BID ALTERNATE NO. 4:					
	PAGING SYSTEM IN HALLWAYS & OSO LO	OUNCE				
I.		CONGE				
1.	"S2" Speakers shown on A/V Drawings:					
	Extron SF 3PT SoundField 3" Full-Range	_	TC -			
	Pendant Speakers. Quantity: 2 (1 pair).	3	Ea.	\$	\$	
2.	Speaker Cabling and Installation to Head End,	_	TO			
	including sleeves, and conduit or raceway	3	LS	S	<u> </u>	

where needed.				
"S3" Speakers shown on A/V Drawings:				
Range Surface Mount Paging Speakers, with				
mounting brackets - white. Quantity 2 (1 pair).				
Part No. 60-1309-13	2	Ea.	\$	\$
Speaker Cabling and Installation to Head End,				
including sleeves, and conduit or raceway				
where needed.	2	LS	\$	
"S3 BLK" Speakers shown on A/V Drawings:				
Extron SM28T SpeedMount Compact Full-				
Range Surface Mount Paging Speakers, with				
mounting brackets - black. Quantity 2 (1 pair).				
Part No. 60-1309-12	3	Ea.	\$	\$
Speaker Cabling and Installation to Head End,				
including sleeves, and conduit or raceway				
where needed.	3	L _	\$	\$
Installation per pair – Paging System	8	LS	s	\$
	BID AT	ERNATE	4 TO	TAL:\$
	mounting brackets - white. Quantity 2 (1 pair). Part No. 60-1309-13 Speaker Cabling and Installation to Head End, including sleeves, and conduit or raceway where needed. "S3 BLK" Speakers shown on A/V Drawings: Extron SM28T SpeedMount Compact Full-Range Surface Mount Paging Speakers, with mounting brackets - black. Quantity 2 (1 pair). Part No. 60-1309-12 Speaker Cabling and Installation to Head End, including sleeves, and conduit or raceway where needed.	Extron SM28T SpeedMount Compact Full-Range Surface Mount Paging Speakers, with mounting brackets - white. Quantity 2 (1 pair). Part No. 60-1309-13 Speaker Cabling and Installation to Head End, including sleeves, and conduit or raceway where needed. "S3 BLK" Speakers shown on A/V Drawings: Extron SM28T SpeedMount Compact Full-Range Surface Mount Paging Speakers, with mounting brackets - black. Quantity 2 (1 pair). Part No. 60-1309-12 Speaker Cabling and Installation to Head End, including sleeves, and conduit or raceway where needed. Installation per pair – Paging System 8	Extron SM28T SpeedMount Compact Full-Range Surface Mount Paging Speakers, with mounting brackets - white. Quantity 2 (1 pair). Part No. 60-1309-13 Speaker Cabling and Installation to Head End, including sleeves, and conduit or raceway where needed. "S3 BLK" Speakers shown on A/V Drawings: Extron SM28T SpeedMount Compact Full-Range Surface Mount Paging Speakers, with mounting brackets - black. Quantity 2 (1 pair). Part No. 60-1309-12 Speaker Cabling and Installation to Head End, including sleeves, and conduit or raceway where needed. Installation per pair – Paging System 8 LS	Extron SM28T SpeedMount Compact Full-Range Surface Mount Paging Speakers, with mounting brackets - white. Quantity 2 (1 pair). Part No. 60-1309-13 Speaker Cabling and Installation to Head End, including sleeves, and conduit or raceway where needed. "S3 BLK" Speakers shown on A/V Drawings: Extron SM28T SpeedMount Compact Full-Range Surface Mount Paging Speakers, with mounting brackets - black. Quantity 2 (1 pair). Part No. 60-1309-12 Speaker Cabling and Installation to Head End, including sleeves, and conduit or raceway where needed. 3 LL S

TOTAL LUMP SUM BASE BID ITEMS I, II, III, IV, V, PL S ADDITI E BID ALTERNATES S AMOUNT IN NUMBERS: \$	1-4
TOTAL LUMP SUM BASE BID ITEMS I, II, III, IV, PLUS ADDITIVE BID ALTERNATES	1-4
AMOUNT IN WORDS:	

The City will establish the low bidder by the sum of the base bid plus bid alternates regardless of whether the bid alternates are awarded. The Contractor agrees that his bid, or any bid item, will not be invalidated by this action.

In case of a variation between the unit price and the totals shown by Bidder, the unit price will be considered to be the bid.

The Contractor shall complete this Bid Proposal Sheet for use only by Agency for comparis n of bids and compensation to the Contractor for this project. The estimated quantities and zed descriptions listed in the Bid Proposal Sheets are supplied to give an indication of the general set of the work. Unit prices are intended to be the basis additions, deletions or abstitutions to the work, if required. The accuracy of the estimated quantities is not guaranted. The bidder shall make his own estimate from information included in the contract docume. Set and from field inspections. The work to be performed shall include, but not the intension of the items described. The bid shall include the furnishing of labor, services cools, equal means, materials, appurtenances, and incidentals necessary to install or complete all work on templated per the plans and specifications. Any work required per the plans and specifications for which there is no specific bid item shall be considered as included and the arrior oid items of work (unless listed by bidder under miscellaneous elements and no additional compensation will be allowed therefor. The City reserves the right to increase or decrease the amount of any class or portion of the work, or to omit portions of the work that may be defined necessary or expedient by the City.

NOTE: The City places special emphasis of the presence of the Contractor's representative at all times while work is being performed. A representative from the <u>prime</u> Contractor shall be present at <u>all</u> times. The Contractor must include this cost in its bid. Failure to have the prime Contractor's representative present in accordance with action 7-6 of the Standard Specifications shall result in the deduction of \$1,000 per day om progress payments to the Contractor. The unit quantities listed in the Proposal Bid Sheet the approximate only. Upon completion of construction, if the actual quantities show either in increase or decrease from the quantities given in the Proposal Bid Sheet, the Contract Unit Prices will provide to the provisions of Subsection 3-2.2.1 (unless otherwise specified). Proment we not be made for materials wasted or disposed of in a manner not called for under the Contract has been placed and material placed outside of the Plan lines. No compensation will be allowed for disposing of rejected or excess material.

Proposal must be companied by a proposal guarantee consisting of a certified check or bid bond pay ble to the GENCY in the amount of ten percent (10%) of the total amount bid.

Bille's N	ne		
Telephon.	No		
_			

It is understood and agreed that:

- 1. The undersigned has carefully examined all contract documents which will form a part of the Contract; including, the Notice Inviting Bids, the Instruction to Bidders, the Proposal, the Information Required of Bidders, the Agreement, the Faithful Performance Bond, the Labor and Material Bond, the Specifications including Conditions of the Contract and Technical Provisions.
- 2. The undersigned has, investigated the site of the work and otherwise, and is satisfied as to the nature and location of the work and is fully informed as to all conditions and matters which can in a way affect the work or the cost thereof.
- 3. The undersigned fully understands the scope of work and has checked carefull all we is and figures inserted in this Proposal and further understands that the City of Mission dejo will be in no way responsible for any errors or omissions in the preparation of the Proposal.
- 4. The undersigned agrees, acknowledges and is aware of the provisions of Scion > 00 of the Labor Code that requires every employer to be insured against liability for worker compensation or to undertake self-insurance in accordance with the provisions before compensation or to performance of this Contract if it is awarded to the undersigned.
 - The undersigned will begin work after Notice of Award has been give has herein specified and provided all requirements in regard to bonds and insurance have been satisfied and will complete said work within the time specified. The undersigned will execute the Agrament and a mish the required statutory bonds and Certificates of Insurance within the period of time specified.
- 5. The undersigned hereby certifies that the Prosal is genuine and not sham or collusive, or made in the interest or in behalf of a person not herein nated, and the undersigned has not directly or indirectly induced or solicited any other bidder to put in a sam bid or any other person, firm, or corporation to refrain from bidding. The processing has not in any manner sought by collusion to secure any advantage over any other big ter.
- The undersigned will a cept a award and onter into a Contract for all work scheduled herein on which the undersigned submittee a big. The wards for such work are to be entirely at the discretion of the City of Mission Viejo after aduation of the bids as submitted.
 - The undersigned a_{ij} ces that the City of Mission Viejo shall recover or retain as liquidated damages all amounts equal to the a_{ij} percent (10%) of the total amount of the award made, all in accordance with the a_{ij} stipulatio, a_{ij} , in the event the undersigned fails to execute a Contract and furnish the a_{ij} duried by a_{ij} and insurance therefor within the time provided.
- 7. ubmission of a bid will be deemed a binding offer to enter into the attached contract on the terms contained the zin for 45 days from the bid opening.

Signature of Bidder:				
Name (typed):				
Telephone No.:				
		Respec	tfully submitted,	4
Contractor's Business Name	······································	Ву)
Business Address		Title		
City, State, Zip				
Business Phone Number	- $<$	Date		
Bidder shall signify receipt	of all ddenda her if	any:		
Addendum No.	b. 'e Reced		Bidder's Signature	



City of Mission Viejo

200 Civic Center
Mission Viejo, CA 92691
Phone (949) 470-3059
purchasing@cityofmissionviejo.org

Vendor Approval Application

Please type or print in black ink. All vendor information must be complete and application must be sign d. A signed Form W-9 must accompany this application.

Name of City Employee requesting this information:	
Business Information:	
*Company Name	
*Address	*Suite
*City	*S ate *Zip
*Contact Name/Title	L nail
*Phone ()	*WeL
Accts Receivable Contact Name	E-Mail
*Remit Address	*State *Zip
Accts Receivable Phone	
Where is your DBA registered?	
Year Established	Incorporated: Year State
Product or Services provided	
Standard Terms:	
Net 30	Other
Current Califor ia License r Certifications(s) (Examples: Contractions	ctor, Instructors, Health Dept, Architectural, Sports/Fitness, etc.):
Туре	Number
Туре	Number
Туре	Number
DIR Registration (if applicable)	Number
Company Ownership:	
Sole Proprietorship Partnership Corporation O	ther (please indicate)
	a un de abre Dublie Deserd Ast
*Information is subject to disclosur	e under the Public Record Act

Principal Ownership or Corporate Officers:

Name	Title				
Name	Title				
Name	Title				
References: Please list three companies with whom you are currently doing business					
Company Name	Phone ()				
Address	Suite				
City	State				
Company Name	Phone ()				
Address	Suite				
City	St e Zip				
Company Name	Pi ne (
Address	Suite				
City	State Zip				
Do you have a relationship with any existing City Mission viejo employee, Commissioner, Council member or Board member? YES NO If yes please descriptive relationship below:					
Certification:					
Under penalty of perjury, I certify that all a cormation provided on this application is true and correct.					
Signature of Company Officer	Title				
Please Print Name	Date				

Form (Rev. October 2018) Department of the Treasury Internal Revenue Service

Request for Taxpayer Identification Number and Certification

▶ Go to www.irs.gov/FormW9 for instructions and the latest information.

Give Form to the requester. Do not send to the IRS.

	1 Name (as shown on your income tax return). N	ame is required on this line; do	not leave this line blank						
	2 Business name/disregarded entity name, if diff	erent from above							
page 3.	3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of the following seven boxes.				4 Exemptions (codes apply only to certain entities, by individuals; see instructions on ge 3):				
ons on p	Individual/sole proprietor or C Corpsingle-member LLC				Exempt paye				
ξ ₹		Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶							
Print or type. Specific Instructions on	Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC at is disregarded from the owner should check the appropriate box for the tax classification of its owner.				code any) (Apr 10 accounts maintained outside the U.S.)				
ec	☐ Other (see instructions) ▶					<u> </u>		outside th	e U.S.)
See Sp	5 Address (number, street, and apt. or suite no.)	or suite no.) See instructions.			address (c	ptional)			
0)	6 City, state, and ZIP code								
	7 List account number(s) here (optional)								
Pai	t I Taxpayer Identification Nu	ımber (TIN)							
Enter your TIN in the appropriate box. The TIN provided must match the name given backup withholding. For individuals, this is generally your social security number (SSN However, for resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later, entities, it is your employer identification number (EIN). If you do not have number, see how a TIN, later.									
	: If the account is in more than one name, se	e the instructions	ructions 1. Also see What Name and			Employer identification number			
Numl	ber To Give the Requester for guidelines on v	vhose number énter.	se number enter.			-			
Par	t II Certification								
A STATE OF THE PARTY OF	er penalties of perjury, I certify that:								
1. The number shown on this form is my correct taxple or identification needs to be under the property of the later of the									
3. I am a U.S. citizen or other U.S. per an (defined be v); and									
	e FATCA code(s) entered on this 10 7 (II a.v.,		ot from FATCA report	-					
Certi you h acqui other	fication instructions. You must cross contemporate failed to report all interest and divident of secured property, than interest and divident unare not required.	2 above if you have been no n your tax return. For real est cellation of debt, contribution	tate transactions, item ons to an individual ret	2 does n tirement a	ot apply. F arrangemer	or mortgage nt (IRA), and g	interest pa generally,	aid, payme	ents
Sig:				Date ▶					

Gener 'nst, 'ctior's

Section eferences to the Internal Revenue Code unless otherwise not

Future velopments For the latest information about developments related to rm W-9 d its instructions, such as legislation enacted after they we put shed, go to www.irs.gov/FormW9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

Form 1099-INT (interest earned or paid)

- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, later.

By signing the filled-out form, you:

- 1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
 - 2. Certify that you are not subject to backup withholding, or
- 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- 4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting*, later, for further information.

Note: If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien;
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States;
- · An estate (other than a foreign estate); or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.

In the cases below, the following person must give Form W-9 to the partnership for purposes of establishing its U.S. status and a withholding on its allocable share of net income from the conducting a trade or business in the United States.

- In the case of a disregarded entity with a U.S. owner, of the disregarded entity and not the entity;
- In the case of a grantor trust with a U.S. granto or other S. owner generally, the U.S. grantor or other U.S. owner of the granto not the trust; and
- In the case of a U.S. trust (other than a grantor trust) and not the beautiful structure of the structure

Foreign person. If you are a foreign person conhe U.S. branch of a foreign bank that has elected to be treated as a S. person, do not use Form W-9. Instead, use the poriate Form W-6. Form 8233 (see Pub. 515, Withholding contact ax on the resident Aliens and Foreign Entities).

Nonresident alien we nonresident alien we nonresident alien indicated alien. Generally, only a terms of a tax treaty to reduce or eliminate U.S. tax on the train types of income. However, most tax treaties compared to the saving clause may permit an exemption from tax to continuous for certain types of income even after the payee has otherwise become. U.S. resident

If you are U.S. resign a dien who is relying on an exception contained in Savir clause of a tax treaty to claim an exemption from U.S. tax of ain types of income, you must attach a statement to Form W-9 that pecifies the following five items.

- 1. The treaty country. Generally, this must be the same treaty under which you claimed exemption from tax as a nonresident alien.
 - 2. The treaty article addressing the income.
- 3. The article number (or location) in the tax treaty that contains the saving clause and its exceptions.
- 4. The type and amount of income that qualifies for the exemption from tax.
- 5. Sufficient facts to justify the exemption from tax under the terms of the treaty article.

Example. Article 20 of the U.S.-China income tax treaty allows an exemption from tax for scholarship income received by a Chinese student temporarily present in the United States. Under U.S. law, this student will become a resident alien for tax purposes if his or her stay in the United States exceeds 5 calendar years. However, paragraph 2 of the first Protocol to the U.S.-China treaty (dated April 30, 1984) allows the provisions of Article 20 to continue to apply even after the Chinese student becomes a resident alien of the United States. A Chinese student who qualifies for this exception (under paragraph 2 of the first protocol) and is relying on this exception to claim an examption from tax on his or her scholarship or fellowship income would a work of the protocol and ach to Form W-9 a statement that includes the information describe support that exemption.

If you are a nonresident alien or a foreign entry requester the appropriate completed Form W-8 or Form 8233.

Backup Withholding

What is backup withholding? Poons making certain payments to you must under certain conditions within the arrow ay to the IRS 24% of such payments. This is called "backup within ang." Payments that may be subject to backup withholding and arter exchanges the arrow of the importance of the conditions are trained to payment card and third party network to payment and and the payments from fishing boat operators. Real estate can actions are not subject to backup withholding.

You w'not be subject to p withholding on payments you receive you give the requester your correct TIN, make the proper certific ons, and reportall your taxable interest and dividends on your tax returns.

Payments ou receiv will be subject to backup withholding if:

- 1. You do no.sh your TIN to the requester,
- 2. You do not certify your TIN when required (see the instructions for Part II for details),
 - 3. The IRS tells the requester that you furnished an incorrect TIN,
- The IRS tells you that you are subject to backup withholding be use you did not report all your interest and dividends on your tax return (for reportable interest and dividends only), or
- 5. You do not certify to the requester that you are not subject to backup withholding under 4 above (for reportable interest and dividend accounts opened after 1983 only).

Certain payees and payments are exempt from backup withholding. See *Exempt payee code*, later, and the separate Instructions for the Requester of Form W-9 for more information.

Also see Special rules for partnerships, earlier.

What is FATCA Reporting?

The Foreign Account Tax Compliance Act (FATCA) requires a participating foreign financial institution to report all United States account holders that are specified United States persons. Certain payees are exempt from FATCA reporting. See *Exemption from FATCA reporting code*, later, and the Instructions for the Requester of Form W-9 for more information.

Updating Your Information

You must provide updated information to any person to whom you claimed to be an exempt payee if you are no longer an exempt payee and anticipate receiving reportable payments in the future from this person. For example, you may need to provide updated information if you are a C corporation that elects to be an S corporation, or if you no longer are tax exempt. In addition, you must furnish a new Form W-9 if the name or TIN changes for the account; for example, if the grantor of a grantor trust dies.

Penalties

Failure to furnish TIN. If you fail to furnish your correct TIN to a requester, you are subject to a penalty of \$50 for each such failure unless your failure is due to reasonable cause and not to willful neglect.

Civil penalty for false information with respect to withholding. If you make a false statement with no reasonable basis that results in no backup withholding, you are subject to a \$500 penalty.

Criminal penalty for falsifying information. Willfully falsifying certifications or affirmations may subject you to criminal penalties including fines and/or imprisonment.

Misuse of TINs. If the requester discloses or uses TINs in violation of federal law, the requester may be subject to civil and criminal penalties.

Specific Instructions

Line 1

You must enter one of the following on this line; **do not** leave this line blank. The name should match the name on your tax return.

If this Form W-9 is for a joint account (other than an account maintained by a foreign financial institution (FFI)), list first, and then circle, the name of the person or entity whose number you entered in Part I of Form W-9. If you are providing Form W-9 to an FFI to document a joint account, each holder of the account that is a U.S. person must provide a Form W-9.

a. Individual. Generally, enter the name shown on your tax return. If you have changed your last name without informing the Social Security Administration (SSA) of the name change, enter your first name, the last name as shown on your social security card, and your new last name.

Note: ITIN applicant: Enter your individual name as it was entered on your Form W-7 application, line 1a. This should also be the same as the name you entered on the Form 1040/1040A/1040EZ you filed with your application

- b. **Sole proprietor or single-member LLC.** Enter your individual name as shown on your 1040/1040A/1040EZ on line 1. You may enter your business, trade, or "doing business as" (DBA) name on line 2.
- c. Partnership, LLC that is not a single-member LLC, C corporation, or S corporation. Enter the entity's name as shown on the entity's tax return on line 1 and any business, trade, or DBA name on line 2.
- d. Other entities. Enter your name as shown on required U.S. feder tax documents on line 1. This name should match the name shown of the charter or other legal document creating the entity. You may enter any business, trade, or DBA name on line 2.
- e. Disregarded entity. For U.S. federal tax purposes disregarded as an entity separate from its owner is tread as a "disregarded entity." See Regulations section 301.77 -2(c)(2)(iii). En. the owner's name on line 1. The name of the entity en red on line 1 should never be a disregarded entity. The name on line should be the name shown on the income tax return on which income should b reported. For example, if a foreign LLC that is trea. 'as a entity for U.S. federal tax purposes has a single owned hat is a U.S. on line 1. If person, the U.S. owner's name is requ the direct owner of the entity is also a diagranded control of the e er the first owner that is not disregarded for federal tall urposes. Enter the disregarded entity's name on line 2, "Busines ame/disregarded entity name." If the owner of the disregarded entity is a preign person, the te Form W-8 instead of a Form W-9. owner must complete 2 This is the case even the foreign rson has a U.S. TIN.

Line 2

If you have a busines pame, trade none, DBA name, or disregarded entity name may be rit on line.

Line

Chec the appropriate ox on line 3 for the U.S. federal tax classification of the period on whose name is entered on line 1. Check only one box control time 3.

IF the entity/person on line 1 is a(n)	THEN check the box for
Corporation	Corporation
 Individual Sole proprietorship, or Single-member limited liability company (LLC) owned by an individual and disregarded for U.S. federal tax purposes. 	Individual/sole proprietor or single- member LLC
 LLC treated as a partnership for U.S. federal tax purposes, LLC that has filed Form 8832 or 2553 to be taxed as a corporation, or LLC that is disregarded as an entity separate from its owner by the owner is another LLC that is not disregarded for U.S. federal tax purposes. 	Limited liability company and enter the appropriate to classification. (P= Pathorship; Corporation; or S= Scorper.
Partnership	Parti hip
Trust/estate	rust/estate

Line 4, Exempti s

If you are from kup wit olding and/or FATCA reporting, enter in the appropriate spatial range 4 any code(s) that may apply to you.

Exemple payee code.

- General individual (including sole proprietors) are not exempt from backup with Idipart (including sole proprietors).
- Except as provided below, corporations are exempt from backup withholding for certain payments, including interest and dividends.
- Corporations are not exempt from backup withholding for payments made in settlement of payment card or third party network transactions.

Corporations are not exempt from backup withholding with respect to atturneys' fees or gross proceeds paid to attorneys, and corporations that provide medical or health care services are not exempt with respect to payments reportable on Form 1099-MISC.

The following codes identify payees that are exempt from backup withholding. Enter the appropriate code in the space in line 4.

- 1-An organization exempt from tax under section 501(a), any IRA, or a custodial account under section 403(b)(7) if the account satisfies the requirements of section 401(f)(2)
- 2-The United States or any of its agencies or instrumentalities
- 3—A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities
- $4\!-\!A$ foreign government or any of its political subdivisions, agencies, or instrumentalities
- 5-A corporation
- 6—A dealer in securities or commodities required to register in the United States, the District of Columbia, or a U.S. commonwealth or possession
- 7—A futures commission merchant registered with the Commodity Futures Trading Commission
- 8-A real estate investment trust
- 9—An entity registered at all times during the tax year under the Investment Company Act of 1940
- 10-A common trust fund operated by a bank under section 584(a)
- 11-A financial institution
- 12—A middleman known in the investment community as a nominee or custodian
- 13—A trust exempt from tax under section 664 or described in section 4947

The following chart shows types of payments that may be exempt from backup withholding. The chart applies to the exempt payees listed above, 1 through 13.

IF the payment is for	THEN the payment is exempt for
Interest and dividend payments	All exempt payees except for 7
Broker transactions	Exempt payees 1 through 4 and 6 through 11 and all C corporations. S corporations must not enter an exempt payee code because they are exempt only for sales of noncovered securities acquired prior to 2012.
Barter exchange transactions and patronage dividends	Exempt payees 1 through 4
Payments over \$600 required to be reported and direct sales over \$5,000 ¹	Generally, exempt payees 1 through 5 ²
Payments made in settlement of payment card or third party network transactions	Exempt payees 1 through 4

¹ See Form 1099-MISC, Miscellaneous Income, and its instructions.

Exemption from FATCA reporting code. The following codes identify payees that are exempt from reporting under FATCA. These codes apply to persons submitting this form for accounts maintained out are of the United States by certain foreign financial institutions. Therefore, if you are only submitting this form for an account you hold in the United States, you may leave this field blank. Consult with the per requesting this form if you are uncertain if the financial ir utution is subject to these requirements. A requester may indicate that a code is not required by providing you with a Form W-9 with "N Applicable" (or any similar indication) written or printed on the line for a TCA exemption code.

- A—An organization exempt from tax under section. 1(a) or individual retirement plan as defined in section 7701(a).
 - B-The United States or any of its age. es of the littles
- C—A state, the District of Columbia, a U. commonwealth or possession, or any of their political subdivision. It instrumentalities
- D—A corporation the stock of which is regularly aded on one or more established security anarm as described in Regulations section 1.1472-1(c)(1)(i)
- E—A corporation training is a member of the same expanded affiliated group as a corporation described in Regulations section 1.1472-1(c)(1)(i)
- F—A dealer in security commodiffus, or derivative financial instrument process in not partially pall contracts, futures, forwards, and optifus) that is restered as such under the laws of the United State (any state)
 - G-A. Lestate inves nent trust
- H—A reg ted inverse nent company as defined in section 851 or an entity register at times during the tax year under the Investment Company Act of +0
 - I-A common trust fund as defined in section 584(a)
 - J-A bank as defined in section 581
 - K-A broker
- L-A trust exempt from tax under section 664 or described in section 4947(a)(1)

 $M\!-\!A$ tax exempt trust under a section 403(b) plan or section 457(g) plan

Note: You may wish to consult with the financial institution requesting this form to determine whether the FATCA code and/or exempt payee code should be completed.

Line 5

Enter your address (number, street, and apartment or suite number). This is where the requester of this Form W-9 will mail your information returns. If this address differs from the one the request already has on file, write NEW at the top. If a new address is provided the records are still a chance the old address will be used until the payor change is your address in their records.

Line 6

Enter your city, state, and ZIP code.

Part I. Taxpayer Iden' (catio Number (TIN)

Enter your TIN in the appropriate in the appropriate in the appropriate in the appropriate in the and are not eligible to an SSN, your TIN is your IRS individual taxpayer identification in the social security number box. You do not the animal, see How to get a TIN below.

If you are a sole provietor and you live an EIN, you may enter either your SSN or EIN.

If you are a single-men. LLC at is disregarded as an entity separate come its owner, enter me owner's SSN (or EIN, if the owner has one). Do not enter the disregarded entity's EIN. If the LLC is classified as a corposition or partner in p., enter the entity's EIN.

Note: Se Vhat Name of Number To Give the Requester, later, for further clarit. You of same and TIN combinations.

How to get a TIN. If you do not have a TIN, apply for one immediately. To apply for an SSN, get Form SS-5, Application for a Social Security Card, from your local SSA office or get this form online at www.SSA.gov. You may also get this form by calling 1-800-772-1213. e Form W-7, Application for IRS Individual Taxpayer Identification Number, to apply for an ITIN, or Form SS-4, Application for Employer Identification Number, to apply for an EIN. You can apply for an EIN online by accessing the IRS website at www.irs.gov/Businesses and clicking on Employer Identification Number (EIN) under Starting a Business. Go to www.irs.gov/Forms to view, download, or print Form W-7 and/or Form SS-4. Or, you can go to www.irs.gov/OrderForms to place an order and have Form W-7 and/or SS-4 mailed to you within 10 business days.

If you are asked to complete Form W-9 but do not have a TIN, apply for a TIN and write "Applied For" in the space for the TIN, sign and date the form, and give it to the requester. For interest and dividend payments, and certain payments made with respect to readily tradable instruments, generally you will have 60 days to get a TIN and give it to the requester before you are subject to backup withholding on payments. The 60-day rule does not apply to other types of payments. You will be subject to backup withholding on all such payments until you provide your TIN to the requester.

Note: Entering "Applied For" means that you have already applied for a TIN or that you intend to apply for one soon.

Caution: A disregarded U.S. entity that has a foreign owner must use the appropriate Form W-8.

Part II. Certification

To establish to the withholding agent that you are a U.S. person, or resident alien, sign Form W-9. You may be requested to sign by the withholding agent even if item 1, 4, or 5 below indicates otherwise.

For a joint account, only the person whose TIN is shown in Part I should sign (when required). In the case of a disregarded entity, the person identified on line 1 must sign. Exempt payees, see *Exempt payee code*, earlier.

Signature requirements. Complete the certification as indicated in items 1 through 5 below.

However, the following payments made to a corporation and reportable on Form 1099-MISC are not exempt from backup withholding: medical and health care payments, attorneys' fees, gross proceeds paid to an attorney reportable under section 6045(f), and payments for services paid by a federal executive agency.

- 1. Interest, dividend, and barter exchange accounts opened before 1984 and broker accounts considered active during 1983. You must give your correct TIN, but you do not have to sign the certification.
- 2. Interest, dividend, broker, and barter exchange accounts opened after 1983 and broker accounts considered inactive during 1983. You must sign the certification or backup withholding will apply. If you are subject to backup withholding and you are merely providing your correct TIN to the requester, you must cross out item 2 in the certification before signing the form.
- **3. Real estate transactions.** You must sign the certification. You may cross out item 2 of the certification.
- **4. Other payments.** You must give your correct TIN, but you do not have to sign the certification unless you have been notified that you have previously given an incorrect TIN. "Other payments" include payments made in the course of the requester's trade or business for rents, royalties, goods (other than bills for merchandise), medical and health care services (including payments to corporations), payments to a nonemployee for services, payments made in settlement of payment card and third party network transactions, payments to certain fishing boat crew members and fishermen, and gross proceeds paid to attorneys (including payments to corporations).
- 5. Mortgage interest paid by you, acquisition or abandonment of secured property, cancellation of debt, qualified tuition program payments (under section 529), ABLE accounts (under section 529A), IRA, Coverdell ESA, Archer MSA or HSA contributions or distributions, and pension distributions. You must give your correct TIN, but you do not have to sign the certification.

What Name and Number To Give the Requester

For this type of account:	Give name and SSN of:			
1. Individual	The individual			
Two or more individuals (joint account) other than an account maintained by an FFI	The actual owner of the account or, 'combined funds, the first individuate account 1			
Two or more U.S. persons (joint account maintained by an FFI)	Each holder of the account			
Custodial account of a minor (Uniform Gift to Minors Act)	The minor ²			
5. a. The usual revocable savings trust (grantor is also trustee)	The grantor-truste			
b. So-called trust account that is not a legal or valid trust under state law	The actual c er1			
Sole proprietorship or disregarded entity owned by an individual	3			
7. Grantor trust filing under Optional Form 1099 Filing Method 1 (see Regulations section 1.671	The gi 'or*			
For this type c account:	Give name and EIN of:			
8. Disregarded entity of owned by an individual	The owner			
9. A valid to tate, consion trust	Legal entity ⁴			
10. Convation or Lb. lecting porate status on rm 8832 or Fc. 2553	The corporation			
11. Associan, club, ratious, charitable ducatinal, or other taxexempt organism ton	The organization			
12. Partnership or multi-member LLC	The partnership			
13. A broker or registered nominee	The broker or nominee			

For this type of account:	Give name and EIN of:
14. Account with the Department of Agriculture in the name of a public entity (such as a state or local government, school district, or prison) that receives agricultural program payments	The public entity
 Grantor trust filing under the Form 1041 Filing Method or the Optional Form 1099 Filing Method 2 (see Regulations section 1.671-4(b)(2)(i)(B)) 	The trust

- ³ You must show your individual one and you may also enter your business or DBA name on the "boundiness na e/disregarded entity" name line. You may use either your SN cIN (if you have one), but the IRS encourages you to use our SSN.
- ⁴ List first and circle the name of trust, tate, or pension trust. (Do not furnish the TIN cone personal present live or trustee unless the legal entity itself is real rules for partnership earlier.

*Note: The proving a Form W-9 to trustee of trust.

Note: If a name is circled more than one name is listed, the number will be considered to be that of the first name listed.

Sect e Your Tax Records From Identity Theft

Identity to occurs then someone uses your personal information such as your permission, to commit fraud or other crimes. An identity thief may use your SSN to get a job or may file a tax return using your SSN to receive a refund.

To reduce your risk:

- otect your SSN,
- Ensure your employer is protecting your SSN, and
- Be careful when choosing a tax preparer.

If your tax records are affected by identity theft and you receive a notice from the IRS, respond right away to the name and phone number printed on the IRS notice or letter.

If your tax records are not currently affected by identity theft but you think you are at risk due to a lost or stolen purse or wallet, questionable credit card activity or credit report, contact the IRS Identity Theft Hotline at 1-800-908-4490 or submit Form 14039.

For more information, see Pub. 5027, Identity Theft Information for Taxpayers.

Victims of identity theft who are experiencing economic harm or a systemic problem, or are seeking help in resolving tax problems that have not been resolved through normal channels, may be eligible for Taxpayer Advocate Service (TAS) assistance. You can reach TAS by calling the TAS toll-free case intake line at 1-877-777-4778 or TTY/TDD 1-800-829-4059.

Protect yourself from suspicious emails or phishing schemes.

Phishing is the creation and use of email and websites designed to mimic legitimate business emails and websites. The most common act is sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft.

² Circle the minor's name and furnish germ, r's SSN.

The IRS does not initiate contacts with taxpayers via emails. Also, the IRS does not request personal detailed information through email or ask taxpayers for the PIN numbers, passwords, or similar secret access information for their credit card, bank, or other financial accounts.

If you receive an unsolicited email claiming to be from the IRS, forward this message to *phishing@irs.gov*. You may also report misuse of the IRS name, logo, or other IRS property to the Treasury Inspector General for Tax Administration (TIGTA) at 1-800-366-4484. You can forward suspicious emails to the Federal Trade Commission at *spam@uce.gov* or report them at *www.ftc.gov/complaint*. You can contact the FTC at *www.ftc.gov/idtheft* or 877-IDTHEFT (877-438-4338). If you have been the victim of identity theft, see *www.ldentityTheft.gov* and Pub. 5027

Visit www.irs.gov/ldentityTheft to learn more about identity theft and how to reduce your risk.

Privacy Act Notice

Section 6109 of the Internal Revenue Code requires you to provide your correct TIN to persons (including federal agencies) who are required to file information returns with the IRS to report interest, dividends, or certain other income paid to you; mortgage interest you paid; the acquisition or abandonment of secured property; the cancellation of debt; or contributions you made to an IRA, Archer MSA, or HSA. The person collecting this form uses the information on the form to file information returns with the IRS, reporting the above information. Routine uses of this information include giving it to the epartment of Justice for civil and criminal litigation and to cities, stat , the District of Columbia, and U.S. commonwealths and possessions administering their laws. The information also he di :losed to other countries under a treaty, to federal and state agence. nforce civil and criminal laws, or to federal law enforce ent and intellinance agencies to combat terrorism. You me prove your TIN we her or not you are required to file a tax retain. Under a cition 3406, payers must generally withhold a percent retain other payments to a payee and do not give a TIN to the payer. Certain penalties may also apply for proving false or fraudulent information.

CITY OF MISSION VIEJO

AGREEMENT WITH FOR NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENT SERVICES OVER \$30,000

(Insurance Required)

THIS AGREEMENT is made and effective as of, 2, between the C ty of Mission Viejo, a California general law city and municipal corporation ("City") and ("Contractor"). In consideration of the mutual covenants and conditions set forth herein, use ties agree as follows:
1. <u>TERM.</u> This Agreement shall commence on, 2, and shall remain and continue in effect until tasks described herein are completed, but in no even the than, 2, unless sooner terminated pursuant to the provisions of this agreement. It withstanding this limit on term, some duties and obligations may survive the temination, it is completion of this Agreement.
2. <u>SERVICES</u> . Contractor shall perform the tacks described and incorporated herein as though set for the full contractor shall complete the tasks according to the schedule of performance which is 'so set for in Exhibit A .
3. PERFORMANCE. Contractor stall at all times raithfully, competently, and to the best of their ability, experience, and telest of their ability, experience, and telest of their ability, experience, and telest of perform all tasks described herein. Contractor represents to the City that it has the qualifications and equipment/technology necessary to competently and reasonably perform the tasks required by this Agreement. Contractor shall employ, at a minimum, generally accepted andards, practices, and equipment utilized by persons engaged in providing similar solvices as a required of Contractor hereunder in meeting its obligations under this Agreemen. 4. PAYMENT.
a. The Ch. agrees to ay Contractor monthly in arrears, in accordance with the payment rates and terms of the schedule of payment as set forth in Exhibit B , attached hereto and incorporated herein by to see reference as though set forth in full, based upon actual time spent on the above task. This amount shall not exceed Dollars (\$) for the total term of the Agreen int unless a ditional payment is approved as provided in this Agreement. Any terms or conditions set forth in Exhibit A or Exhibit B , which do not describe the work to be performed, which is a ditional payment schedule have not been agreed to by the City and shall not be seened a part of this Agreement.
b. Contractor shall not be compensated for any services rendered in connection with performance of this Agreement which are in addition to those set forth herein, unless such additional services are authorized in advance and in writing by the City Council or, if pursuant to its authority, the City Manager, or their designee. Contractor shall be compensated for any additional services in the amounts and in the manner as agreed to by City Manager or the City's representative and Contractor at the time City's written authorization is given to Contractor for the performance of said services. The City Manager may approve additional work not to exceed 15% of the contract amount approved by City Council or \$30,000, whichever is less. Any additional work in excess of this amount shall be approved by the City Council.

- c. Contractor shall submit reasonably detailed invoices monthly for actual services performed and, as applicable, equipment and materials acquired. Invoices shall be submitted on or about the first business day of each month, for services provided in the previous month. Payment shall be made within thirty (30) days of receipt of each invoice as to all non-disputed fees. If the City disputes any of Contractor's fees it shall give written notice to Contractor within 30 days of receipt of an invoice of any disputed fees set forth on the invoice.
- d. Notwithstanding the above provisions, Contractor shall not be paid for any vork performed until it has submitted to the City a fully completed and executed Internal Rev nue Service Form W-9.

5. SUSPENSION OR TERMINATION OF AGREEMENT WITY JUT AUSE.

- a. The City may at any time, with or without cause, in its sole divertice, suspend or terminate this Agreement, or any portion hereof, by serving upon the Contractor of least ten (10) days prior written notice of the decision. City shall not be obligated to explain a reasons for termination. Upon receipt of said notice, the Contractor shall immediately care all work under this Agreement, unless the notice provides otherwise. If the City supends or terminates a portion of this Agreement, such suspension or termination shall not account of the remainder of this Agreement.
- b. In the event this Agreement is suspended a terminated pursuant to this Section, the City shall pay to Contractor the actual value of the work performed up to the time of suspension or termination, provided that the work performed is of value to the City and consistent with the Agreement. Upon suspension or termination, of the Agreement pursuant to this Section, the Contractor will, as a precondition to being compensated, submit an invoice to the City consistent with Section 4.

6. **DEFAULT OF CON' RACTO**

- a. The Contractor's fedure to comply with the provisions of this Agreement shall constitute a material default. If the contribe Contractor is in default for cause under the terms of this Agreement, City shall have no obligation or duty to continue compensating Contractor for any work performed after to date the land may terminate this Agreement immediately by written notice to the Contractor. I such failure by the Contractor to make progress in the performance of work hereunder arises out of causes beyond the Contractor's control, and without fault or negligence a time Contractor, it shall not be considered a default.
- b. If the lity Manager or their delegate determines that the Contractor is in default in the performance of a y of the terms or conditions of this Agreement, it shall serve the Contractor with the performance of the default. The Contractor shall have ten (10) calendar days after service apon it constitutes and notice in which to cure the default by rendering a satisfactory performance. In the event that the Contractor fails to cure its default within such period of time, the City shall have the light, noty the thanking any other provision of this Agreement, to terminate this Agreement without further of stice and without prejudice to any other remedy to which it may be entitled at law, in equity, or under this Agreement.

7. OWNERSHIP OF DOCUMENTS.

a. Contractor shall maintain complete and accurate records with respect to sales, costs, expenses, receipts and other such information required by City that relate to the performance of services under this Agreement. Contractor shall maintain adequate records of services provided in sufficient detail to permit an evaluation of services. All such records shall be maintained in

accordance with generally accepted accounting principles and shall be clearly identified and readily accessible. Contractor shall provide free access to the representatives of City or its designees at reasonable times to such books and records, shall give City the right to examine and audit said books and records, shall permit City to make transcripts therefrom as necessary, and shall allow inspection of all work, data, documents, proceedings, and activities related to this Agreement. Such records, together with supporting documents, shall be maintained for a period of three (3) years after receipt of final payment.

- b. Upon completion of, or in the event of termination or suspension of this Agreement, all original documents, designs, drawings, maps, models, computer files, surveys, notes vide and sound recordings, and other documents prepared in the course of providing the services. be performed pursuant to this Agreement shall become the sole property of the Cit and may be use reused or otherwise disposed of by the City without the permission of the Contractor. Vith respect to computer files, Contractor shall make available to the City, upon reasonable written request by the City, the necessary computer software and hardware for purpose of accessing, compiling, transferring, and printing computer files.
- c. With respect to the design of public improvements, the Contactor shall not be liable for any injuries or property damage resulting from the use of the design at a location other than that specified in Exhibit A without the written constant of the Communication.
- d. Notwithstanding anything to the contrary. Contractor including all persons, firms, or entities with which it may interact, shall provide City if records pursuant to the California Public Records Act at City's request. This dut and obligation shall survive the lapse, termination, or completion of this Agreement. No cost may be charged to the City related to compliance with this provision.
- 8. INDEMNIFICATIO'. The contractor agrees to defend, indemnify, protect and hold harmless the City, its officers, or icials, consultants, employees, attorneys, agents, and volunteers from and against any and all claims, demands losses, defense costs or expenses, or liability of any kind or nature which the City its officers. On icials, consultants, employees, attorneys, agents, and volunteers may sustain or incurrent may be imposed upon them for injury to or death of persons, or damage to the company of Contractor's negligent or wrongful acts or omissions in performing or failing to perform under the terms of this Agreement, excepting only liability arising out of the negligence of the City. This section shall, without limitation, survive the termination or completion of this Agreement.
- 9. INSUR. NCE REQUIREMENTS. Contractor shall procure and maintain for the duration of the conflact insurance against claims for injuries to persons or damages to property may brick from or in connection with the performance of the work hereunder by the Contractor, its agents, representatives, or employees.

Contractor uses existing coverage to comply with these requirements and that coverage does not meet the requirements set forth herein, Contractor agrees to amend, supplement, or endorse the existing coverage to do so. This duty or obligation shall survive the lapse, termination, or completion of this Agreement.

10. INDEPENDENT CONTRACTOR.

- a. Contractor is and shall at all times remain as to the City a wholly independent contractor having only the contractual duties and obligations agreed upon as memorialized in this Agreement. The personnel performing the services under this Agreement on behalf of Contractor shall at all times be under Contractor's exclusive direction and control. Neither City nor any of its officers, officials, employees, agents, or volunteers shall have control over the conduct of Contractor or any of Contractor's officers, employees, or agents, except as set forth in this Agreement. Contractor shall not at any time or in any manner represent that it or any of its of cers, employees, or agents are in any manner officers, employees, or agents of the City. Contractor shall not incur or have the power to incur any debt, obligation, or liability whatsoever to for City, or bind City in any manner, whether in law or equity.
- b. No employee benefits shall be available to Contractor in onnection with the performance of this Agreement. Except for the fees paid to Contractor provided in the Agreement, City shall not pay, nor be deemed to have paid or delivered daries, vages, or other compensation to Contractor for performing services hereunder for any. Chapshall not be liable for compensation or indemnification to Contractor for injury or sich less arising but of performing services hereunder.
- 11. <u>LEGAL RESPONSIBILITIES</u>. The Contractor shall keep itself informed of all County, State, and Federal laws and regulations, which in any manner offect its requirements under this Agreement, and those employed by it or in any way affect the performance of its service, duties, and obligations pursuant to this Agreement. The Contractor shall at all times observe and comply with all such laws and regulations. The City, its officers, officials, employees, attorneys, agents, and volunteers shall not be liable at the contractor to comply with this section. This section shall such equity occasioned by failure of the Contractor to comply with this section. This section shall such equity occasion, the termination, lapse or completion of this Agreement.

12. RELEASE OF INFORMATION

- a. All informatic gand by Contractor in performance of this Agreement shall be considered confidential and shall not be released by Contractor without City's prior written authorization. Contractor its officers, employees, agents, or subcontractors shall not, without written authorization from the City of unless requested by the City Attorney, voluntarily provide declarations, letters of support, testimony at depositions, response to interrogatories or other information opening the work performed under this Agreement or relating to any project or property cated within the City. Response to a subpoena or court order shall not be considered "voluntary" provided Contractor gives City prior notice of such court order or subpoena.
- cents, is such actors be served with any summons, complaint, subpoena, notice of deposition, request to documents, interrogatories, request for admissions or other discovery request, court order, or a booena from any person regarding this Agreement and the work performed thereunder or with respect to any project or property located within the City. City retains the right, but has no obligation, to represent Contractor and/or be present at any deposition, hearing or similar proceeding. Contractor agrees to cooperate fully with City and to provide City with the opportunity to review any response to discovery requests provided by Contractor. However, City's right to review any such response does not imply the right of or require City to control, direct, or rewrite said response.

13. <u>NOTICES.</u> Any notices which either party may desire to give to the other party under this Agreement must be in writing and may be given either by (i) personal service, (ii) delivery by a reputable document delivery service, such as but not limited to, Federal Express, that provides a receipt showing date and time of delivery, or (iii) mailing in the United States Mail, certified mail, postage prepaid, return receipt requested, addressed to the address of the Party as set forth below or at any other address as that Party may later designate by subsequent written notice:

To City: City of Mission Viejo

200 Civic Center

Mission Viejo, CA 92691 Attention: City Manager

To Contractor:

- 14. <u>ASSIGNMENT</u>. The Contractor shall not assign the performance of this Agreement, nor any part thereof, nor any monies due hereunder, with our prior critter consent of the City, which City may grant or withhold in its sole and absolut discretion, with no obligation to disclose the basis for its decision to any person, firm, entity, or Perty. Upon the mination of this Agreement, Contractor's sole compensation shall be payment for citual services performed up to, and including, the date of termination or as may be otherwise as to in writing between the City and the Contractor.
- 15. <u>LICENSES</u>. At all times during the term of this Agreement and prior to commencement of any work under any reement, contractor shall have in full force and effect, all licenses required of it by law or the per rmance of the services described in this Agreement.
- 16. GOVERNING AW The Cit and Contractor agree that the laws of the State of California, or, as necessary, a law are United States Federal government, shall govern the rights, obligations, daily and a bilities of the parties to this Agreement and shall govern the interpretation of this Agreement.
- 17. LITIGATION. In plitigation concerning this Agreement commenced by a Party or any pers at, firm a entity claiming under Contractor shall be filed and have venue in the municipal, superior or federal istrict court with geographic jurisdiction over the City of Mission Viejo.
- the parties rerained to the obligations of the parties described in this Agreement. All prior or contemp raneous agreements, understandings, representations and statements, oral or written, lirect or implied, are merged into this Agreement and shall be of no further force or effect. Each Party entering into this Agreement based solely upon the representations set forth herein and upon each party's own independent investigation of any and all facts such party deems material. Each Party has had the opportunity to have this Agreement reviewed by independent legal counsel of its own selection and is not relying on any representations, opinions, or advice of the other Party.
- 19. <u>AUTHORITY TO EXECUTE THIS AGREEMENT</u>. The person or persons executing this Agreement on behalf of Contractor warrant and represent that they have the authority to execute this Agreement on behalf of the Contractor and have the authority to bind

Contractor to the performance of its obligations hereunder. Contractor agrees that the person executing this Agreement is an authorized agent of Contractor with the power to bind Contractor to this Agreement.

IN WITNESS WHEREOF, the parties hereto have caused this Agreement to be executed the day and year first above written.

CONTRACTOR		CITY OF MISSION VIEJO	1
Vendor Name Vendor Title	Date	Dennis Wilberg City Manager Attest:	Date
Vendor Name	Date	Kimberry	Date
Vendor Title		City Clerk	
[Two signatures of corporate officers in	required]	Approved As to Form:	
		William P. Curley, III City Attorney	Date
		Insurance Review:	
		Heather Campbell Risk Management Administrator	Date

EXHIBIT A

TASKS TO BE PERFORMED

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

The Contractor and all Subcontractors, of any tier, must comply with the requirement the California Labor Code including but not limited to Sections §§1715.5 25.5, 177.1, 1771.1a, 1771.4(a)(1), 1774, 1775, 1776, 1777.5, 1813 and 1815. A contractor or subcontractor shall not be qualified to submit a bid or to be listed in a did proposal subject to requirements of Public Contract Code Section 4104, nor shall it be qualified under to enter into, or engage in the performance of, any contract of public work, unless it is currently registered and qualified under Labor Code Section 1725.5 to perform public work (a "public work" is defined by Division 2, Part 7, Chapter 1 (§§1720 et seq.) of the labor Code) [Note: Required in the Notice by Labor Code §1771.1(b).]

Contractors are required to register with the Departmen of Industrial Relations (DIR). Notwithstanding any other requirements (including federal labor requirements), this contract is subject to compliance monitoring and enforces. The Department of Industrial relations (DIR).

EXHIBIT B

PAYMENT SCHEDULE

Net 30 days.



EXHIBIT C

INSURANCE REQUIREMENTS

Prior to commencement of Work, Contractor shall obtain, provide, and maintain at its own expense during the term of this Agreement, and any additional length of time required ther after, policies of insurance of the type and amounts described below and in a form satisfactory to City.

General Liability Insurance. Contractor shall maintain a policy of general lity insurance against any and all claims arising out of or in connection with the work. The performed under this Agreement with coverage at least as broad as ISO form CG 00 1. Con ractor shall provide coverage in an amount not less than two million dollars (\$2,000,00 00) r. occurrence, four million dollars (\$4,000,000.00) general aggregate, for bodily injury, personal injury, and property damage, and a four million dollar (\$4,000,000.00) completed openations, aggregate. The policy shall be endorsed to reflect that the per occurrence and aggregate coverage shall apply on a per PROJECT basis, coverage available shall not be eroded by oth relaims on their projects. The policy must include contractual liability that has not been adea. Any endorsement restricting standard ISO "insured contract" language will not be accepted. Coverage provided by Contractor shall be primary, and any insurance or self-insurance procured or more intained by City shall not be required to contribute with it. This policy shall name City, its officer officials, employees, agents, and volunteers as additional insureds, covering both ongoins, and ampleted operations, using ISO additional insured endorsement forms CG 2/10 and CG 20 37, or equivalent form(s). Coverage shall not be limited to the vicarious liability on apprecisory role of any additional insured.

Automobile Liability Insurance Contracte shall maintain automobile insurance at least as broad as Insurance Services Onice form A 00 01 covering bodily injury and property damage for all activities of the Contractorarising out of or in connection with Work to be performed under this Agreement, including over the forting of the contractorary owned, hired, non-owned, or rented vehicles, in an amount not less than one mile in document.

Workers' Co. Pensa. Inployer's Liability. Contractor acknowledges awareness of Section 3700 et seq. of the California Labor Code, which requires every employer to be insured against liability for worker, compensation. Contractor covenants that it shall comply with such provision prior commencement of work performed under this Agreement. Contractor shall maintain workers' impensation insurance with statutory limits and employer's liability insurance in an abount not be a than one million dollars (\$1,000,000.00) per accident for bodily injury or disease. Contractor shall require all subcontractors to provide such workers' compensation and employer's macrity insurance for all of subcontractors' employees. Contractor shall submit to City, along with the certificate of insurance, a waiver of subrogation endorsement in favor of City, its office of agents, employees, and volunteers. Contractor shall similarly require all subcontractors to vair subrogation.

Umbrella or Excess Liability Insurance. (If required to meet higher limits). Contractor shall obtain and maintain an umbrella liability insurance policy with limits that will provide bodily injury, personal injury, and property damage liability coverage, including commercial general liability, automobile liability, and employer's liability. Such policy or policies shall include the

following terms and conditions:

- A. A drop-down feature requiring the policy to respond if any primary insurance that would otherwise have applied proves to be uncollectible in whole or in part for any reason, other than bankruptcy or insolvency of said primary insurer;
- B. "Pay on behalf of" wording as opposed to "reimbursement";
- C. Concurrency of effective dates with primary policies.

Should Contractor obtain and maintain an excess liability policy, such policy shall be excess over commercial general liability, automobile liability, and employer's liability policy or policies shall include wording that the excess liability policy follows are an analysis of the underlying policies.

Installation floater. Contractor shall obtain an installation floater or the value of and covering the portion of the work to be constructed, installed, altered, or repair to the Contractor. The installation floater policy must include coverage for the fixtures, more rials, supplies, machinery, equipment used in or incidental to the construction project, and property kept off-site or while in transit. Coverage must include the property of others in the Contractor's care, custody, or control. In addition to the Contractor, the City and all sy contractors shan on named additional insureds on the policy, extending coverage through the first completion date.

Other Insurance Provisions:

Proof of Insurance. Contractor s all provide ertificates of insurance and required endorsements to City as evidence of the insurance coverage required herein. Insurance certificates and endorsements must be approved by City's Fisk Management prior to commencement of Work. Current certification of insurance shall be kept on file with City for the contract period and any additional length of the contract period. Freafter. City reserves the right to require complete, certified copies of all required insurance poncies, at any time.

Requirements of the Limiting. Requirements of specific coverage features or limits contained herein are not intended as a limitation on coverage, limits on other requirements, or a waiver of any coverage normal provided by any insurance. Specific reference to a given coverage feature is for purposes of claufication only as it pertains to a given issue and is not intended by any party control of the last account of the exclusion of other coverage, or a waiver or limitation of any type. If the Contractor maintains higher limits than the minimums shown above, the City requires and shall be entitled to coverage for the higher limits maintained by the Contractor. Any available in the proceeds in excess of the specified minimum limits of insurance and coverage shall be available to the City.

Duration of coverage. Contractor shall procure and maintain for the contract period, and any additional length of time required thereafter, insurance against claims for injuries to persons or damages to property, or financial loss which may arise from or in connection with the performance of the Work under this Agreement by Contractor, their agents, representatives, employees, or

subcontractors/subconsultants. Contractor must maintain general liability and umbrella or excess liability insurance for as long as there is a statutory exposure to completed operations claims. City and its officers, officials, employees, and agents shall continue as additional insureds under such policies.

Primary/noncontributing. Coverage provided by Contractor shall be primary and any instrance or self-insurance procured or maintained by City shall not be required to contribute with. The limits of insurance required herein may be satisfied by a combination of primary and umbre la or excess insurance. Any umbrella or excess insurance shall contain or be endorsed to excess in a provision that such coverage shall also apply on a primary and non-contribution, basis for the benefit of City before City's own insurance or self-insurance shall be called from to otect it as a named insured. For any claims related to this project, the Contractor's insurance of coverage shall be primary insurance as respects to the City, its officers, officials, employees age as, or volunteers. Any insurance or self-insurance maintained by the City, its officer officials, employees, agents, or volunteers shall be in excess of the Contractor's insurance and call not conclude with it.

Products/completed operations coverage. Products/completed operations of verage shall extend a minimum of three (3) years after project completion. Of verage shall be included on behalf of the insured for covered claims arising out of the actions of independent contractors. If the insured is using subcontractors, the Policy must include work period "by or on behalf" of the insured. Policy shall contain no language that would included or recommendation to defend or indemnify for claims or suits expressly exclared from coverage. Policy shall specifically provide for a duty to defend on the part of the insurer. The City, its officials, officers, agents, and employees, shall be included as additional insured under the Products and Completed Operations coverage.

Waiver of Subrogation. All Insurance coverage maintained or procured pursuant to this Agreement shall be endors to voice subrogation against City, its elected or appointed officers, agents, officials, employees, and compliance or shall specifically allow Contractor or others providing insurance or idence in compliance with these specifications to waive their right of recovery prior to a loss Contractor ereby waives its own right of recovery against City and shall require similar written energy waivers and insurance clauses from each of its subcontractors/subconsultants

Additional Insure Status. The general liability, automobile liability, and umbrella/excess liability policies shall provide, or be endorsed to provide that the City, its officers, officials, agents and volunteers are to be covered as additional insureds as respects: liability arising automatically of the Contractor; premises owned, occupied or used by the Contractor; or automobiles wheely ased, hired, or borrowed by the Contractor. The coverage shall contain no special half and on the scope of protection afforded to the City, its officers, officials, employees, agents, or younteers.

Separation of Insureds. A severability of interests provision must apply for all additional insureds ensuring that Contractor's insurance shall apply separately to each insured against whom claim is made or suit is brought, except with respect to the insurer's limits of liability. The policy(ies) shall

not contain any cross-liability exclusions.

Notice of Cancellation. Each insurance policy required by this clause shall be endorsed to state that coverage shall not be suspended, voided, canceled by either party, reduced in coverage or in limits except after thirty (30) days' prior written notice by certified mail, return receipt required, has been given to the City. Contractor agrees to oblige its insurance agent or broker and in arers to provide the City with a thirty (30) day notice of cancellation (except for nonpayment for which a ten (10) day notice is required) or nonrenewal of coverage for each required coverage. If a v of the Contractor's insurers are unwilling to provide such notice, then Contractor shall have be responsibility of notifying City immediately in the event of Contractor's fails to be new any of the required insurance coverages, or insurer's cancellation or non-renewal.

Timely notice of claims. Contractor shall give City prompt and time's notice on laims made or suits instituted that arise out of or result from Contractor's performance under this Agreement, and that involve or may involve coverage under any of the required lial lity policie

Any failure to comply with reporting or other provision of the pontious duding breaches of warranties shall not affect coverage provided to the City, its officers, officials, employees, agents, or volunteers.

Prohibition of undisclosed coverage limitati as. None of the coverages required herein will be in compliance with these requirements if the include any limiting endorsement of any kind that has not been first submitted to City and approve of in writing.

Additional insurance. Contractor mall as procure and maintain, at its own cost and expense, any additional kinds of insurance which in 's own judgment may be necessary for its proper protection and prosecution of the York.

Self-Insured Retentions

Any self-insured retentices must be declared to and approved by City. City reserves the right to require that self-insured receiving be eliminated, lowered, or replaced by a deductible, or require proof of ability pay losses and related investigations, claim administration, and defense expenses within the retention brough confirmation from the underwriter.

Acceptal lity of Ins rers

Insurance is to be placed with insurers with a current A.M. Best's rating of no less than A:VII.

vificat in of Coverage

Contractor shall furnish the City with original endorsements effecting coverage required herein. The endorsements are to be signed by a person authorized by that insurer to bind coverage on its behalf. All certificates and endorsements are to be received and approved by the City before Work commences. Contractor's insurer shall provide complete, certified copies of all required insurance policies, including endorsements effecting the coverage required by these specifications.

Contractor acknowledges and agrees that any actual or alleged failure on the part of the City to inform Contractor of non-compliance with any requirement imposes no additional obligations on the City nor does it waive any rights hereunder.

Subcontractors

Contractor agrees to ensure that its subconsultants, subcontractors, and any other party who brought onto or involved in the project/service by Contractor (hereinafter collectively "subcontractor"), provide the same minimum insurance coverage and endorse are required Contractor. Contractor agrees to monitor and review all such coverage and ssumes all responsibility for ensuring that such coverage is provided in conformity with the requirements of this section. However, in the event Contractor's subcontractor connot aply with this requirement, which proof must be submitted to the City, Contractor hall be a quire to ensure that its subcontractor provide and maintain insurance coverage and indorsement sufficient to the specific risk of exposure involved with subcontractor's scope of ork and sovices, with limits less than required of the Contractor, but in all other to be considered with the Contractor's requirements herein. This provision does not relieve the Contractor of us contractual obligations under the agreement and/or limit its liability to the amo nt of insuracce coverage provided by its subcontractors. This provision is intended solely to provi Contractor with the ability to utilize a subcontractor who may be otherwise qualified perform up or services but may not carry the same insurance limits as required of the ontractor herein given the limited scope of work or services provided by the subcontractor. Onto or agrees that upon request, all agreements with subcontractors, and others engaged in the project, vill be submitted to City for review.

CITY OF MISSION VIEJO

COMPENSATION INSURANCE CERTIFICATE NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

Pursuant to Section 1861 of the State Labor Code (amended by Stats. 1979, C.373, p. 1343), b fore beginning the Work, the Contractor shall furnish to the City Engineer a certificate of all persons whom he may employ directly or through subcontractors in carrying out the way specified herein, in accordance with the laws of the State of California. Such assurance shall be maintained in full force and effect during the period covered by this contraction.

Before beginning the Work, the Contractor shall furnish to the Cit Engineer certificate of insurance as proof that he has taken out full compensation insurance for all per ons whom he may employ directly or through subcontractors in carrying out the work pecified her in, in accordance with the laws of the State of California. Such insurance shall be main bined in full force and effect during the period covered by this contract.

Contractor, prior to commencing work, shall sign and 'ile with the City of Mission Viejo a certification as follows:

I am aware of the provision Section 3700 of the Labor Code which requires every employer to be insured against liability for Worker's Compensation or to odertake self-insurance in accordance with the provision of that code, and I will comply with such provisions be pre-commenting the performance of the work of this contract.

CONTRACTOR	
By:	
Title:	
Date:	

Section 3700 of the State Labor Code reads as follows:

"Every employer except the State shall secure the payment of compensation in one or more of the following ways:

- (a) By being insured against liability to pay compensation in one or more insurers duly ay horized to write compensation insurance in the state.
- (b) By securing from the Director of Industrial Relations a certificate of consent to see the re, which may be given upon furnishing proof satisfactory to the Director of Industrial Relations of ability to self-insure and to pay any compensation that may become due to his employee."

(Amended by Stats, 1978, c. 1379, p. 4571)

Compensation Insurance Certifica

To be Submitted with Contract reen nt

CITY OF MISSION VIEJO

GENERAL SPECIFICATIONS

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

SCOPE OF WORK

The Work to be done consists of furnishing all permits, licenses, testing, r aterials equipment, tools, labor and incidentals as required by the Contract Documents to constant the above-stated project, as well as any other duties or obligations of Contractor under the Contract Documents.

The general items of Work include:

- 1. Base Bid Audio and visual (A/V) replacement and improperments of leadend equipment for all meeting room improvements. A lace, and and improvements for Sycamore A and B, Creek Side Terrace, and Orc and Terrace.
- 2. Alternate 1 A/V replacement and improvemen for Jacara la A and B.
- 3. Alternate 2 Sycamore A and B -New projectors or side so cens.
- 4. Alternate 3 Sycamore A- Additional *r* ojectors and at rear of stage / 2 flat panel displays.
- 5. Alternate 4 Paging in hallway ar . Os lounge NPMCC facility.

The above improvements to include our post limited to, A/V equipment, installation, configuration, and support,

and all appurtenant Work.

LOCATION OF WORK

The general locations and limits or and Work are as follows:

Norman P. Marray Community and Senior Center – 24932 Veterans Way in Mission Viejo.

TIME O COMPLE' ON

The Co. factor small Complete all Work in every detail within 120 working days (as defined in the Greenbook Standard Specifications; see below) after the date of the Notice to Proceed, exclusive mainter once periods.

PERFORMANCE OF AT LEAST 50% OF THE WORK

Per Standard Specifications section 2-3.2, the Contractor must perform at least 50% of the Work itself, except that any designated "Specialty Item" may be performed by subcontractors and the amount of any such "Specialty Items" so performed will be deducted from the contract price before

computing the amount required to be performed by the Contractor with its own organization. No specialty items have been designated for this project.

UTILITY REQUIREMENTS

The Contractor is advised of the existence of the utility notification service provid 1 by UNDERGROUND SERVICE ALERT (USA). USA member utilities will provide the Contractor with the precise locations of their substructures in the construction area when the Contractor ives at least 48 hours notice to the Underground Service Alert by calling 1/800/422-4

The Contractor shall notify the following agencies at least 48 hours in a rance 1 excavating around any of their structures. The utility companies listed below can be contained as indicated.

Southern California Gas Company 1919 South State College Anaheim, California 92803 Steve Alcala (714) 634-3185

AT&T California

1265 North Van Buren, Room 180 Anaheim, California 92807 Leslie Monty (714) 666-5467

Southern California Edison 14155 Bake Parkway Irvine, California 92619 Andrew MacBeth (949) 458-4618

Metropolitan Water Dr. vict P.O. Box 54153 Los Ang Cos, lifornia 90054-0153 (213) 7.7-6000 Cox Communitions 29947 Avenida le las Bandras Rancho Saria Margarita, Chifornia 92688 Steve Demora (945) — /524

City 'Mission' lejo Public rvices epartment 27204 East La Paz Road Mission Viejo, California 92692 (949) 470-3064

nta Margarita Water District 26111 Antonio Parkway Rancho Santa Margarita, California 92688 Bart Lantz (949) 459-6505

Moulton-Niguel Water District 27500 La Paz Road Laguna Niguel, California 92656 Ray McDowell (949) 425-3527

the Cifon. Solic Utilities Commission mandates that, in the interest of public safety, mainline gas valve be maintained in a manner to be readily accessible and in good operating condition. The Contract shall notify the Southern California Gas Company's Headquarters Planning Office at 14) 3 3-0680, at least two (2) working days prior to the start of construction.

The Contractor shall exercise extreme care to protect all existing utilities in place whether shown on the plans or not, and shall assume full responsibility for all damage resulting from its operations. The Contractor shall coordinate with each utility company as to the requirements and methods for protection of their facilities during the construction period and shall be responsible for preparation

and processing of any required plans or permits. The Contractor shall assume full responsibility to maintain uninterrupted service for all utilities.

By submitting a bid, the Contractor acknowledges the above-referenced utility work to be done in conjunction with this project. The Contractor shall schedule its work and conduct its operations so as to permit access and time for the required utility work to be accomplished during the progress of the work.

The Contractor shall coordinate with each utility company as to the extent of required work and the time required to do so. The Contractor shall include this time in its schedule and neat for the above, if any, shall be deemed as included in the items of work as shown on the proposal bid sheet and no additional compensation will be allowed.

FLOW AND ACCEPTANCE OF WATER

It is anticipated that storm, surface, or other waters will be entered at various times during the work herein contemplated. The Contractor, by submitting a bid, acknowledges that he has investigated the risk arising from such waters and has presided his bid coordingly; and Contractor submitting a bid assumes all said risk.

The Contractor shall conduct his operations is such a manner that storm or other existing waters may proceed uninterrupted along their existing breet or drainage courses. Diversions of water for short reaches to protect construction in progres will be permitted if public and/or private properties, in the opinion of the Engirence renot subject to probability of damage. The Contractor shall obtain written permission from the applicable public agency or property owner before any diversion of water outside of public right-of-v y will be permitted.

REMOVAL OF WATER

The Contractor shall provide and maintain at all times during construction ample means and devices to promptly remove and properly dispose of all water entering the excavations or other parts of the work. No concrete footing or floor shall be laid in water, nor shall water be allowed to rise or r them up the concrete or mortar has set. Dewatering for the structures and pipelines shall continuous until such time as water can be allowed to rise in accordance with the above paragraph. Dewatering shall be composited, well points or some other method which will insure a dry hole and preservation of final lab is and grade of the bottoms of excavation, all subject to the approval of the Engineer.

D. posal of water from dewatering operations shall be the sole responsibility of the Contractor. Disp. of methods shall conform to the Porter-Cologne Water Quality Control Act of 1974, the Federal Water Pollution Control Act Amendments of 1972, and the California Administrative Code, Title 23, Chapter 3.

Full compensation of dewatering shall be considered as included in the contract prices paid for the related items of work, and no additional compensation will be allowed therefore.

TRENCH SAFETY AND SHORING EXCAVATION

In accordance with Section 6500 of the Labor Code, the Contractor is required to obtain a permit from the Division of Industrial Safety for any trench or excavation which is five feet or more in depth and into which a person is required to descent.

The Contractor shall furnish all labor, equipment, and materials required to design, construct and remove all sheeting, shoring, and bracing or other equivalent method of support of this project.

Excavation for any trench five (5) feet or more in depth shall not begin until the intractor received approval from the Engineer of the Contractor's detailed plan for worker projection from hazards of caving ground. Such plan shall be submitted at least five (5) days of ore the Contractor intends to begin excavation and shall show the details of the design of shoring, racing, sloping, or other provisions to be made for worker protection during excavation. No the pan shall allow the use of shoring, sloping, or a protective system less effective than required by Construction Safety Orders of the Division of Industrial Safety; and if such plan taries from the shoring system standards established by the Construction Safety Orders, the plan taries from the shoring system the Engineer who is registered as a Civil or Structural Engineer in the State of California.

Prior to beginning of excavations requiring shoring, the contractor shall designate in writing to the Engineer someone whose responsibility it is to super see the installation and removal of sheeting, shoring and bracing.

In addition to shoring the excavatic or a cordance with the minimum requirements of Industrial Safety Orders, it shall be the Corractor's reponsibility to provide any and all additional shoring required to support the sides of the excavation against the effects of load which may exceed those desired by using the criterianat form in the Irrustrial Safety Orders. The Contractor shall be solely responsible for any damages which is sult from his failure to provide adequate shoring of the excavation under an and all on the conditions of loading which may exist or which may arise during construction of the project.

The Contractor shall include his bid all costs for the above requirements. Full compensation for sheeting snoring bracing, and all other things necessary shall be considered as included in the appropriate bid item of work, and no additional allowance will be made therefore.

CONSTA "CTIO", FENCING

The Corractor shall furnish and install temporary 6' ht construction fencing enclosing all construction areas protecting the public from potential harm. This temporary fencing shall not broke dewalks or access roads unless approved in writing by the City. The fencing location shall be approved by the City and shall remain in place through the maintenance period, unless the City directs otherwise. Fencing shell includes privacy shade cloth.

STANDARD SPECIFICATIONS

The Standard Specifications of the City are contained in the most recent edition of the <u>Standard Specifications for Public Works Construction</u>, including all supplements as written and promulgated by the Joint Cooperative Committee of the Southern California District of the Associated General Contractors of California. Copies of these Standard Specification (the "Greenbook") are available from the publisher:

Building News, Incorporated 1612 South Clementine Street, Suite A Anaheim, California 92802 (714) 517-0970

The section numbers of the City's General Provisions and Special Vovisions of the Standard Specifications for Public Works Construction. Only those amendment or elaboration, or specifying options, are called out

Where the plans or specifications describe portions of the work in general terms, but not in complete detail, it is understood that the item is to be furn hed and in alled complete and in place and that only the best general practice is to be used. Unit other are specified, the Contractor shall furnish all labor, materials, tools, equip tent, and includingly, and perform all the work, involved in executing the contract.

WAGE RATES AND LABOR CODE REQUIRE MENTS

Wage Rates

The Contractor and all Subce trace is shall be required to adhere to the general prevailing rate of per diem wages as determined and published by the State Director of the Department of Industrial Relations, pursuant to the perfect of the California Labor Code. Copies of these rates and the latest evisions mereto are on file in the Office of the Secretary of the Board of Directors and are available or review upon request.

Attention's directed to the provisions of Sections 1774, 1775, 1776, 1777.5 and 1777.6 of the State Labor Cale. Section 1774 and 1775 require the Contractor and all Subcontractors to pay not less than the pavailing wage rates to all workmen employed in the execution of the contract and specify forces and permities for failure to do so. The minimum wages to be paid are those determined by the late Director of the Department of Industrial Relations. Section 1776 requires the Contractor and all Subcontractors to keep accurate payroll records, specifies the contents thereof, a pair instruction and duplication procedures and certain notices required of the Contractor permiting to their location.

Apprentices

Section 1777.5 requires the Contractor or Subcontractor employing tradesmen in any apprentice able occupation to apply to the Joint Apprenticeship Committee nearest the site of the public works

project which administers the apprenticeship program in that trade for a certificate of approval. The certificate will also fix the ratio of apprentices to journeymen to be used in the performance of the contract.

The Contractor is required to make contributions to funds established for the administration of apprenticeship programs if he employs registered apprentices or journeymen in any appentice able trade and if other Contractors on the public work site are making such contributions.

Information relative to apprenticeship standards, contributions, wage schedules, and ther requirements may be obtained from the State Director of Industrial Relations or the Divis. In of Apprenticeship Standards.

CLAYTON ACT AND CARTWRIGHT ACT

Section 4551 of the State Government Code specifies that in exputing a public works contract with the City to supply goods, services, or materials the Contract or or Subcontractors offer and agree to assign to the City all rights, title and interest in Comparison allows action it may have under Section 4 of the Clayton Act (15 U.S.C. Sec. 15) or under the Cartwright Act (Chapter 2 commencing with Sec. 16700) of Part 2 of Division of the Business and Professional Code arising from purchase of goods, services, or materials pure ant to the contract or subcontract. This assignment shall become affective when the City tenders find a professional to the Contractor without further acknowledgment by the parties.

SUBSTITUTION OF SECURITIES

In conformance with the State Californ Government Code Chapter 13, Section 4590, the Contractor may substitute secure ies for any nonies withheld by the City to ensure performance under the contract.

At the request and expense of the Contractor, securities equivalent to the amount withheld shall be deposited with the Contractor upon referring the or Federally-chartered bank as the escrow agent who shall pay such monies to the contractor upon notification by City of Contractor's satisfactory completion of the contract. The form of this escrow agreement, as required by Public Contract Code section 22300, may be brained from the City Attorneys' office.

The type of securities deposited and the method of release shall be approved by the City Attorney's office.

WATE \POLLUTION CONTROL (NPDES COMPLIANCE)

The Cit of Mission Viejo in conformance with the City's National Pollutant Discharge En vication System (NPDES) Permit, is dedicated to the elimination/reduction of water pollution as a result of construction projects. The Contractor shall comply with the items described in this section and construct those facilities as specified by these Contract Documents, as required by law, or as directed by the Engineer, as necessary to eliminate/reduce water pollution. Said items are intended to provide prevention, control, and abatement of water pollution into storm drain systems, streams, oceans, and other bodies of water as a result of the Contractor's operations. These items

are supplemental to those required of the Contractor in Section 7-8 "Project Site Maintenance" of the Standard Specifications for Public Works Construction.

1. Concrete and Mortar Products:

The contractor shall prevent or reduce the discharge of pollutants into storm water or torm water systems from concrete waste by conducting washouts at appropriate of site locations, performing on-site washouts in a designated area, and providing training for employees and subcontractors.

The Contractor shall store and mix dry and wet materials either of site or inder cover, away from drainage areas.

For washout of concrete trucks, the Contractor shall provide appropriate off-te locations or designated contained areas at least 50 feet away from storen drains, open ditches, streets, or streams.

The Contractor shall prevent run-off from designated was but areas by constructing a temporary pit or bermed area large enough to had the all proceed liquid and solid waste. When concrete sets, break up and dispose of concrete in concrete in concrete sets, break up and dispose of concrete in concrete sets, break up and dispose of concrete in concrete sets, break up and dispose of concrete in concrete sets, break up and dispose of concrete in concrete sets, break up and dispose of concrete sets.

The Contractor shall inform concrete appliers and subcontractors of the designated washout locations and disposal sites for an encrete and mortar products and shall be responsible for ensuring the all wo. ers use it appropriately.

2. Construction Water:

The Contractor shall revice or emminate excessive construction water that may cause erosion and carries from the site. In addition, the Contractor shall:

- 1. Store constitution water in leak proof tanks, located away from drainage systems.
- 2. construction water conservatively.
- Whenever possible, dispose of excess water on-site, by allowing it to soak into the groun

2 Saw uttir Water Runoff:

Sa cutting water runoff contains pollutants that must be contained and disposed of properly. The Contractor shall:

- 1. Prevent saw cut water runoff from entering catch basins, manholes, and storm drains.
- 2. Direct water into a temporary pit and dispose of the water by vacuuming the water into a truck and removing the water from the site.

- 3. Place drip pans or absorbent materials under saw cutting equipment when not in use.
- 4. Clean up spills with absorbent materials rather than burying. Dispose of absorbent material properly.

4. Housekeeping/Cleanup

The Contractor shall prevent pollution of storm water from cleanup and disposal operations by using good housekeeping methods. When fluids or dry materials spill, cleanup and be immediate, thorough, and routine. The Contractor shall never atter process "wash the a away" with water, or bury them. The Contractor shall report significant pills to the appropriate spill response agencies immediately. The Contractor shall acognize that different types of materials have different disposal requirements and a low appropriate practices. The Contractor shall confine non-hazardous depris to a landfit for recyclic glor disposal. The Contractor shall handle hazardous debris in accordance with specific last so and regulations and dispose of them properly. A separate permit and be required common hazardous debris found on construction sites are: Liquid esidues from paints, thinners, solvents, glues, and cleaning fluids, leaching agents from lumber such as formaldehyde, arsenic, copper, creosote and chromium, motor oil, gear on antifreez fluids, brake fluids, etc., and unused pesticides.

5. Sanitary Waste Management:

The Contractor shall prevent the fischarge cosanitary waste into storm water systems by providing convenient, properly located, well-maintained facilities. The Contractor shall hire a licensed portable unitary facility leasing company, which will clean the facilities regularly and keep them a good working order. The Contractor shall make sure that portable sanitary facilities and the defence of the result of the result

6. Vehicle and Equip. nt Management:

he Contral or shall use and maintain construction vehicles and equipment in a manner at prevents leaks and spills of fluids, contains wash waters, and controls off-site tracking.

The Contractor shall not allow leaking vehicles and equipment on-site and shall inspect quipment and vehicles frequently for leaks and repair them immediately. The Contractor shall clean up spills and leaks promptly with absorbent materials, and shall not flush said shall with water.

The Contractor shall fuel, maintain, and repair vehicles and equipment off-site whenever possible and on-site only in designated areas. The Contractor shall prevent run-on and run-off from designated areas and provide cover as well as containment devices as necessary.

The Contractor shall wash vehicles and equipment on-site in designated, contained areas, allowing wash waters to infiltrate into the ground. The Contractor shall use phosphate-free, biodegradable soaps, and limit steam cleaning to confined areas only.

When not in use, the Contractor shall store equipment and vehicles in designated, contained areas and place drip pans and absorbent material under stored equipment that is properties to leaking and dripping (e.g., paving equipment).

If the Contractor must drain and replace motor oil, radiator coolant, or other fluids on-te, uses drip pans or drop cloths to catch drips and spills. The Contractor stands occur all spendiuds, store in separate containers, and recycle whenever possible. Note: For recycling purposes, such liquids must not be mixed with other fluids. Non-recycled dids generally must be disposed of as hazardous waste.

Except as otherwise provided for in the Standard Specifica ons or elewhere in these Special/General Provisions, full compensation for conforming to the requirements of this section including furnishing all labor, tools, equipment, and mater as necessal for sing the work, shall be considered as included in the prices paid for the various contract items of work and no additional compensation will be allowed therefore.

NOTE: The City of Mission Viejo is a co-remittee with the county of Orange for the water discharge from the San Diego Reponal Water Quality Control Board. The contractor will be held accountable and moule make himself aware of all municipal activities procedures as part of the NPDES permit and program.

CITY OF MISSION VIEJO

GENERAL PROVISIONS

NPM COMMUNITY AND SENIOR CENTER AUDIO AND VISUAL REPLACEMENT AND IMPROVEMENTS

These General Provisions amend the Standard Specifications as indicated and take precedence over the General Specifications and Standard Specifications (see revised order of precedence low [Section 2-5.2]).

PART 1 - GENERAL PROVISIONS

SECTION 1 - TERMS, DEFINITIONS, ABBREVIATIONS, UNLASTE. ME. SURE, AND SYMBOLS

1-2 TERMS AND DEFINITIONS [Add the fe' ing.

The definitions in this section apply throughout the Contact Documats.

"Agency" - City of Mission Viejo

"Board" - City Council for the City of Vassion Viejo

"City" - City of Mission Viejo

"County" - County of Orange (OCEMA)

"Engineer" - City

"Federal" - United States of merica

"Inspector" - Inspector for the Agency (or s designee)

"State" - State of Ca" forn

"Change Order" – Todd the for wing sentence to the definition:] If signed by the Agency and Contractor, and approved by the City Manager if changes cumulatively total less than 15% of the Contract price or \$30,000, whichever is less), the Change Order qualifies as a Supplemental Amendment.

[add thi definition. "Completion" and "Complete" – Statutory definitions of "Completion" and "Complete" shall apply for those statutory purposes (for example, see Public Contract Code §7107 for release of retent on, and Civil Code §9200 for stop payment notices and notice of completion). For an other purposes, including accrual of liquidated damages, claims, and warranties, "Completon" and "Complete" mean the point in the Work where (1) Contractor has fully and correctly erformed all Work in all parts and requirements, including corrective and punch list witk, and (2) City's representatives have conducted a final inspection that confirmed this performance. Substantial, or any other form of partial or non-compliant, performance shall not constitute "Completion" or "Complete."

"Supplemental Agreement" – [replace the definition with the following:] A written amendment of the Contract Documents signed by the Agency and the Contractor, and approved by the Board (or approved by the City Manager if changes cumulatively total less than 15% of the Contract price or \$30,000, whichever is less), including but not limited to a Change Order.

SECTION 2 - SCOPE AND CONTROL OF THE WORK

2-1 AWARD AND EXECUTION OF CONTRACT [Replace with the following]:

Within ten (10) working days after the date of the Notice to Award, the Contractor shall excute and return the following contract documents to the Agency:

Contract Agreement
Proof of Insurance, including Policies, Endorsements, and a Public Lebility 2nd Property
Damage Insurance Certificate
Workers' Compensation Insurance Certificate

Failure to comply with the above will result in annulment of the awa and forfeit re of the Proposal Guarantee. The Contract Agreement shall not be considered bitting upon the Agency until executed by the authorized Agency officials.

A corporation to which an award is made may be required, before the Contract Agreement is executed by the Agency, to furnish evidence of its corporation are existence, of its right to enter into contracts in the State of California, and that its officers signing the contract and bonds for the corporation have the authority to do so.

2-5.1 General [Replace the first paragraph with the following]:

The Contractor shall maintain a portrol set of Plans and Specifications on the project site at all times. All final locations determined in the field, and any deviations from the Plans and Specifications, shall be mark in indicators action shall return the control set to show the as-built conditions. Upon Completion of all Work, the Control shall return the control set to the Engineer. Final payment will not be made until a control shall return the control set to the Engineer.

2-5.2 Precedence of the Contract Documents [replace with the following:]

In the case of conflict between any of the Contract Documents, the order of precedence in Standard Specification section 2-5.2(a)-(j) is amended as follows:

- (a) Permits issued by jurisdictional regulatory agencies.
- (b) Change Orders and Supplemental Agreements; whichever occurs last.
- (c) Contract/Agreement.
- (d) Addenda.
- (e) Contractor's Proposal (including Bid Sheet, subcontractor declaration, bid bond, Iran Contracting Act Declaration, and Sufficient Funds Declaration).
- (f) Performance and Payment Bonds.
- (g) Notice Inviting Bids.
- (h) Instructions to Bidders.
- (i) Special Provisions.
- (i) General Provisions.
- (k) Project Plans.
- (1) Standard Plans.
- (m) General Specifications.
- (n) Standard Specifications (Greenbook)
- (o) Reference Specifications.
- (p) Workers Compensation Certification

For any conflict in the Contract Docume, not resolved by the above order of precedence, the more stringent, higher quality, and/or reater quality of Work shall control. Detailed drawings shall take precedence over general drawings.

Contractor shall exped. Jousty per all changes in the Work as directed by Agency. See Section 3-2.1 regarding changes in the Work.

If Contractor believes that acts or omissions of City (including but not limited to City caused delay) have prevented Contractor from performing the Work as required by the Contract Documents and Contractor intends to rely on City's acts or omissions and Civil Code section 1511(1) as reasons to Contractor's nonperformance or to support, among other things, Contractor's requests for time exposions (see Section 3-5, below), Contractor shall provide written notice of the excuse within fig. (5) days of the City's acts or omissions. If Contractor fails to timely submit the written otice, Contractor shall have waived any right to later rely on the acts or omissions as a defense to Contractor shall have waived any right to later rely on the acts or omissions as a defense to Contractor shall have waived any right to later rely on the acts or omissions as a defense to Contractor shall have waived any right to later rely on the acts or omissions as a defense to Contractor shall have waived any right to later rely on the acts or omissions as a defense to Contractor shall have waived any right to later rely on the acts or omissions as a defense to Contractor shall have waived any right to later rely on the acts or omissions as a defense to Contractor shall have waived any right to later rely on the acts or omissions are defense to Contractor shall have waived any right to later rely on the acts or omissions are defense to Contractor shall have waived any right to later rely on the acts or omissions are defense to Contractor shall have waived any right to later rely on the acts or omissions are defense to Contractor shall have waived any right to later rely on the acts or omissions are defense to Contractor shall have waived any right to later rely on the acts or omissions are defense to Contractor shall have waived any right to later rely on the acts or omissions are defense to Contractor shall have waived any right to later rely on the acts or omissions.

2-9 SURVEYING

2-9.3 Survey Service [Replace the first two paragraphs with the following]:

The Contractor shall provide surveying and construction staking required for the construction of this Work. The cost of surveying and/or construction staking will be the responsibility the Contractor and will be paid in the item of the Work called survey and construction stationary.

2-11 INSPECTION [add the following:]

The Agency's supervision and inspection of the Work does not act as acceptant or greement with any defective aspect of that Work, nor as a waiver of the Agency's change again, the Contractor regarding that Work. Responsibility for the quality of the Work is the Contractor research of the Work is the Contractor regarding that Work.

SECTION 3 - CHANGES IN WORK

3-2 CHANGES INITIATED BY THE AGENCY

3-2.1 General [replace the first paragraph with the following]:

The Agency may change the Contract Dolume. Or the scope of the Work, including additions and deletions of Work, by issuing a written Change Order to Contractor. Contractor shall expeditiously perform the revised Vork parameter to the Change Order. Contractor shall sign any Change Order that provides prope reduction of money and time, and/or proper additional money and time, based on the changes in the Work. I Contractor believes the Change Order should have smaller reductions in money at time or larger increases in money or time, based on the changes in the Work, Contractor must follow the procedures in Section 3-5, below, including but not limited to Notice of Potential Change Order Request, and Claim.

Unless a signed Change of der specifically states otherwise, it shall constitute full and final compensation in the money and time, for the specified issue, and shall act as a complete waiver by Contractor of all change related to the specified issue.

3-3 E. TRA WO K

3-3.2.3 N. rkup [Add the following as the first paragraph]:

marks is mentioned hereinafter shall include, but are not limited to, all costs for the services of supcing indents, project managers, timekeepers, and other personnel not working directly on the change order and pickups or yard trucks used by the above personnel. These costs shall not be reported as labor or equipment elsewhere except when actually performing Work directly on the change order and then shall only be reported at the labor classification of the Work performed.

3-5 DISPUTED WORK [Delete second sentence and add the following]:

Protest Procedures:

If the Contractor considers any Work demanded of him to be outside the requirements of the contract, or if he considers any instruction, ruling, or decision of the inspector or Engine to be unfair, he shall, within ten (10) working days after any such demand is made, or instruction, uling, or decision is given, file a written protest with the Engineer, stating clearly and in detail his objections and reasons therefore, including an estimate of any additional money or that Contractor believes should be granted by the City under the Contract.

Except for such protests and objections as are made of records, in the mann and of thin the time above stated, the Contractor shall be deemed to have waived and does bereby we all claims for extra work, damages and extensions of time on account of demods, in such s, rulings and decisions of the Engineer.

Upon receipt of any such protest from the Contractor, the gine shall view the demands, instruction, ruling or decision objected to and shall protectly advise the contractor, in writing, of his final decision.

Notice of Potential Change:

Contractor shall submit a written Notice of Pointial Change for extra work, critical path delay, or additional money or time. Contractor shall submit written Notices of Potential Change to City within five (5) days of Contractor becoming aware of the issues creating the potential for change, unless the issues are, or may soo be, advertily affecting the costs or critical path of the Work, in which case the Contractor mus submit the written notice without delay so the City may take immediate action to mitigate cost and schedule impacts, if measure.

When submitting a writte Notice of Potential Change based on extra work, Contractor shall not perform the extra work until directed in writing to do so by City. When submitting a written Notice of Potent in Change for an issue of critical path delay, Contractor shall proactively mitigate the effects of the alleged delay as much as reasonably possible so as to minimize any impact to the schedul until other vise directed by City. If Contractor intends to rely on City's acts or omissions in appoint of a reconstruction at time extension, then Contractor must also provide the notice set forth in Section 2-0, above.

Failure to timely submit a written Notice of Potential Change shall constitute a complete waiver by the total contractor of any right to later submit a change order request or pursue a Claim on that issue, or to later pursue any additional money or time extensions in any manner related to that issue, regardless of the merits. Contractor will not have satisfied a condition precedent or exhausted administrative remedies. Contractor acknowledges that these written notices are of critical importance to the City's Work and Project management and the mitigation of Work and Project costs and delays. Change Order Requests:

If, after submitting a written Notice of Potential Change, Contractor continues to believes that it is entitled to additional money or time (including but not limited to grant of a time extension; payment of money or damages arising from work done by, or on behalf of, the Contractor, payment of which is not otherwise expressly provided for or the claimant is not otherwise entitled to; or an amount the payment of which is disputed by the City) based on an issue, then Contractor shall submit a Change Order Request ("COR") to City within twenty (20) days of (i) becoming aware of the ssues creating a potential change, or (ii) the date by which it should have become aware of the ssues creating a potential change. A rejection at any time or a lack of a rejection by City or the of Potential Change does not affect the timeline for submitting a COR.

Failure to timely submit a COR related to an issue, or failure to comply ith any of the COR requirements in the Contract shall constitute a complete waiver by Contractor in y right to later submit a COR or Claim on that issue, or to later pursue any additional investigation extensions) in any manner related to that issue, regardless of the morits. Contractor will not have satisfied a condition precedent or exhausted administrative remedic

The COR shall state the grounds for the additional mon for time requested and the amount of money or time requested, and Contractor shall include all information supporting the COR.

Contractor shall certify the COR using the form set forth be by for ertification of a Claim, except that every reference to "Claim" shall be chouged to "COR. If a COR is submitted without certification, a certification can still be submit d within the COR timelines set forth above. If the COR is not timely certified, Contractor with have impletely waived its rights to any money or time for that issue, as Contractor will not have satisfied a condition precedent or exhausted administrative remedies.

The City may accept the entire C R, accept art of the COR and reject the remainder, reject the entire COR, or request additional in smatter. If the City does not respond within thirty (30) days by accepting the entire COR, accepting part of the COR and rejecting the remainder, or requesting additional information. R shall be deemed rejected as of the thirtieth (30th) day. If the City requests additional information, then the Contractor shall submit the information within fifteen (15) days of the date. The request and the City shall have fifteen (15) days after the receipt of the additional information to accept or reject (in whole or in part) the COR. If the City fails to respond a thin fifteen (15) days after the submission of additional information, the entire COR shall be seemed rejected as of the fifteenth (15th) day.

F JIIII YOU CLASS

A "Claim is a separate demand by the Contractor for (a) a time extension, including, without havitation relief from damages or penalties for delay assessed by City, (b) payment of money or damages arising from work done by, or on behalf of, the Contractor, and payment of which is not otherwise expressly provided for or the claimant is not otherwise entitled to, or (c) an amount the payment of which is disputed by the City. A Claim includes any claim within the scope of Public Contract Code section 20104 et seq. Resubmittal in any manner of a COR which was previously rejected (see above) constitutes a Claim, whether the COR was rejected in whole or in part, and whether the COR was rejected expressly or deemed rejected by City inaction. A Claim includes any dispute Contractor may have with the City, including one which does not require a Notice of

Potential Change or COR (see above), and includes an alleged breach of contract by the City. A Claim shall also constitute a claim for purposes of the California False Claims Act. In the event of a conflict between a Claims provision in Division 1 of the Specifications and these provisions, these provisions shall take precedence.

The Notice of Potential Change and COR procedures above are less formal procedures which precede the more formal Claim. A Notice of Potential Change does not constitute a Claim. A COR does not constitute a Claim; except that if insufficient time remains before the Claim deadlin (see below) for Contractor to submit a COR and for City to process and reject the COR (see accept), then either (1) Contractor may submit a COR which City shall treat as a Claim, here or yif the Complies with all requirements, or (2) a COR is not required so long as a Claim complying with this Section 3.5 is timely submitted.

A Claim does not include vouchers, invoices, progress payment a plication or cher routine or authorized forms of requests for progress payments on the Contict; however those documents remain "claims" for purposes of the California False Claims Act. A Claim loes not include a Government Code Claim. ("Government Code Claim" related a Lange Government Code sections 900 et seq. and 910 et seq.)

Time for Submitting Claim:

Contractor shall submit a Claim to the City cor before the earlier of (a) 15 days after Completion of the Work or (b) the Contractor's somis on of its date of the Final Progress Payment Application. City's rejection, or lack of rejection, Ca COR at any time does not affect the deadline for filing a Claim.

In addition, on or before subming its recent for a final progress payment based on 100% Completion of the work, Contract shall submit to City, in writing, a summary of all Claims for money or time extensions under or and ground of this Contract which were timely filed and which were fully compliant with the Contract's requirements for Claims. This Claim summary requirement shall not extend the time for submitting a Claim.

Failure to time he submit a Claim, failure to include a Claim in the above Claim summary, or failure to complewith an of the Claim requirements in the Contract, including but not limited to this Section .5, will act as a complete waiver of Contractor's rights to (a) recover money or time on the issue for which Claim was required, (b) submit a Government Code Claim for the money or time, regardle of the merits, as Contractor will not have satisfied a condition precedent or exhausted administrative remedies. City does not have an obligation to reject the Claim for a failure to comply ith any of the Claim requirements in the Contract, including the lack of certification; and any failure by City to reject, or any delay in rejecting, a Claim on that basis does not waive the City's right to reject the Claim on that basis at a later time. In no event may the Contractor reserve its rights to assert a Claim for a time extension or additional money beyond the timelines set forth in this provision unless the City agrees in writing to allow the reservation.

Content of Claim:

Every Claim shall be in writing. All money or time extensions sought must be stated and itemized in the Claim at the time submitted. The responsibility to substantiate Claims shall rest with the Contractor.

In addition, the Contractor shall include a certification with each and every Claim at the time of submission, as follows:

I,[name of declarant], declare the following:
[Contractor company name] has contracted with
[public entity name] for the (name).
Contract] Contract[Contractor company ar]
authorized me to prepare the attached Claim for money and excession
for [public entity name] regarding the Contrac (date), 20, entitled, and requesting \$ and/or
_additional days), and I prepared the attached Claim. am the most
knowledgeable person at[cor_ractor comme]
regarding this Claim.
The attached Claim complies with all laws apple ble to comission of a Claim,
including but not limited to Californ Penal Code section 72, Government Code
sections 12650 et seq. (False Clara Act), and Business and Professions Code
sections 17200 et seq. (Unfa., Bu., less Practices Act). I am aware that
submission or certification of false claim. or other claims that violate law or the
Contract, may lead t rines, imprisonment, and/or other serious legal
consequences for myse f or[contractor company name].
consequences for myst forcontractor company name.
The attached Clay doe not brook the Contract is not a false aloing does not
The attached Clandoe, not breen the Contract, is not a false claim, does not
violate any applicable law, successions all provisions of the Contract applicable to
submission Clan only contains truthful and accurate supporting data,
and only requists money and/or time extensions that accurately reflect the
adjustments to he ney and time for which I believe that [public entity name] is
respible under as Contract with [contractor company
name].
Tile reparing this declaration and Claim I consulted with others (including
attorneys, consultants, or others who work for
Contractor company name]) when necessary to ensure that the statements were
rue and correct.
Contractor understands and agrees that any Claim submitted without this
certification does not meet the terms of the Contract Documents; that City, or
City's representatives, may reject the Claim on that basis; and that unless
Contractor properly and timely files the Claim with the certification, Contractor

cannot further pursue the Claim in any forum and all rights to additional money or time for the issues covered by the Claim are waived due to a condition precedent not having been satisfied.

I declare under the penalty of perjur that the foregoing is true and co, California.	
[name of declarant]	

Contractor's failure to timely submit a certification will cor titute a complete waiver of Contractor's rights to (a) recover money or time on the issues for which a Claim was required, (b) submit a Government Code Claim (see below) for the money or time, and (contractor) and (contractor) and (contractor) are satisfied a condition precedent or exhausted administrative remedies.

Claims for Additional Money:

Each Claim for additional money (including to not limited to those described above) must include all facts supporting the Claim, including but no limited to all supporting documentation plus a written analysis as to (a) why the claimed cost was a curred, (b) why Contractor could not mitigate its costs, (c) why the claimed cost as the responsibility of the City, and (d) why the claimed cost is a reasonable amount. In no event will the Contractor be allowed to reserve its rights to assert a Claim for money at a later time, unless the City expressly agrees in writing to allow the reservation. Any costs, direct or indirect, not a certed hall be waived. A Claim may not include any costs incurred in preparation of the Colim or in preparation of any underlying COR, including but not limited to costs of decorate.

Claims for Additional Time

If the Contractor we have to make a Claim for an increase in the Contract Time pursuant to these provisions, the Claim shall include, but not be limited to, all facts supporting the Claim, all document tion of such facts, all information required by the Contract Documents, and a current schedular and it is an all size and it is a current of the delay, (b) the City's responsibility for the claim of delay, (c) the claimed delay's impact on the critical path, (d) the claimed delay's impact on the day of Completion (including an analysis of any float still remaining and whether the alleged a lay in work exceeds such remaining float), and (e) why Contractor could not mitigate the delay impacts.

In the case of a continuing delay, only one (1) initial Claim is necessary that is based on estimates of when the continuing delay will end, but within twenty (20) days of the end of the continuing delay an updated final Claim must be submitted, which shall also be certified. In no event will the Contractor be allowed to reserve its rights to assert a Claim for a time extension, unless the City expressly agrees in writing to allow the reservation. Any time extension not asserted shall be

waived.

If weather is the basis for a Claim for additional time, Contractor must provide City data and facts showing that the weather conditions were not foreseeable at the time of the bid, could not have been reasonably anticipated or mitigated during the Work, and had an adverse effect on the critical path of the scheduled construction.

"Pass Through" Claims:

A Subcontractor or supplier to Contractor may not submit a request for additional time or money directly to the City. If a subcontractor or supplier submits a request for additional in the new or time to Contractor and Contractor wishes to pass it through to City, then Contractor must comply with all requirements of these provisions for Notices of Potential Change, Change and Claims. Contractor must prepare and submit its own analysis of the School of the School of the Claim must include a copy of the Subcontractor's request along with any or or necessary supporting documentation.

The Contractor's analysis of the Subcontractor's request must include Contractor's detailed explanation as to why the Subcontractor or supplier's request is the City's responsibility, including Contractor's analysis of (a) why the amount of damages the Subcontractor or supplier requests is justified and appropriate, (b) how Contractor's breach of the subcontractor or supplier to incur these damages, and (c) how the City's much of the Contract caused the Contractor's breach of the subcontract. Are Contractor Claim that fails to include the above information, or that states that City is responsible for the Subcontractor's request only in the event that Contractor is found to owe money to Subcontractor, shall act as a complete waiver of Contractor's rights to (a) recover money or time on the issues for which a Claim was required, (b) submit a Government Code Claim (see below for the money or time, and (c) initiate any action, proceeding or litigation for the loney or time. Contractor will not have satisfied a condition precedent or exhausted administration are remediate.

Procedures for Claims

Claims are subject to this Section 3-5 and Public Contract Code section 9204, as well as the rest of the Contract Documents. Class of \$375,000 or less must also comply with Public Contract Code sections 26,04 et sections 26,04 et seq. confects with the procedures of Section 9204, the requirements of Section 9204 shall control.

Produces f All Claims (including but not limited to PCC §9204):

Review and Response by City

The Sitz shall conduct a reasonable review of the Claim and shall respond in writing to any written Claim within 45 days of receipt of the Claim. During that 45-day period, plus any extension, City may request, in writing, additional documentation supporting the Claim or relating to defenses to the Claim the City may have against the Contractor. City shall review any additional documentation Contractor supplies in response to that request within the 45 day, plus any extension, timeline.

After receipt of a Claim, the 45-day period may be extended by City and Contractor. The written response shall identify which portion of the Claim is disputed and what portion is undisputed. If City needs approval from its governing body to provide the written response, and the governing body does not meet within the 45 days or any extended period of time, then the City shall have up to three days after the next publicly noticed meeting of the governing body to provide the vritten response. Any payment due on an undisputed portion of the Claim shall be processed and made within sixty (60) days after the City issues the written response. City's failure to respond to a Claim within the above time periods or to otherwise meet the above time requirements shall be Claim being deemed rejected in its entirety.

Meet and Confer

If the Contractor disputes the City's written response, or the City factors concevithin the time prescribed, the Contractor may so notify the City, in writing, either within 15 c year receipt of the City's response or within 15 days of the City's failure to respect within 15 c year receipt of the respectively, and demand an informal conference to meet at large of the factor of the issues in dispute. Upon a written demand sent by registered or cartified mail return receipt requested, the City shall schedule a meet and confer conference for a ttlement of the dispute, which shall take place within 30 days of the demand. Upon written agreement of the City and Contractor, the conference may take place during regularly scholuled Projecuses.

If Contractor fails to timely notify the City has wishes to meet and confer pursuant to the previous paragraph, then Contractor will have waived all whits to (a) recover money or time on the issues for which a Claim was required, (b) it a Government Code Claim (see below) for such money or time, and (c) initiate any action proceeds or litigation for such money or time. Contractor will not have satisfied a condition proceeded or a susted administrative remedies.

Written Statem at by "the

Within ten (10) busine days are conclusion of the meet and confer conference, the City shall give a written statement of the Contractor identifying the portion of the Claim that remains in dispute and the portion that fundisputed. Any payment due on an undisputed portion of the Claim shall be processed and made within sixty (60) days after the City issues the written statement.

Medi tion

Within an (10) ousiness days of issuance of City's written statement, Contractor shall identify in writing to disputed portion of the Claim that shall be submitted to non-binding mediation (which may consist of any nonbinding process, including but not limited to neutral evaluation or a dispute rejew oard), with the City and Contractor sharing the costs equally. The City and Contractor share mutually agree to a mediator within ten (10) business days after the Contractor has identified in writing the disputed portion of the Claim. If they cannot agree upon a mediator, then each shall select a mediator and those two mediators shall select a qualified neutral third party to mediate the disputed portion of the Claim. (Each party shall bear the fees and costs its respective mediator charged in connection with the selection of the neutral mediator). The parties may mutually waive in writing the requirement for mediation. If Contractor fails to timely notify the City in writing that it wishes to mediate pursuant to this paragraph, Contractor will have waived all rights to further

pursue the Claim under the Contract Documents. The parties shall reasonably cooperate to schedule and attend a mediation as soon as reasonably possible. City's failure to respond to the Claim within the above time periods or to otherwise meet the above time requirements shall result in the Claim being deemed rejected in its entirety.

Government Code Claim

If the Claim or any portion remains in dispute after the mediation and Contractor wishes to prove it, the Contractor **must** file a timely and proper Government Code Claim. The filing for a Government Code Claim is specifically required in addition to all Claim procedures, described the Contract Documents, including but not limited to this Section 3-5. The above contractual procedures do not act as a substitute for the Government Code Claim process, and the two sets of procedures shall be sequential with the contractual procedures coming for the Government Code Claim process.

Failure to timely file a Government Code Claim shall act as comple; waiver of contractor's rights to (a) recover money or time on the issues for which a Government code Claim was required, and (b) initiate any action, proceeding or litigation for such money of time. Contractor will not have satisfied a condition precedent or exhausted administrative remedies

City and Contractor shall proceed with the Government Tode Claim according to Government Code, Section 900 et seq., and as otherwise remitted by a proposes of the applicable Government Code provisions, and as provided in Public Contract Code section 20104.2(e), the running of the time period within which a contractor must file a Government Code Claim shall be tolled from the time the Contractor submits a critten Claim under these contractual Claim procedures until the time that the Chambar lenied, in whole or in part, as a result of the meet and confer process, including any period of time cilized by the meet and confer process.

Additional Procedure for Coims of \$ 75,000 or Less (PCC §20104.2):

Pursuant to Public Co at Code ction 20104.2, Claims less than or equal to \$375,000 are also subject to the following quirement unless in conflict with the above procedures.

Claims Less Tr. n \$50,000

For Clair s of less than fifty thousand dollars (\$50,000), the City shall respond in writing to any written Coim within 5 days of receipt of the Claim, or may request, in writing, within 30 days of receipt of the Claim any additional documentation supporting the Claim or relating to defenses to me claim the City may have against the Contractor.

If a ditional formation is thereafter required, it shall be requested and provided pursuant to this subsection upon mutual agreement of the City and Contractor. If City and Contractor cannot reach mutual agreement, Contractor's failure to provide any reasonably-requested information within fifteen (15) days after the request, shall act as a complete waiver of Contractor's rights to (a) recover money or time on the issues for which a Claim was required, (b) submit a Government Code Claim (see below) for the money or time, and (c) initiate any action, proceeding or litigation for such money or time. Contractor will not have satisfied a condition precedent or exhausted administrative remedies.

The City's written response to the Claim, as further documented, shall be submitted to the Contractor within 15 days after receipt of the further documentation, or within a period of time no greater than that taken by the Contractor in producing the additional information, whichever is greater.

Claims Over \$50,000, But Not Over \$375,000

For claims over fifty thousand dollars (\$50,000) and less than or equal to three hundred see inty-five thousand dollars (\$375,000), the City shall respond in writing to all written Claims when 60 days of receipt of the Claim, or may request, in writing, within 30 days of receipt of the Claim, and additional documentation supporting the Claim or relating to defenses to the Claim lee City may have against the Contractor.

If additional information is thereafter required, it shall be requested and provided a resuant to this subsection, upon mutual agreement of the City and Contractor. If City and Contract cannot reach mutual agreement, Contractor's failure to provide any reasonably requested information within thirty (30) days after the request, shall act as a complete war of Contractor's rights to (a) recover money or time on the issues for which a Claim was required, (b) submit a Government Code Claim (see Section below) for such money or time, and (c) initiate any action, proceeding or litigation for such money or time. Contractor will not have satisful a condition precedent or exhausted administrative remedies.

The City's written response to the Clain, a further documented, shall be submitted to the Contractor within 30 days after receipt of the further documentation, or within a period of time no greater than that taken by the Cornaction producing the additional information or requested documentation, whichever is greater.

Meet and Co. Cer

If the Contractor dispute the Charles written response, or the City fails to respond within the time prescribed, the Contractor may so this life the City, in writing, either within 15 days of receipt of the City's response or within 15 days of the City's failure to respond within the time prescribed, respectively and demand any formal conference to meet and confer for settlement of the issues in dispute. Upon a demand, the City shall schedule a meet and confer conference for settlement of the dispute, which shall ake place within 30 days of the demand. Upon written agreement of the City and Connactor, the conference may take place during regularly scheduled Project meetings.

of Contactor rans to timely notify the City that it wishes to meet and confer pursuant to the previous paragraph then Contractor will have waived all rights to (a) recover money or time on the issues or which Claim was required, (b) submit a Government Code Claim (see below) for such money or time and (c) initiate any action, proceeding or litigation for such money or time. Contractor will not have satisfied a condition precedent or exhausted administrative remedies.

Continuing Contract Performance:

Despite submission or rejection of a Notice of Potential Change, COR or Claim, the Contractor shall proceed diligently with performance of the Contract as directed by City, and the City shall

continue to make any undisputed payments in accordance with the Contract.

Trenching More than Four Feet:

When any excavation or trenching extends greater than four feet below the surface, the Contractor shall promptly, and before the following conditions are disturbed, notify the public entry, in writing, of any (1) material that the Contractor believes may be material that is hazardous was e, as defined in Section 25117 of the Health and Safety Code, that is required to be removed to a class I, Class II, or Class III disposal site in accordance with the provisions of existing law; (2) subsections at the site differing from those indicated by information, bout the sample available to bidders prior to the deadline for submitting bids; and (2) unknown physical conditions at the site of any unusual nature, different materially from those or inarial encountered and generally recognized as inherent in work of the character provided for in the contract.

The public entity shall promptly investigate the conditions, and if t finds that the conditions do materially so differ, or do involve hazardous waste, and cause decrease r increase in the Contractor's cost of, or the time required for, performance and up to of the Work shall issue a change order under the procedures described in the Contract.

In the event that a dispute arises between the public entity and the Connector whether the conditions materially differ, or involve hazardous waste, or cause a decoupler increase in the Contractor's cost of, or time required for, performance of any part of the Work, the Contractor shall not be excused from any deadline for Completion provided for by the Contract, but shall proceed with all Work to be performed under the Contract. The Contractor shall retain any and all rights provided either by Contract or by law which to the resolution of disputes and protests between the contracting parties.

SECTION 4 - CONTROL OF NATERIALS

4-1 MATERIALS AN WORKMANSHIP

4-1.1 Ge cral 1. 'd the following to the first paragraph]:

Warranti or guarantes on accepted Work will be for one year following project acceptance.

-1.3.1 nera. Add the following:

The Agency will pay for inspection and materials testing. The Contractor shall pay for retests and respections due to failure to meet specifications.

TESTING LABORATORY SERVICES FURNISHED BY THE CITY

The City shall pay all charges of testing laboratories for quality control tests made in the field or laboratory on concrete, asphalt mixtures, moisture-density (Proctor) and relative density tests on embedment, fill, and backfill materials, in-place field density tests on embedments and fills, and

other materials and equipment, during and after their incorporation in the Work. Field sampling and testing will be performed by Engineer personnel, in the general manner indicated in the specifications, with minimum interference with construction operations. Engineer shall determine the exact time and location of field sampling and testing, and may require such additional sampling and testing as necessary to determine that materials and equipment conform with data previously furnished by Contractor and with the Contract Documents.

Arrangements for delivery of samples and test specimens to the testing laboratory will be made by the City. The testing laboratory shall perform all laboratory tests within a reasonable

Contractor shall furnish all sample materials and cooperate in the sampling and field testing activities, interrupting the Work when necessary. When sampling or testing a fivities are performed in the field by Engineer, Contractor shall furnish personnel and facilities to assampling or testing as the activities as required.

TRANSMITTAL OF TEST REPORTS

Written reports of tests and engineering data furnished by Contractor Engineer's review of materials and equipment proposed to be used in the Wood shall be a bmitted as specified for Shop Drawings.

The testing laboratory retained by the Engine will furnish three (3) copies of a written report of each test performed by laboratory personne wo (2) copies of each test report will be transmitted to the Engineer and one copy to the Contracto. within three (3) working days after each test is completed.

SECTION 5 - UTILITIES

5-1 LOCATION [Add the 1 'lowing paragraph]:

The Contractor shall not. the utility agency as listed in the General Specifications at least 48 hours in advance of excavating a und any of their structures. The Agency does not guarantee that all utilities are used.

Existin Utilities

- Info. In on the drawings relating to existing utility lines and services is from the best surces presently available. All such information is furnished only for information and is guaranteed. The Contractor shall excavate test pits as required to determine exact cations of existing utilities. Call utility locating service for precise utility locations before beginning any work. Underground Service Alert (800) 422-4133.
- Perform Work and provide necessary materials to disconnect or relocate existing utilities as indicated. Record on record drawings all existing utility termination points before disconnecting. The costs for such Work shall be absorbed in the unit prices bid for the various contract items.

3. When uncharted or incorrectly charted underground piping or other utilities and services are encountered during site work operations, notify the applicable utility company immediately to obtain procedure directions. Cooperate with the applicable utility company in maintaining active services in operation.

SECTION 6 - PROSECUTION, PROGRESS, AND ACCEPTANCE OF THE WARRY

6-1 CONSTRUCTION SCHEDULE AND COMMENCEMENT OF JOR. [Add the following]:

The Contractor's proposed baseline construction schedule shall be subtract to the City within ten (10) working days after the date of the Notice of Award of Contract. The schedule shall be supported by written statements from each supplier of materials of equipment indicating that all orders have been placed and acknowledged and setting forth the lates that each item will be delivered.

Prior to issuing the Notice to Proceed, the City will sche the a pre-construction meeting with the Contractor to review the proposed construction schedule and delivery dates, arrange the utility coordination, discuss construction methods, and clarify inspection procedures.

The Contractor shall submit periodic progress reports to the City by the tenth day (10th) of each month. The report shall include an updated constrution schedule showing as-built schedule for Completed Work and as-planned schedule remaining Work. Any deviations from the original schedule shall be explained. Progress paymen will be withheld pending receipt of any outstanding reports.

6-5 TERMINATION OF 1 TECULIRACT FOR CONVENIENCE

[Replace the first sentene with the redowing:]

The Board *m* minate the Contract for any reason at any time.

[Replace he last two entences with the following:]

If he contractor discontractor shall follow all processors of Section 3-5, above.

D' LAYS AND EXTENSIONS OF TIME

6-6.1 General [add the following to the end of this section:]

No time extension shall be granted unless the claimed delay meets each and every of the following conditions:

(a) The delay was caused by unforeseen events and was beyond the control of Contractor and its subcontractors and material suppliers;

- (b) The delay was caused by events of which Contractor was not advised at or before the time of bidding;
- (c) The delay impacted and delayed (i) the controlling items of Work (i.e., the as-built critical path, as determined from the as-planned schedule and the actual progress of the Work), or (ii) the Completion of the whole Work within the Contract time;
- (d) The delay was not caused by Contractor or its subcontractors or suppliers, including but not limited to their breaches of contract or the standard of care;
- (e) The delay was not associated with loss of time resulting from the necessity of subtotals to Agency for approval, or from necessary Agency surveys, measurements, inspections ing;
- (f) The delay was not caused by usual or common weather for the time ar, including usual or common severe weather; and
- (g) The delay could not have been be prevented by the exercise of car orude ce, foresight, and diligence by Contractor.

Excusable delays may include acts of God, acts of public enemy acts of the Owner or anyone employed by it, acts of another contractor in performance of a contract (other han this Contract) with the Agency, fires, floods, epidemics, quarantine restrictions, bor distrates, unusually and uncommonly severe weather for the time of year, varioreseen site conditions, or delays of subcontractors due to such causes. Agency shall take in considera on other relevant factors such as concurrent delays.

Contractor has the burden of proving that any delay was excusable, including but not limited to an analysis that establishes no concurrency.

No extension of time will be granted excusably lelay caused by a shortage of materials unless the Contractor furnishes to the Figineer of furnishes to the Figineer of furnishes to the Figure and Figure

diligent and timely manner, and further proportion the form of supplementary progress schedules that the inability to obtain the materials when originally planned did in fact cause a delay in final Completion of the entry work of could not be compensated for by revising the sequence of the Contractor's operations. The term "shortage of materials" shall apply only to materials, articles, parts or equipment which an standard items and are to be incorporated in the Work. The term "shortage of materials" shall not apply to materials, parts, articles or equipment which are processed, made, constructed, fabricated or manufactured to meet the specific requirements of the contract. Only the hysical shortage of material will be considered under these provisions as a cause for extension of time. Delays in obtaining materials due to priority in filling orders will not constructed a subject of materials.

6-6.3 P ment for Delays [replace paragraph with the following:]

To compensable, an excusable delay must be one for which the Agency is responsible, where the delay was unreasonable under the circumstances involved, and where the delay was not within the contemplation of the parties; *however*, Contractor shall not be entitled to monetary compensation when (a) Contractor could have reasonably anticipated the delay and avoided or minimized the cost impacts of it, such as judicious handling of forces, equipment, or plant, (b) there was a concurrent delay which does not qualify for monetary compensation under this paragraph,

(c) the cause of the delay was reasonably unforeseen by the Agency or the delay was caused by factors beyond the control of the Agency, including but not limited to a delay under Section 2.2.8 above or a delay caused by a utility company's failure to perform despite Agency's reasonable arrangements for such performance; or (d) any other defense available to Agency under law or equity applies. Contractor has the burden of proving that any delay was excusable and compensable, including an analysis that establishes non-concurrency.

The Contractor may not seek damages for delay of a planned Completion of the Work before be contractual deadline for Completion of the Work.

6-7 TIME OF COMPLETION

6-7.1 General [Add the following]:

The time for Completion shall be thirty (120) working days.

6-7.2 Working Day [Replace with the following]:

The Contractor's activities shall be confined to the hours be veen 7 30 a.m. and 4:00 p.m. unless otherwise pre-approved by City on Working Dess Monday through Friday.

6-8 COMPLETION, ACCEPTANCE, AND WARRANTY

6-8.2 Acceptance [replace paragram with the following:]

Only the Board may accept the Work as Complete. If, in the Engineer's judgment, the Contractor has fully performed the Contract, a Engineer will recommend to the Board that it accept the Contractor's performance of the Work as complete.

On or within fifteen (1) days are acceptance by the Board, or sixty (60) continuous days of cessation of labor, whichever is earlier, the Agency may record a Notice of Completion.

6-8.3 W ranty ['d the following:]

Nothing contained in his Section 6-8.3 shall be construed to establish a period of limitation with repeat to lear of agations which the Contractor might have under the Contract Documents. Establish and of the time period of one (1) year relates only to the specific warranty obligation of the Contract or to correct the Work after the date of commencement of warranties, and has, for example, a relationship to the time within which the obligation to comply with the Contract Documents may be sought to be enforced by Agency, or to the time within which proceedings may be commenced by Agency to establish the Contractor's liability with respect to the Contractor's obligations other than specifically to correct the Work.

6-9 LIQUIDATED DAMAGES

It is agreed by the parties to the Contract that time is of the essence and that in the case that all the work is not complete before or upon the expiration of the time limit set forth, damage will be sustained by the City. For each calendar day the Work is not Complete in excess of the time specified in the Contract for Completion of the Work, as adjusted in accordance with Subsection 6- 6, the Contractor shall pay to the Agency, or have withheld from monies due it, the sum of Five Hundred Dollars (\$500.00).

[Replace first sentence of the last paragraph with the following:]

Execution of the Contract shall constitute agreement by the Agency and Contractor, hat \$ 500. 9 per day is the minimum value of the costs and actual damage caused by the failure of the Contractor to Complete the Work within the allotted time.

SECTION 7 - RESPONSIBILITIES OF THE CONTRACTOR

7-1 CONTRACTOR'S EQUIPMENT AND FACILY [Ac. the following]:

A noise level limit of 86 dbA at a distance of fifty feet (50) shall apply to all construction equipment on or related to the job, whether owned by the Contractron or not. The use of excessively loud warning signals shall be avoided except in those cases require the protection of personnel.

7-2 LABOR

7-2.1 General [Add the following]

The Contractor, and all subcorractors, su pliers, and vendors shall comply with applicable Agency, State, and Feder, order regarding affirmative action to ensure equal employment opportunities and fair employment process. Failure to file any report due under said orders will result in suspension processing process payments. The Contractor shall ensure unlimited access to the Job site for all equal employment opportunity compliance officers.

Contract is responsible for employing apprentices as required by Section 1777.5 of the Labor out and a state law.

Pursuant of Section 6109(a) of the Public Contract Code, Contractor may not perform the Work with a su contractor that is ineligible pursuant to Labor Code section 1777.1 or 1777.7.

A confractor or subcontractor shall not be qualified to submit a bid or to be listed in a bid proposal subject to the requirements of Public Contract Code section 4104, nor shall it be qualified to enter into, or engage in the performance of, any contract of public work, unless it is currently registered and qualified under Labor Code section 1725.5 to perform public work (as "public work" is defined by Division 2, Part 7, Chapter 1 (§§1720 et seq.) of the Labor Code).

7-3 INSURANCE [See Instructions to Bidders]:

7-3.1 General [add the following paragraphs:]

The Contractor shall defend, indemnify and save harmless the City of Mission Viejo, the State of California, the County of Orange, or any incorporated city from all claims or suits for damages arising from his prosecution of the Contract Work. The Agency shall give timely notification to Contractor of the receipt of any third-party claim relating to the contract.

All liability insurance policies shall hear an endorsement or shall have attached a rider where v it is provided that, in the event of expiration or proposed cancellation of such policies, r any reas whatsoever, the Agency shall be notified by registered mail, return receip request d, giving a sufficient time before the date thereof to comply with any applicable law or so the, that in no event less than thirty (30) days before expiration or cancellation is effective. The following statement shall be included on all insurance policies:

Additional Insured: The insurer agrees that the City of Mis. on Viejo and its City Council and/or all City Council appointed groups, committeen, when are other City Council appointed body and/or elective and appointive officers, servants, or employees of the City, when acting as such, are additional insured here oder for the locts of the insured and such insurance shall be primary to any insurance of the locts.

The Contractor agrees to protect, defend, are indemnify the City of Mission Viejo against loss, liability, damage, or expense by reason of x y succlaims, demands, judgments and causes of action caused by the Contractor, his employees, agents, or my subcontractor, or by any third party arising out of or in consequence of the personance of an or any operations covered by Contractor's policies. The Contractor, at his ption, making include such coverage under his Public Liability coverage.

7-3.2 General Liability Insurance

The City of Mission Fejo, the y Council, and the Engineer shall not be answerable or accountable in any manner for any loss or damage that may happen to the Work or any part thereof; or for any of the materials or their things used or employed in performing the Work; or for injury to any per on or presons, either workmen or the public or for damage to any person or persons either workmen or the public; or for damage to adjoining property from any cause which might have been prevented by the Contractor, or his workmen, or anyone employed by him; against all of which injures or damages to persons and property the Contractor, having control over such work, must prevently goard.

The Contractor shall be responsible for any damage to any person or property resulting from defects and or o's tructions at anytime before its Completion and final acceptance and shall indemnify and save nameless the City of Mission Viejo, the City Council, and the Engineer from all suits or actions of every name and description brought for, or on account of, any injuries or damages received or sustained by any person or persons, by the Contractor, his servants or agents, in the construction of the Work or in consequence of any negligence in guarding the same, in improper materials used in its construction, by or on account of any act or omission of the Contractor or his agents, and so much of the money due the Contractor under and by virtue of the Contract as shall be considered necessary by the City may be retained by the City until disposition has been made of such suits or

claims for damages aforesaid.

If, in the opinion of the Engineer, the precautions taken by the Contractor are not safe or adequate at anytime during the life of the Contract, the Engineer may order the Contractor to take further precautions; and if the Contractor shall fail to do so, the Engineer may order the Work done by others and charge the Contractor for the cost thereof, and such cost to be deducted from any nonies due or becoming due the Contractor. Failure of the Engineer to order such additional precautions, however, shall not relieve the Contractor from his full responsibility for public safety or its obligations under the Contract.

From time to time, during the period of this contract, the City may be served y in claims, as a result of conduct by Contractor, which claims are for property damage or other a nage; amounts of \$500.00 or less. These claims may be resolved informally by City, within C. discretion, and charged back against Contractor by funds held in retention, or for progress portractor to meet these claims. The City will appoint a Claims Administrator who will act on beaulf on the City and Contractor. The Administrator will recommend to City the resolution of any laim. The Claims Administrator's recommendation for payment shall be paid. Con actor within thirty (30) days of the date of the recommendation. If Contractor fails to nake payment claimant within thirty (30) days of the Administrator's decision, the City may nake payment to the claimant and withhold, as retention, sufficient funds to reimburse City upon Co. pletion of the contract. Prior to making his recommendation, the Administrator will obtain from a tractor all evidence relevant to the claim. Contractor will have ten days from the date requested by the Administrator to submit any evidence in the defense of the claim. From to do so waives any objection by Contractor to payment of the claim if, after an independent inv. tigation, it is the opinion of the Administrator to make payment of that claim.

7-5 PERMITS

Prior to the start of any Work the Control or shall take out and pay for the applicable Agency permits and make arrangements for Agency inspections. The Contractor and all subcontractors shall each obtain any no and permits, licenses, inspections, certificates, or authorizations required by any governing body or public utility. Payment for this work shall be included in the bid items of work and no addit and compensation will be allowed. The City of Mission Viejo will waive its source and payment for Agency review prior to issuing a Traffic Control to ermit a traffic control plan designed and signed by a licensed Traffic Engineer.

7-7 C OPERA ION AND COLLATERAL WORK

The Contractor is advised as to the possibility of other construction projects within the proposed construct in zone by the City of Mission Viejo, other governing agencies, or private enterprises. In every of such projects, the Contractor shall coordinate with the applicable parties as to the extent of a time required to complete their work and shall schedule his work and conduct his operations so as to permit access and time as required for the concurrent work. The Contractor shall immediately notify the Engineer in the event of a delay in scheduling caused solely by this concurrent work. Payment for the above, if any, shall be deemed as included in the items of work as shown on the proposal bid sheet and no additional compensation will be allowed.

7-9 PROTECTION AND RESTORATION OF EXISTING IMPROVEMENTS [Add the following after the second paragraph]

- 1. Protect existing building, paving, and other services or facilities on-site and adjacent to the site from damage caused by site work operations. Cost of repair and restoration of damaged items shall be at the Contractor's expense.
- 2. Protect and maintain street lights, utility poles and services, traffic signal control toxes, curb boxes, valves and other services, except items designated for removal. The for temporary relocation when required to maintain facilities and services in a ration duration work.
- 3. The public will occupy adjacent facilities during the entire period of contraction. Perform site work operations to minimize conflicts and to facilitate publics and accent facilities and services in operation during construction work.
- 4. Locate, protect, and maintain bench marks, monuments, control r ints, and project engineering reference points. Re-establish distured or destreation at Contractor's expense.
- 5. The quality of construction is the responsibility of Contra or.

7-10 SAFETY

7-10.1 Traffic and Access

When entering or leaving roadway carrying ablic traffic, the Contractor's equipment, whether empty or loaded, shall in all cases yield to public traffic.

7-10.2 Storage of Equipment and Manager in Public Streets.

No storage of equipment or mate. Shall be allowed within the public right-of-way outside of working hours. The City well provide a small staging area within the parking lot of the Community and Senior Center facility. It well be the Contractor's responsibility to secure the area with a 6'-high screened fonce, and the City will accept no liability associated with the Contractor's use of the property. The Contractor or shall maintain the site in an orderly fashion and shall return the site to the same or be tree condition prior to the release of final payment.

the public ight-of-way. In such case, the Contractor shall submit to Agency written authorization om the contract of the subject property prior to occupation. Occupation of site without written authorization shall be grounds for immediate suspension of work. Location of the site is to be approved by Agency. Condition and operation of yard shall conform to these Specifications. The Contractor shall assume full responsibility for all damage to the site resulting from his operations and shall repair and/or replace same, at his own expense, to the satisfaction of the owner of the subject property. The Contractor shall vacate site and return it to pre-project condition within five (5) working days following application for Notice of Completion. The Contractor shall obtain a written release from the property owner accepting the condition of the vacated site and releasing the Contractor from any further clean-up or restoration work and shall submit a copy of such release

to Agency. The Notice of Completion will not be issued until said release is submitted.

7-10.3 Haul Routes [Add the following]:

The Contractor shall maintain the minimum traffic requirements designated in the General Specifications. It shall be the Contractors responsibility to furnish a detailed detour signing and barricade plan for Agency approval. All traffic delineation and work area protection shall control to the Work Area Traffic Control Handbook (W.A.T.C.H.).

No street or access closure to through traffic will be allowed without the express an order of a Agency.

All existing stop signs, street name signs, and regulatory signs shall be man ained in visible locations during construction and permanently relocated or remove as directed to the plans and the Engineer. Signs which need not be maintained during construction or penanently relocated shall be salvaged to the Agency.

7-10.4.1 Work Site Safety [Add the following par graph]:

The Contractor shall comply with the provisions of any A_E ncy ordin nces or regulations regarding requirements for the protection of excavations of the natural form and protection.

7-15 PAYROLL RECORDS

Payroll records shall be submitted to degree at a st once each month. Progress payments will be withheld pending receipt of an outstanding reports.

SECTION 9 - MEASUREMEN AND PA MENT

9-3 PAYMENT

9-3.1 General [replace st paragraph with the following:]

Agency sky area, se retention to Contractor pursuant to Public Contract Code section 7107, which requires among our things, that retention be released within sixty (60) days after Completion of the Wor.

such examt as may be necessary to protect the Agency due to any of the following:

- A. Defective or incomplete Work not remedied;
- B. Stop Payment Notices. For any stop payment notice given to the Agency, the Agency shall withhold the amount stated in the stop payment notice, the stop notice claimant's anticipated interest and court costs and an amount to provide for the public entity's reasonable cost of any litigation pursuant to the stop payment notice. For any stop payment notice action the parties resolve before judgment is entered, Agency has the right to permanently withhold for any reasonable cost of litigation for that

stop payment notice, even if it exceeds the amount originally withheld by Agency for the estimated reasonable cost of litigation. However, if (1) the Contractor at its sole expense provides a bond or other security satisfactory to the Agency in the amount of at least one hundred twenty-five percent (125%) of the claim, in a form satisfactory to the Agency, which protects the Agency against such claim, and (2) the Agency chooses to accept the bond, then Agency would release the stop parment notice funds withheld to the Contractor, except that Agency may permanently withhold for any reasonable cost of litigation. Any stop payment notice and shall be executed by a California admitted, fiscally solvent surface completly unaffiliated with and separate from the surety on the paymer and enformance bonds, that does not have any assets pooled with the payment of performance bond sureties.

- C. Liquidated damages against the Contractor, whether ready accred on estimated to accrue in the future;
- D. Reasonable doubt that the Work can be Completed for apaid balance of any Contract Sum or by the Completion deadlife;
- E. Damage to the property or work of the Agencanoth contractor, or subcontractor;
- F. Unsatisfactory prosecution o^{c} . Work by the Contractor;
- G. Failure to store and properly secure in terials;
- H. Failure of the Contractor to submit on a timely basis, proper and sufficient documentation required by the contract Documents, including, without limitation, monthly progress schedules shop drawings, submittal schedules, schedule of values, product a samples, proposed product lists, executed change orders, and vertices.
- I. Failure of the Contractor to maintain as-built or record drawings;
- Errol ous estimates by the Contractor of the value of the Work performed, or other false's tements in an Application for Payment;
- k. Unconorized deviations from the Contract Documents;
- Failure of the Contractor to prosecute the Work in a timely manner in compliance with established progress schedules and Completion deadlines;
- M. Subsequently discovered evidence or observations nullifying the whole or part of a previously issued Certificate for Payment;
- N. Failure by Contractor to pay Subcontractors or material suppliers as required by Contract or law, which includes but is not limited to Contractor's failure to pay prevailing wage and any assessment of statutory penalties;

- O. Overpayment to Contractor on a previous payment;
- P. Credits owed to Agency for reduced scope of Work or Work that Contractor will not perform;
- Q. The estimated cost of the Agency's performance of corrective Work;
- R. Actual damages related to false claims by Contractor;
- S. Breach of any provision of the Contract Documents;
- T. Agency's potential or actual loss, liability, or damages cause by the Contractor; and
- U. As permitted by other provisions in the Contract (as otherwee allowed by law, including statutory penalties Agency or other entities assessed gainst Contractor. (See e.g., Labor Code section 1813 (working access) or bubble Contract Code section 4110 (subcontractor listings and substitutions))

Agency may, but is not required to, provide to Contractor with the progress payment written notice of the items for which Agency is withholding amounts from payment. To claim wrongful withholding by the Agency, or if Contractor otherwise disputes any amount being withheld, Contractor must submit an inquiry in writing. Agency within thirty (30) days of receipt of the notice, and Agency shall respond within fifteen (1) days of receipt of the inquiry. If any disputed issues remain unresolved after Agency pronse, Contractor shall timely submit a Claim pursuant to Section 3-5, above.

For any withhold amount beed of an estimate where the actual amount will later become known and certain, the Owner may withhold a of the estimate. After the actual amount becomes known, if that actual amount exceeds the amount previously withheld Agency may withhold additional amounts from Community to cover the excess amount; and if available funds are not sufficient, Contractor shalp any Agency the difference. After the actual amount becomes known and certain, if that amount a less than the amount previously withheld the Agency will pay and release are amount withheld over that certain and known amount.

When C ntractor recoves or cures the grounds for withholding amounts, payment shall be made from withhold because of them. No interest shall be paid on any retainage or amounts proper, withhold by the Agency.

leither / gency's overpayment to Contractor, nor Agency's failure to withhold an amount from page that Agency had the right to withhold, shall constitute a waiver by Agency of its rights to withhold those amounts from future payments to Contractor or to otherwise pursue recovery of those amounts from Contractor.

Pursuant to and in accordance with the provisions of Government Code section 8546.7, or any amendments thereto, all books, records, and files of the Agency, the Contractor, or any Subcontractor connected with the performance of this Contract involving the expenditure of state

funds in excess of Ten Thousand Dollars (\$10,000.00), including, but not limited to, the administration thereof, shall be subject to the examination and audit of the Office of the Auditor General of the State of California for a period of three (3) years after release of all retention under this Contract. Contractor shall preserve and cause to be preserved such books, records, and files for the audit period. During the progress of the Work and for three (3) years after release of all retention under the Contract, Agency shall also have the right to an audit, and Contractor must cooperate by producing all information requested within seven (7) days.

9-3.2 Partial and Final Payment [Replace the last paragraph with the following]:

The final progress payment will not be released until the Contractor returns the and Specifications showing the as-built conditions.

In conformance with the State of California Government Code, Chapter 13, Section 4590, the Contractor may substitute securities for any monies withheld by the Pency to scure performance under the contract.

Within thirty (30) days after receipt of an undisputed and properly submitted Application for Payment, Contractor shall be paid by Agency.

9-3.3 Delivered Materials [Replace with a following]:

Materials and equipment delivered out not corporated into the work will not be included in the estimate for progress payment, up ass specifically approved by the agency.

9-3.4 Mobilization [Relace ith the sllowing]:

Mobilization shall consider a ratory work and operations, including but not limited to those necessary for the movement of personnel, equipment, supplies, and incidentals to the project site; for the establishment of all effices, buildings and other facilities necessary for the work on this project; and for other work and operations which must be performed or cost incurred prior to the beginning work on the example of the project site.

The lump um price aid for mobilization shall include full compensation for all costs incurred by the contract for soing all the work involved in mobilization as specified herein including all construct in site safety, i.e., temporary chain-link fencing, signage, etc. Payment for mobilization shall be in juded in the lump sum price bid for mobilization and no additional compensation will be allower therefore.

TECHNICAL SPECIFICATIONS

SECTION 275117 - AUDIOVISUAL SYSTEMS

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

A. Drawings ("associated project drawings") and general provision of the Contract, including any and all requirements by The Mission Viejo Norman Community & Senior Center (NPMCC) included with the spec can apply to this Section.

1.2 SUMMARY

A. The Mission Viejo Norman P. Murray Community & Se jor Center, located at 24932 Veterans Way, Mission Viejo, CA 92692 requires significant implementation of audiovisual technology.

1.3 DEFINITIONS

- A. A/V or Audiovisual: A 2.10/v val system and equipment, including installation.
- B. AVIC: The A/V Imp mentation contractor performing the work under these bid documents.
- C. ALR: Arrhient-light, jection; for specular reflective viewing surfaces, measured as the percent re or and light striking the viewing surface that has equal angles of incidence and effection.
- D Gain. Patio of light reflected from viewing-surface material to that reflected perpend ularly from a magnesium carbonate surface as determined in accordance with SM TE RP 94.
- most central position on a perpendicular plane through the horizontal centerline of the viewing surface, where the gain is half of the peak gain.

1.4 SCOPE

A. The Mission Viejo Norman P. Murray Community & Senior Center contains several areas that require specific new audiovisual systems. These systems include flat panel displays, projectors, projection screens, video distribution, audio distribution, video

- routing, video scaling, sound reinforcement, audio capture, audio playback, customized digital content playback and presentation ability.
- B. The AVIC shall furnish and install a new audiovisual system including the following components within each space (refer to the Schedule of Prices for manufacturers and models that are the basis of design):

1. System Head End (Base Bid)

- a. The system head end shall serve as the central location for all printary components and all audio and video distribution cabling.
- b. The system head end shall utilize and reuse (2) eximp '9U'n 'ged wall-mounted racks, in a location as shown in the dravings.
- c. There are to be sufficient surge protection device and pow distribution units, provided by the Owner, to properly match the inequality and components in addition to a power sequencer.
- d. An Extron IP Link Pro system control, ocessor, to be located within the rack. The processor should vive one network connection to an air gapped A/V control network and optional secondary connection to the corporate network.
- e. Extron A/V control connection to the A/V control network. The server is to be configured with a Dante' rodule, secondary DSP, and the appropriate mic and line open and output and to support the system design.
- f. A custom Ext. n XTP ii Crosspoint modular matrix switcher is to be installed with a rack and shall have a network connection to the A/V control betwork. The switcher is to have a redundant power supply and shall be configured with the appropriate XTP and HDMI input and output cards to support the system design.
- g. Noltiple 80hm and 70v amplifiers are to be installed within the rack. These applifiers shall provide amplification for all non-paging speakers within Sycamore A & B, Creekside Outdoor Terrace, Orchard Terrace and if applicable Jacaranda A & B. All 80hm speaker wires are to run directly from

- the speaker location to the rack. Each lead for the 70v speakers is to run from the first speaker in the series back to the rack.
- h. A Cisco or equivalent 28 port Gigabit Managed Network switch is to be used for the air gapped IP based A/V control system network.
- i. All speaker wire is to be a minimum of plenum 16/2.
- j. All video distribution cabling is to be plenum, shielded Extron in a pl
- k. The head end location shall also serve as the location for the paging system. The paging system will utilize an all-in-one mixer/amplit. **\formall a is to be wall mounted and secured on plywood backing. This formal way require an electrical outlet and access to analog phone lines. This may require the use of an analog telephone adapter (ATA).

2. Sycamore A & B (Base Bid)

- a. Sycamore A and Sycamore B are to configural so that rooms A and B can operate individually as two separate spaces or ombined as one large space.
- b. The room combination is is to be automatically configured via a room partition sensor that is to conjunicate to the control system processor that will recall the promisettings and signal routing to accommodate the current room configuration.
- c. Sycamore A filizes a ceang mounted WUXGA 8000 lumen or greater laser projector. This rojector is to receive a distributed video signal from the switcher located at the headend.
- d. An TP distribution receiver is to be used to distribute the video to the primar "P1" projector. The XTP distribution receiver are to be installed.
- e. XTP distribution receivers are to be used to distribute the video to the rimary "H5" A/V locations on the front wall, on either side of the stage. The urpose of the "H5" A/V location is to allow the Owner to connect auxiliary projectors and project images on the walls on either side of the primary "P1" screen.
- f. The primary stage screen for Sycamore A is a 200" diagonal 16x9 motorized, recessed, ambient light-rejecting screen using a material by or greater than that used by Screen Innovations.
- g. Sycamore A is to utilize one (1) ceiling-mounted WUXGA 8000 lumen or greater laser projector with 150" diagonal 16x10 motorized, recessed,

- ambient light-rejecting screen using a material by or greater than that used by Screen Innovations.
- h. Sycamore B is to utilize one (1) ceiling mounted WUXGA 8000 lumen or greater laser projector with 150" diagonal 16x10 motorized, recessed, ambient light-rejecting screen using a material by or greater than that us 1 by Screen Innovations.
- i. Both Sycamore A and Sycamore B shall have 10" wall mounted Extron L Link Pro control system touch panels. These touch panels are to custom programed based upon the available systems capabilities and desired duser experience. When the rooms are in a combined state, the total panels shall mirror each other. However, when the rooms are livide each touch panel shall work independently and have a unique display.
- j. Sycamore A is to each have (1) HDMI input was plate and (3) HDMI inputs in floor boxes. Each wall plate is to be combactor to the cock location using XTP transmitters and cabling. Power or the wall and moor plates is to be provided remotely by the matrix switting frame
- k. Sycamore A shall include an 2-channel state in reless Microflex microphone system. The statem shall consist of an 8-channel access point transceiver, charging state. 4 handheld microphones and 2 lapel microphones with bodypacks. The microphone system is to connect via Dante' from the transceiver to the DSP/Mixer via a network connection from the transceiver to the A/2 control network switch. When Sycamore A and Sycamore B at combined all six microphones can be used in both spaces and be heard to ough the room's speakers for voice lift/sound reinforcement. When the coms and divided, the microphones will only be available for use in Sycamore and the space of the speakers for voice in Sycamore and the space of the space of
- I. Sycan, re A is to each have three (3) cabled microphone inputs in the three (3) floor oxes. Each microphone input is to be cabled back to control equipment in the head end racks.
- m. Scamore A is to include an assisted listening system for ADA compliance for the hearing impaired. The transmitter for this unit is to be located at the system headend. Antenna distribution and extension systems are to be included and provided as required. The system consists of 4 receivers with 4 over-earpieces and 2 neck loops. Using the wireless microphones, this system shall be available when Sycamore A and Sycamore B are combined. It shall only be available in Sycamore A when the rooms are divided.
- n. Both Sycamore A and Sycamore B shall each use 3 pairs of surface mounted speakers optimally spaced for proper coverage and to prevent microphone feedback. The contractor shall verify the locations and mounting conditions shown on the drawings for acoustic quality prior to installation. When the room is in a combined state all speakers shall function in a balanced manner.

- When the rooms are divided each room's speakers will work independently and have their own power, source selection, and volume controls.
- o. Both Sycamore A and Sycamore B have been identified as having a paging requirement. Each room is to have 2 70v 6.5" two-way ceiling speakers with a low profile exclusively for the purpose of paging. These speakers are to be cabled directly to the paging amplifier at the headend. Existing recessed speaker locations may be used if they provide proper acoustical location for paging.

3. Creekside Terrace – Outdoor (Base Bid)

a. Two Bogen LB8TW 8" 2-way Weatherproof Loudenakers of the Built-in 70V Transformers are to be wall mounted and install d for the puta or Creekside Terrace outdoor area. The first speaker is to be cabled back to an amplifier at the head end location. As these are to be 70v speakers and speaker may be wired to the first speaker. The transformers are to be 70v speakers and speakers are to be 70v speakers.

4. Orchard Terrace – Outdoor (Base Bid

a. Two Bogen LB8TW 8" 2- ay Weatherproof Loudspeakers with Built-in 70V Transformers are to be "I mounted and installed for the Orchard Terrace outdoor area. The first speaker is to be cabled back to an amplifier at the head end location. As these are to be 70v speakers and mono, the second speaker may be wired the Interpretation.

5. Jacaranda Coom & B (A) ernate 1)

- a. Provide aud. visual technology within Jacaranda Room A & B.
- b. Jaca and A and Jacaranda B are to be configured so that rooms A and B can operate adividually as two separate spaces or combined as one large space.
- c. The room combination state is to be automatically configured via a room artition sensor that is to communicate to the control system processor that ill recall the proper settings and signal routing to accommodate the current room configuration.
- d. Jacaranda A is to utilize (1) 85" monitor. This monitor is to be equivalent or greater than Samsung AU8000 series consumer grade models. This display is to receive a distributed video signal from the switcher located at the headend. Mount the 85" screen on a full motion articulating wall mount.
- e. Jacaranda B is to utilize (1) 85" monitor. This monitor is to be equivalent or greater than Samsung AU8000 series consumer grade models. This display is

- to receive a distributed video signal from the switcher located at the headend. Mount the 85" screen on a full motion articulating wall mount.
- f. Both Jacaranda A and Jacaranda B shall have 7" wall mounted Extron IP Link Pro control system touch panels. These touch panels are to be custom programed based upon the available systems capabilities and desired us experience. When the rooms are in a combined state, the two touch pane shall mirror each other. However, when the rooms are divided, experience panel is to work independently of each other and have a unique display.
- g. Jacaranda A shall include a 4 channel Shure Wireless Minoflex recrophone system. The system shall consist of a 4-channel access point transceiver, charging station, 2 handheld microphones and 2 lar incircophones with bodypacks. The microphone system is to conner via Dan if from the transceiver to the DSP/Mixer via a network connection from the transceiver to the A/V control network switch. When Jacara da A and licaranda B are combined, all four microphones can be used in boundary and be heard through the room's speakers for voice lift/sound reinforcement however when the rooms are divided the microphones are poolly be available for use in Jacaranda A.
- h. Jacaranda A is to include a assisted listening system for ADA compliance for the hearing impaire. The transmitter for this unit is to be located at the system headend. Antenna distriction and extension systems are to be included and prescreence required. The system shall consist of 4 receivers with 4 over-ear pieces and 2 neck loops. Using the wireless microphones, this system shall available in Jacaranda A and Jacaranda B are combined but shall ally available in Jacaranda A when the rooms are divided.
- i. Beth Jacarane A and Jacaranda B shall each use 2 pairs of surface mounted species op paced for proper coverage and to prevent microphone feedback. When the room is in a combined state all speakers shall function in a balance manner. When the rooms are divided each room's speakers will work independently and have their own power, source selection and volume entrols.
- j. Joth Jacaranda A and Jacaranda B have been identified as having a paging requirement. Each room is to have 1 70v 6.5" two-way ceiling speaker with a

low profile exclusively for the purpose of paging. These speakers are to be cabled directly to the paging amplifier at the headend.

6. Sycamore A & B – Side Projectors (Alternate 2)

- a. Provide a one (1) projector in Sycamore A and one (1) projector in Sycamore B to project to the 150" diagonal screens on the side walls of these two rooms.
- b. Sycamore A & B will utilize ceiling mounted WUXGA 80° Ju. en or greater laser projectors. The projectors will receive a distributed deo signal from the switcher located at the headend.
- c. XTP distribution receivers are to be used to distribute on the side "P1" projectors. XTP distribution receivers are to be installed to receive the HDMI signal sent from the A/V head end.

7. Sycamore A – Additional Projector at lear of State / 2 Flat Panel Displays (Alternate 3)

- a. Provide a dedicated project of and screen in Sycamore A for use with back drop images for the state.
 - 1) The screen is to be motorned, 200" diagonal in size with a 16x9 aspect ratio and be of the ame quarry and standard of the primary projection screen that will be used in Sycamore A, but a projection screen material with a that we range of 17" or less such as the SI Pure Gray material must be safected.
 - The proje for is to be a laser commercial short throw WUXGA 8000 fumen or a laser projector (not a consumer ultra short throw) with a 1 2 aspect ratio and a minimum of 8000 lumens.
 - 3) The projector is to be wall mounted and shall have XTP HDMI output cable from the A/V head end to the projector for displaying content.
 - A dedicated Extron MLC 62 wall controller is to be used and programed to turn on and off the projector and raise and lower the screen. The

- controller is to use a DB9 RS232 control cable for the projector and a dry contact closure control for the raise and lowering of the screen.
- b. Consideration is to be given to the use of two (2) additional 85" flat panel displays to be mounted on the front walls of Sycamore A.
 - 1) The projector is to be wall mounted and shall have XTP HDMI out t cable from the A/V head end to the projector for displaying content.
- c. If this Alternate is selected, the two (2) "H5" A/V locations ated for the front wall of Sycamore A shall be removed from the reject.

8. Paging System (Alternate 4)

- a. Provide the addition of paging speakers throughout the hall ays of the building.
- b. All components (source, audio, video control, cable) and associated materials and labor required for a conplete instal audiovisual system shall be provided by the AVIC pless of the rwise stated in this document.
- c. Connect the paging system—the existing telephone system. Provide cabling, connecting modules, and configuration to complete this connection.
- B. Due care and diligence have been used in the preparation of this information, and it is believed to be substantially correct. However, the responsibility for determining the full extent of exposure and the vertication of all information presented herein shall rest solely with the VIC. The waner and any other representatives will not be responsible for any energy or omissions in these specifications, nor for the failure on the part of the Available for the full extent of the exposures.
- C. The AVIC shall at the allowed to take advantage of any errors or omissions in these specifications and associated project drawings. Where errors or omissions appear in these specifications or drawings, the AVIC shall promptly notify the Owner in writing of such errors or omissions. Any significant errors, omissions, or inconsist acies in the specifications shall be reported no later than five (5) days

- before the submission deadline. The Owner and any other representatives will not be responsible for errors that go undiscovered.
- D. There is no general contractor for this installation. The AVIC shall provide its own project management and comply with the Owner's requirements.

1.5 DRAWINGS

- A. Any associated drawings are diagrammatic in nature and may not represent exactified conditions. The AVIC shall field-verify critical installation regard, ents and provide necessary associated work.
- B. The locations of audiovisual equipment and devices shown are apply amate. The AVIC shall, prior to installation, verify exact locations by cross-eck. The architectural, electrical, and communications drawings field conductors and approved shop drawings.
- C. The AVIC shall be prepared to relocate equipment or devices provided under this scope of work when directed by the project tam withou post, provided equipment has not been installed and the new location is of greater nan twenty-five feet (25') from the location originally shown.
- D. Installed devices shall be located to the same height, and of the same orientation, unless otherwise noted.

1.6 SUBMITTALS IF AWA DED

A. Shop drawings are product. Of standard cataloged products shall be submitted with applicable data and meet the job requirements. Submittals that include information on many devices or equipment are acceptable only when items applicable to a job are identified with arrows, check marks or other call outs. The AVIC shall clear identify which manufacturer solutions are being proposed at the time a bid response.

When she p drawings are created from or incorporated with the Technology Designer's drawings, the AVIC shall remove the Technology Designer's title blocks are eplace it with the AVIC's own, unique title block. The AVIC's title block shall

- include, at a minimum, the AVIC's name, address and telephone number, and the project name.
- C. Shop drawings of related equipment, devices and material shall be submitted at same time so the project team can coordinate the related components.
- D. No material or equipment shall be released for manufacture or shipment without irst obtaining the approval of the project team. Only the AVIC shall be responsible for costs and coordination of returning items purchased prior to approval.
- E. AVIC shall submit an electronic copy of the submittals unless directed of the rwise by the owner. These submittals may be subject to approval, or rejection with commentary. Submittals may consist of but not be limited to one or a cappropriate combination of the following:
 - 1. Manufacturer product data sheets.
 - 2. Shop drawings (including single-line diagram
 - 3. Written specifications
 - 4. Originals or copies of the above

1.7 QUALITY ASSURANCE

- A. All materials and labor provided by AVIC shall be of the highest quality.
- B. The AVIC shall be certified in this document.
 - 1. The AVIC skall bean authorized Panasonic dealer, and a Crestron or Extron dealer.
 - 2. Authorized Crestry dealers shall have completed Crestron's Digital Media training a snarry ide documentation confirming the attendee and date of training.
 - 3. Authorized E. ron Dealers shall have completed Extron IP PRO level control ce. fication and shall provide documentation confirming the attendee and date of trains.
 - 4. Author zed Extron dealers shall provide proof of recognition by Extron.

- C. Only the highest-grade components shall be considered, and all components shall be balanced with each other from an electrical and performance characteristic standpoint.
- D. All work shall be performed in a workmanlike manner according to generally accepted trade practices.
- E. The AVIC shall conform to and adhere to all job site requirements as defined by he owner. It is the responsibility of AVIC to obtain these requirements from an arrangement.
- F. All necessary permits are to be secured by the AVIC.
- G. Appropriate levels of insurance and bonding shall be maintained. The cates of Insurance may be requested and shall be provided at the Array expense.
- H. Any variations to the installation of the audiovisual system as described in this specification and the associated project drawings shall be subject to the control and approval of the Owner.
- I. Substitution of any materials specified in this locument's all only be considered once a request to do so has been submitted in writing to the O ner for prior approval. This submittal shall discuss the scope of the change, the change, the change and it is added to be gained by the Owner.
- J. The AVIC shall conform to the follow g standards when provisioning and installing the new audiovisual system.
 - 1. Building Industry Consulting Prvices International (BICSI) AV Design Reference Monual AVDRM (latest edition)
 - 2. ANSI/TIA-56c C.1 (Landing all current addenda), Commercial Building Telecommunications Cabling Standard
 - 3. ANSI/1 A-300 icluding all current addenda), Balanced Twisted-Pair Telecomn, pications Cabling and Components Standard
 - 4 ANSI/TIA-5 C.3 (Including all current addenda), Optical Fiber Cabling Components Standard
 - 5. ANS TIA-526-14, Optical Power Loss Measurements of Installed Multimode Fiber Cable Plant
 - 5. AN TIA-526-7, Optical Power Loss Measurements of Installed Single-Mode
 - 7. ANSI/NECA/BICSI 568-2006, Standard for Installing Commercial Telecommunications Cabling
 - 8. Building Industry Consulting Services International (BICSI) Telecommunications Distribution Methods Manual (latest edition)
 - 9. Building Industry Consulting Services International (BICSI) Information Transport Systems Installation Manual (latest edition)
 - 10. ANSI/TIA-569-B, Commercial Building Standard for Telecommunications Pathways and Spaces
 - 11. ANSI/TIA-606-A, Administration Standard for the Telecommunications Infrastructure of Commercial Buildings

- **12**. ANSI-J-STD-607-A, Commercial Building Grounding and Bonding Requirements for Telecommunications
- 13. NFPA 70 National Electrical Code (NEC) 2014 (where more stringent than local codes).
- 14. All applicable local, county and state building and electrical codes with local addenda
- 15. UL 444, Communication Cables, Published July, 2008
- 16. FCC Part 68 Regulations
- 17. IEEE 802.3, Ethernet Standard
- 18. The Americans with Disabilities Act (ADA)
- 19. Crestron's most recent Digital Media Design guide.

K. First-Named Manufacturer

- 1. Within these specifications and associated drawings the first-naned approved manufacturer indicates that its respective device, equipment, or stem may have been used to meet the job requirements and dimensional requirements. The AVIC's use of another pre-approved system may require that the AVIC verify that the respective devices, equipment, systems, or products will meet the job requirements and will fit the allocated space.
- 2. The listing of a manufacturer as ceptable or proved does not in any way relieve AVIC from the responsibility for providing devices, equipment or systems that meet the requirements at the pecifications. The AVIC shall verify that performance requirements are met, no two manufacturers should be trusted as exactly identical in factor of fit, or fin. h.
- 3. The associated project drawing and these specifications may utilize Crestron and Extron component as a basis tor design. However, the AVIC is welcome to propose an alternative manufacture that provides similar quality and type of A/V components.
 - a. Fin. propose all utilize either Extron, Crestron, or an alternative manual turer, and never a combination of manufacturers unless the competing product is not involved with signal processing or conversion, and does not conflict with programming, operation, or maintenance of the a fected system.
 - b. Because there is not a one-to-one match between all Extron and Crestron components, substitutions of products shall be reviewed by the Owner and its design team to ensure design intent has been matched, and that performance, ease-of-use, or quality has not been sacrificed for financial advantage.

1.8 COORDINATION

- A. The AVIC shall coordinate the arrangement, installation, and finishing of the audiovisual system.
 - 1. Where a given component offers multiple color and finish options, all such colors and finishes shall be coordinated with the Owner unless noted otherwise. This

- includes colors for cabling, A/V equipment, and wall plates. The Contractor shall obtain Owner approval of colors and finishes prior to ordering materials and components.
- 2. The alignment and positioning of pull boxes, junction boxes, back boxes, conduit ends, stubs, sleeves, etc., with AVIC-installed devices.
- 3. Network-based devices requiring IP addresses shall be coordinated with the Owner.
- 4. Power and battery backup requirements shall be communicated to the Owne who shall provide this equipment.
- B. Conflicts requiring noticeable deviation from the associated project ings, or these specifications shall be coordinated with the Owner.

PART 2 - PRODUCTS

2.1 FIRESTOPPING

- A. Fire stop systems shall be UL-listed or Factor Mutual app. The AVIC shall furnish and install the proper fire stop system with classified products and materials compatible with the appropriate penetrating sements, type of construction material and dimensions of the wall, partition barrier, or good and the environment and temperature range of both sides of the opening. Fire stop systems shall maintain the original fire resistance rating of the wall, partition, barrier, or floor prior to the system penetration.
- B. Expansion type fire st p mater. 'shall be used where necessary to protect and close the opening upon fair re of the potential element due to fire.
- C. Fire stop penetral ons a fire-rated walls and floors for sleeves, wiring, cables, conduits, ducts, and able mays.
- D. Fire stopping for openings through fire and smoke-rated walls and floor assemblies shall be listed classified by an approved independent testing laboratory for

- "Through-Penetration Firestop Systems." The system shall meet the requirements of "Fire Tests of Through-Penetration Firestops" designated ASTM E814.
- E. "ThroughPenetration Firestop Systems." The system shall meet the requirements of "Fire Tests of Through-Penetration Firestops" designated ASTM E814.
- F. The AVIC shall furnish and install systems fire tested by a third party according ASTM E814 (or UL 1479) tested under positive pressure.
- G. Provide only material combinations that are qualified by independent against cies based on the material's performance when tested in a particular configuration.
- H. Thickness of materials must be established by formal ASTM F814 c / L 1479 tests.

2.2 AUDIOVISUAL CABLING PATHWAY

- A. J-Hook Cable Management (Accessible Ceiling and): His performance UTP cable support system.
 - 1. Acceptable Manufacturers: ERICO/CADL B-Line r Approved Equal
 - 2. Part Number: Erico-CAT32, CAT21; B-Line 1, BCH32, BCH64
 - 3. Quantity and Model: As required for complete installation.

B. EMT Metal Conduit

- 1. Manufacturer: any lanufacturer that can meet specifications
- 2. Bushing at end of onduit
- 3. Trim ring, where required for constrations through acoustical panel, drywall ceilings, or dry all with exposed to view chrome.
- 4. 1-inch minimum meter.
- 5. Quantity As ... for complete installation.

C. Petal Conduit

- 1. Manu octurer: any manufacturer that can meet specifications
- 2. Bushi g at end of conduit
- 1-i- n minimum diameter.
- 4. Location: where cabling passes with 6 inches of the roof deck.

D Ladder Rack

- 1. Material: 16-gauge tubular steel
- 2. Durable powder coat finish (black)
- 3. Stringer Dimensions: 0.375" W x 1.5" H
- 4. Rung spacing: 9."
- 5. Width: 18" W
- 6. Weight capacity: 45lb/foot
- 7. Manufacturers

- a. Belden
- b. CommScope
- c. Hubbell
- d. Panduit

E. Plywood Backer Board

- 1. Material: 3/4" fire-retardant treated plywood
- F. Surface Raceway and Associated Hardware
 - 1. Metallic, single-channel, surface raceway.
 - 2. Surface raceway is not to have an adhesive backing.
 - 3. Color selected by Owner from standard raceway color
 - 4. Model: 2400 series minimum
 - a. Size raceways to provide minimum 40-percentill rate.
 - 5. Acceptable manufacturers
 - a. Hubbell
 - b. Wiremold
 - 6. Provide single-gang, extra deer unction boxes match raceway.
 - 7. Provide a face plate to match unction boxes.
 - 8. Provide trim by raceway a anune turer at corners, ends, and ceiling or wall penetrations.
 - 9. Quantity: as require for emplete installation.

2.3 AUDIOVISUAL CA LIN

- A. The AVI and formis, and install all audiovisual-related wiring and cabling for all components ascribed nerein, except for those cable or wiring runs that will be furnished and in talled by others. Runs installed by others will be clearly noted within specifications.
- . Where the AVIC is to furnish and install cabling, all manufacturers' respective requirements shall be met. Where manufacturer requirements differ from any

requirements provided within this specification, the more stringent of the two shall be followed.

C. Permanently fixed wiring and cabling shall be plenum-rated.

2.4 SPECIFIC AUVIOVISUAL CABLING TYPES

A. Note: Not all types of cabling listed are included in this project.

B. Digital Media Cabling

- 1. Where the specifications or drawings refer to Digital Media, 8 , F M or XTP and DTP cabling, the AVIC shall furnish and install shift twis 1 pair cabling.
- 2. For Extron manufactured video extension systems X P/DTP's 'elde cabling is to be used to meet the manufacturer's project certification.
- 3. For Crestron manufactured video extension systems ligital Me la, 8G+, shielded cabling is to be used to meet the manufactural sproject artification.
- 4. Additional requirements for F/UTP and U P are discussed in detail later in this Section.

C. HDMI Cabling

- 1. All HDMI cables shall be continued by the manufacturer to conform to the HDMI Compliance Test Specification and apport 18Gbps.
- 2. All HDMI cables shall be the up to a discoluding 4k signals. Category 1 HDMI cables may be furn shed and a stalled by the AVIC provided their total run length distances are short mough to support 4k or better.
- 3. All HDMI c bles hall be 2 AWG or 24 AWG (including drain wire). The audiovisual destins as 15-meter run limitation at 4k. The AVIC may utilize other gauged cabit a provided the total run length distances are short enough to support for beautiful field conditions require this length to be exceeded, the AVIC shan furnish and install an HDMI extender (and power supply) to meet the required distance. The AVIC shall note that some equipment featured in these designs may include HDMI amplification already, and therefore the extender may not be required.
- 4. Tin pleed HDMI conductors shall not be used.

D. aoling

- 1. If the term DVI is used within these specifications, the AVIC shall note that the cable connection may be DVI-I or DVI-D; however, these specifications are intended to apply to each type.
- 2. These designs assume a 5-meter length limitation on the DVI cables unless noted otherwise. Where field conditions require this length to be exceeded, the AVIC shall furnish and install a DVI extender (and power supply) to meet the required distance. The AVIC shall note that some equipment featured in these designs may include DVI amplification already, and therefore the extender may not be required.

AUDIOVISUAL SYSTEMS 275117-16

3. Where these designs assume conversion from DVI to HDMI in the patch cord, the more stringent specifications apply (noting, however, that audio and control data cannot be tested over the DVI interface).

E. VGA or RGB Cabling

- 1. In the rare event that the specifications call for or drawings refer to VGA or GB cabling, the AVIC shall furnish and install three, four, five, or six-conductor component video cables as required to fulfill the intended programm.

 As such, these requirements apply to any and all types of VGA or CGB cabling.
- 2. The cabling may consist of either individual cables or a single meath inclosing multiple conductors within a shield.
- 3. Cables shall be tested up to 3,000 Hz to ensure the ability to transfer high frequency programming, but sweep tested to less that 1,000 Hz.

F. Audio Wiring

- 1. Where specifications or drawings call out for audio where AVIC shall understand this to include the wiring that hay connect diverse line audio connectors such as 3.5mm audio, right an eleft stereo audio, mixed stereo audio on a single quarter-inch jack, Phoenix, capage screy or direct-wire systems, and so on.
- 2. The connector type shown conscribed will clarify the type of audio cable and termination method required.
- 3. Generally, this shall consist of sing. pair, shielded 22 AWG cabling unless otherwise noted or equired
- 4. Acceptable manu leturers include:
 - a. Extron
 - b. Crestron
 - c. F
 - d. Con Scope

G. Smoker Wiring

- 1. Whe speaker wiring appears in the drawings or specifications, the AVIC shall be reconsible to calculate the final gauge for each speaker channel run.
- 2. Shi ded, single pair (red and black) twisted pair wiring shall be used unless noted ounerwise or a specific installation may call for another medium.
- 3. Where the system technology utilizes unshielded twisted pair cabling, the AVIC shall disregard the previous two requirements and follow the specifications for unshielded twisted pair (such as in self-amplified speaker applications).
- 4. Acceptable manufacturers include:
 - a. Extron
 - b. Crestron
 - c. Belden
 - d. CommScope

H. Microphone Level Cabling

- 1. Where specifications or drawings call out for microphone ("mic")-level cabling, the AVIC shall understand this to be any cabling carrying a mic-level current of -30 dBu or lower, whether the cable runs from an actual microphone to a preamplifier or has XLR-to-XLR jacks for possible microphone input.
- 2. Generally, this shall consist of single pair, shielded 22 AWG cabling unless otherwise noted or required.
- 3. Acceptable manufacturers include:
 - a. Extron
 - b. Crestron
 - c. Belden
 - d. CommScope

I. RS-232 Cabling

- 1. Where the specifications call out for RS-27 cabling, the AAAC shall assume this to mean 9-pin D cabling.
- 2. Cables may be pre-manufactured to length rables make in the field shall be assembled exactly to manufacture requirement.
- 3. Each final RS-232 cable asser by shall support the preferred baud rate for the host system as a minimum. For sample, if a host device uses a 9600 baud protocol, the cable shall support 9c. 9 or higher baud.
- 4. This cable shall consider 22 AWG, a p-pair twisted pair cabling unless otherwise noted or equired.
- 5. Acceptable manufecturers include:
 - a. Extron
 - b. Crestron
 - c. Be. in
 - d. Comn cope

J. Wiring

- 1. Crest t wiring shall be used to provide power and signal to Crestron devices.
- 2. The colling shall consist of 18 to 22 AWG unshielded stranded wiring with a 24 drain wire.
- 3. Category-rated UTP shall not be used for these control functions.
- 1. Acceptable manufacturers include:
 - a. Crestron
 - b. Belden
 - c. CommScope

K. Control or Relay Wiring

1. Where the specifications call out for control or relay cabling—such as that connecting a projection screen low voltage relay to a control system or to other

- mechanical or motorized devices), the AVIC shall assume this to mean typical control cabling.
- 2. Cables may be pre-manufactured to length; cables made in the field shall be assembled exactly to manufacturer requirements.
- 3. This cable shall consist of 22 AWG, two-pair twisted pair cabling unless otherwise noted or required.
- 4. Acceptable manufacturers include:
 - a. Extron
 - b. Crestron
 - c. Belden
 - d. CommScope

L. Unshielded Twisted Pair (UTP) Wiring

- 1. All UTP cable shall be CMP (communications ple um cable) for plenum spaces or CMR listed (communications riser cable) for rise systems a specified in NEC Section 800-50.
- 2. UTP shall consist of Category 6 UTP rat d between 50 MHz and 600 MHz
- 3. The AVIC shall provide and install all jacs and appopriate inserts for all audiovisual locations, including those inside the floor and table-top boxes.
- 4. All Category 6 UTP cables an connectors shan meet or exceed the channel requirements as defined by a latest standard referenced in the Common Work Results section (the AVIC should be aware that all testing requirements will be for the permanent link)
- 5. All UTP cables sharped from the same manufacturer and be the same type.
- 6. Only UTP cables rom the for pwing manufacturers that meet the performance specifications list above shall be considered:
 - a. Extron
 - b. (
 - c. Bek n
 - d. Comm rope
 - Hubbell
 - f. Panduit
- 7. Cate bry 6 8P8C (RJ45) connectors shall be used.
- Or y UTP connectors from the following manufacturers that meet the performance specifications listed above shall be considered:
 - a. Extron
 - b. Crestron
 - c. Belden
 - d. CommScope
 - e. Hubbell
 - f. Panduit

- M. Dante' (Digital Audio Network) and Other Shielded Twisted Pair (F/UTP) Wiring
 - All F/UTP cable shall be CMP (communications plenum cable) for plenum spaces or CMR listed (communications riser cable) for riser systems as specified in NEC Section 800-50.
 - 2. F/UTP shall consist of Category 6 F/UTP rated between 350 MHz and 600 I Hz
 - 3. All Category 6 F/UTP cable and connectors shall meet or exceed the channe requirements as defined by the latest standard referenced in the Common Wo Results section (the AVIC should be aware that all testing requirements will be for the permanent link).
 - 4. All F/UTP cable shall be from the same manufacturer and be the same type.
 - 5. Foiled twisted pair (FTP), screened twisted pair (ScTP), and screen substituted, provided the screen solution is used consistently and does not consist of different roducts different manufacturers.
 - 6. Only F/UTP cables from the following manufacture, that meet the performance specifications listed above shall be consider a.
 - a. Extron
 - b. Crestron
 - c. Belden
 - d. CommScope
 - e. Hubbell
 - f. Panduit
 - 7. Category 6 8P8C (7 J45) con. ctors shall be used.
 - 8. Shielded connectes shall be used in faceplates and patch panels as required by the cabling monufacturer.
 - 9. Only shielded TP consists from the following manufacturers that meet the performance specifications listed above shall be considered:
 - a. Extro.
 - b. Crestron
 - U. Belden
 - d. mmScope
 - e. H bbell
 - f. Fanduit

N UTP Patch Panels

- 1. Provide unloaded 48-port patch panels for UTP, FTP, and XTP cabling.
 - a. Provide strain relief bars behind cabling.
- 2. Only shielded UTP connectors from the following manufacturers that meet the performance specifications listed above shall be considered:
 - a. Extron
 - b. Crestron
 - c. Belden

- d. CommScope
- e. Hubbell
- f. Panduit

PART 3 – EXECUTION

3.1 COMMON WORK RESULTS FOR INSTALLATION

- A. Install all materials in compliance with manufacturer's written direction
- B. The AVIC shall protect all stored or installed materials as part corness systems before, during, or after installation from damage caused by other to defend antil turnover and final acceptance. If damage occurs despite such protection, remove, and replace all damaged components or the entire unit(s) as require to provide a solution in an original, undamaged condition.
- C. Install all items plumb and level. Install cabling pathways, and raceway perpendicular or parallel to walls and structure.
- D. Take field measurements as required to fit the Vork proverly. Recheck measurements before installing each product. Where portions or work are indicated to fit to other construction, verify dimenting of other construction by field measurements before fabrication. Coordinate table tion schedule with construction progress to avoid delaying the Work.
- E. Verify space requirer ents and a pensions of items shown diagrammatically on the associated project dravings.
- F. Immediately on dr. over from need for clarification of the Contract Documents caused by differing the d conditions outside the control of the AVIC, submit a request for information to the control of the AVIC.

3.2 AUT VISUAL CA. LING

- . Install a cabling in accordance with manufacturer requirements or this specification as noted reviously.
- B. Primar cable routes are to be coordinated with the Owner for approval prior to installation. Cable routes are not shown on the drawings.
- All cabling not installed in conduit or conduit stubs shall be properly supported.
- D. All cabling is to be routed parallel to structural walls.
- E. Cable runs shall contain no splice or transition points from the endpoint to the source unless noted otherwise.
- F. All cables shall be installed such that the respective manufacturer's recommended bend radius for each cable type is not exceeded.

- G. The AVIC shall be responsible for verifying the actual distances and voltage drops for each cable run from one point to another.
 - 1. Where UTP cable is being installed, the UTP data cable lengths are to be kept at two hundred ninety-five (295) feet, ninety (90) meters or less. Contractor shall notify the Owner prior to the cable installation if a UTP data cable could exceed the two hundred ninety-five (295) foot, ninety (90) meters length. Rerouting ne cable will be reviewed. The rerouting of any cable installed that is over the two hundred ninety-five (295) foot, ninety (90) meter limit, and the Owner was notified, will be at the Contractor's expense.

H. Cabling at ceilings

- 1. Conceal cabling above accessible ceiling, where averlable.
- 2. For inaccessible ceilings with hatchway opening provide conduit pathway above ceiling.
- 3. For fully inaccessible ceilings without hat tway open lgs, provide metal raceway pathway mounted to ceiling. Provide extra conjunction boxes where required. Run raceway parallel to walls.
- 4. Cabling installed within exposed piling locations shall be in conduit or metal raceway. However, if it can be concluded from view by building beams or structure, it does not need to be in conduit.
 - a. Note: Speaker habling instilled above wood beams in the Oso Lounge is allowed to be supported to ing J-hooks. The speaker cabling shall be black color, and the J-hook supports shall be painted black.

I. Cabling at w 'ls

- 1. Cabling within valls shall be concealed within the wall by either using existing contrit or by "fishing" the wall. A wall may only be fished if cabling can be run without encountering sharp objects that could damage the cabling or cabling jacket
- 2. Aere walls are inaccessible, provide metal raceway mounted to the wall.

 Provide matching extra deep junction boxes. Run raceway plumb and level.
- J. For conduit or raceway, provide maximum fill ratio of 40 percent. Provide bends or fittings to maintain the recommended cable bend radius.
- K. Where applicable, all cable ends shall be wrapped with shrink tubing and each shield or drain wire shall be sheathed in clear tubing.
- L. All cabling and wiring shall be grouped and bundled according to the signal level in all enclosures and racks. Velcro® wraps shall be used in lieu of plastic tie wraps.

- 1. All audiovisual cables shall be properly dressed, tied, and trimmed at regular intervals.
- 2. Cabling carrying speaker-level signals (+24dBu or higher) shall be kept separate from all other groups.
- 3. Cabling carrying microphone-level signals shall be kept separated from all cher groups.
- 4. Cabling carrying line-level or intercom audio signals shall be kept caparated in all other groups.
- 5. Video cabling, HDMI, signals traveling over UTP or F/UTP, costrosystem wiring, etc., may be grouped together. All audiovisual share be properly dressed, tied, and trimmed at regular intervals.
- 6. Cabling shall be arranged in bundles of 75 cables of ess, to prefent heat build-up inside the bundle.
- M. Audiovisual cabling shall be kept physically eparated from power cabling, whether or not the cabling travels in conduits: power and signal stall be kept physically separated below tables, within credictary, inside the same and so on.
- N. Inspect for and replace all wire an cables suffering from deformed, brittle, or cracked insulation, stripping in excess of 1/8-inch from point of connection, cold solder joints, flux joints of splatter, a grommeted, un-bushed, or un-insulated wire or cable entries, eformation or improper radius bending.
- O. Shielded cables hall insulated and shields shall be prevented from any contact with conduit, race bys, a research, or equipment enclosures.
- P. Service locks should at all equipment termination points to allow for ease of installation, change, service, inspection, and modification.
 - 1. As general rule, provide service loops of 10' at device end, and 5' near the A/V head nd.
- Q. Table alling lubricants, where used, shall be approved by the cable manufacturer so that the lubricating compound cannot deteriorate the cable jacket.
- J-Hooks shall be installed in areas where ducts, conduits or cable trays are not available.
 - 1. Cables shall never rest upon ceiling tiles, lighting fixtures, stud walls, or piping. All cables shall be properly supported to prevent this and shall be supported at a minimum of every four to five feet to reduce sag in the cabling. The sag shall be a maximum of 8 inches between supports. If the maximum sag cannot be maintained, additional supports shall be provided.

- 2. The routing of all copper data cable above any accessible ceiling shall be properly managed and independently supported above the ceiling support system.

 Management rings and/or J-hooks are to be mounted to the building walls and permanent building structure with suitable attachments and the cables are to be routed within these management devices.
- S. Cable routing shall be such that the cable is not closer than six (6) inches from fit ure ballasts; twelve (12) inches from conduit and cables used for electrical power distribution; and four (4) feet from motors, transformers and/or any other device capable of emitting RF noise and electromagnetic interference.
- T. Cables shall not be routed within 6" of the bottom of metal roof ack. Where this cannot be avoided, provide IMC conduit for protection. Maintain specified fill rate limit for IMC conduit.
- U. The AVIC shall protect all stored or installed materials part of the e systems before, during, or after installation from damage and be other trades until turnover and final acceptance. If damage occurs despite such protections, remove and replace all damaged components or the entire unit(s) required provide a solution in an original, undamaged condition.
- V. Take field measurements as required to fit the Work properly. Recheck measurements before installing each product. You portions of the Work are indicated to fit to other construction, verify dimensions of the construction by field measurements before fabrication. Coordinately fabrication, chedule with construction progress to avoid delaying the Work.
- W. Verify space requirem at sand din ansions of items shown diagrammatically on the associated project with a specific requirem associated project.
- X. Immediate convey of the need for clarification of the Contract Documents caused by diving field conditions outside the control of the AVIC, submit a request for information (FI) to the Owner.

3.3 S ECIFIC A 'DIOVISUAL CABLING TYPES

A. Note: No all types of cabling listed are included in this project.

B Digital Media Cabling

- 1. The AVIC shall ensure that any video content sent across the 8G+, DM, or Digital Media cables shall send 4k from the source and receive 4k programming at the far end with no step down to interlaced video or 1080p. The AVIC shall use test 4k source content to verify that the maximum resolution for the video display is properly exchanged through EDID. The design may include non 4k sources; nevertheless, AVIC shall use a 4k test to ensure that future components will be properly supported by the AVIC's installation.
- 2. Likewise, any devices specified to transmit and receive at 4K connections shall maintain consistent 4K programming from source to output, unless the design

inherently allows for a step-down to 4k due to the inclusion of a non-4K component in the signal path.

C. HDMI Cabling

- 1. The AVIC shall ensure that the cable can send 4k from the source and receive 4k programming at the far end with no step down to interlaced video or 1080p. The AVIC shall use test 4k source content to verify that the maximum resolution for the video display is properly exchanged through EDID. The design and the lenon 4k sources; nevertheless, AVIC shall use a 4k test to ensure the future components will be properly supported by the AVIC's installation.
- 2. Verify that vertically oriented HDMI connectors will not distadge are fall out of the HDMI ports on any component. The AVIC shall utilize strategies and/or port savers to mitigate this risk.
- 3. Maintain a bend radius of four inches (4") unless the manufact rer specifies a greater bend radius. In all cases, the AVIC shall for the more stringent requirement.

D. DVI Cabling

- 1. Where DVI connectors have thumb screws do not c er-tighten the thumb screws so that tools must be used to remove them in the rature. Tighten them by hand only to where resistance is f and then a 90° turn back.
- 2. Attach any required DVI xtend s in compliance with that manufacturer's requirements.
- 3. Perform a function test to insure that 1080p and 4k programming is possible in the final configuration by using a test source in 4k format.
- 4. Maintain a 5-inch minimum band radius for DVI cabling unless the manufacturer specifies a gaster and radius. In all cases, the AVIC shall follow the more stringent requirement.

E. VGA and K B Cabing

- 1 Where VGA nnectors have thumb screws, do not over-tighten the thumb screws so hat tools must be used to remove them in the future. Tighten them by hand only a where resistance is felt, and then a 90° turn back.
- 2. Whe BNC connectors are used, the AVIC may utilize pre-terminated cable assemblies or attach the connectors in the field to a custom length of cable. Where the latter are used, the AVIC shall use heat-shrink crimp connectors and not twiston BNC heads.

. Audio Wiring

- 1. The AVIC shall not strip any audio wiring less than or greater than three-sixteenths of an inch (3/16).
- 2. The AVIC shall not tin the wires.
- 3. Follow all manufacturer requirements for audio wiring.
- 4. The AVIC shall follow all bend radius requirements as directed by the manufacturer for each type of cable.

- 5. When using unbalanced audio, the AVIC shall not connect the sleeve to the negative contact; the AVIC shall connect the sleeve wire to the ground contact.
- 6. When using balanced audio, the AVIC shall connect the sleeve wire to the ground contact, and the ring wire to the negative contact.
- 7. The bend radius shall be no less than one and one-half (1.5) inches.

G. Speaker Wiring

- 1. The AVIC shall review the design drawings and conduit in the field and determine the appropriate gauge for each speaker run. In some constant speaker channels may be supported in a shared conduit.
- 2. The AVIC shall follow all bend radius requirements as directe by t¹ manufacturer for each type of cable.
- 3. Where flex conduits have been provided, treat the free end or e conduit as required to protect the wiring, and trim the wiring to the require length before connecting to the speaker.

H. Microphone Level Cabling

- 1. Microphone-level cables should always be outed in their own conduits or pathway, separate from other signals. Minim. Occ. Trences where this situation occurs.
- 2. Where microphone-level cal in is run parallel to other low voltage cabling, the AVIC shall strive to maintain a on foot (1') separation as long as possible; this may not always be possible when cabling connects to rack-mounted equipment.
- 3. When wiring XLR onnector pin 1 shall be used for ground, pin 2 for live signal, and pin 3 for return signal lunless the manufacturer of the jack has other, specific polarity revirements 4-pin or 5-pin XLR connectors are used.
- 4. The bend radiu shah and set stan one and one-half (1.5) inches.

I. RS-232 Ca

- 1. After install, ion, test each RS-232 cable by sending and receiving commands to from the controlled device.
- 2. Ensure the device is communicating at the recommended band rate.
- 3. Unles required otherwise by a specific device, use the green wire for ground (pin 5), the white wire to receive (pin 3), the red wire to transmit (pin 2), and the black wire for pin 9.
- 4. Maintain a bend radius of at least one-and-six-tenths (1.6) inches.

J. CrestNet Wiring

- 1. After installation, test each control cable by sending commands to the controlled devices.
- 2. Maintain a bend radius of at least two and one-half (2.5) inches.

K. Control or Relay Wiring

- 1. After installation, test each control cable by sending commands to the controlled device.
- 2. Maintain a bend radius of at least one-and-six-tenths (1.6) inches.

L. Unshielded Twisted Pair (UTP) Wiring

- 1. The AVIC shall coordinate with the Owner the exact color and orientation and placement of all faceplates before any components are purchased and install al.
- 2. All UTP cable and connecting hardware shall be rated as Category 6 exceed the most current ANSI/TIA performance specifications for Category 6 permanent link (as shown in this specification's overview) unless start dotherwise.
- 3. The T568B wiring pattern shall be used for all UTP cable term. at ons.
- 4. All vertically run cables not in conduit or raceway sharper cure to the wall every forty-eight inches (48").
- 5. All cables shall be installed such that the manufact rer's bend r dius is not exceeded.
- 6. The AVIC shall be responsible for verifying the actual cases for each UTP cable run.
- 7. Cable pulling lubricants, where used, shat be approved by the cable manufacturer so that the lubricating compound can not describe the cable jacket.
- 8. Verify cabling colors with Ower prior to purchase and installation. Where multiple colors are available bling shall match mounting conditions, such as white cabling at ceilings and blace cabling at wood-beam structure.
- 9. The AVIC shall assume responsibility for any damage to the cable during installation.
- 10. The AVIC shall test be TIA/L A standards, label per the Owner's requirements, and document the abling.

M. Shielded Twisted P. (F/O11) Wiring

1. Executive requirements shall match those for UTP wiring, above.

3.4 L'SEL

- All cable are to be individually labeled at each end. Labels are to be secured to the cable jacket within 6" from both cable jacket ends for each copper cable.
- Labels at the drop location faceplate shall be placed appropriately in the area of the faceplate designated for labeling.
- C. Labels on the patch panel shall be secured to the metal surface.
- D. Labeling convention to be determined by Owner.

3.5 BONDING

A. Connect to existing telecommunications grounding at MDF/IDF. Existing and new grounding to comply with ANSI/NECA/BICSI-607, Telecommunications and

Grounding Planning and Installations Methods for Commercial Buildings.

- 1. Where no grounding exists, ensure that patch panels are bonded to the rack. Install new patch panels with grounding screws or grounding cage nuts. Reinstall new grounding screws or cage nuts for existing patch panels. Test that both new and existing patch panels are bonded to existing racks.
- B. Where a Telecommunications Grounding Bus Bar (TGB) or a Telecommunications Main Grounding Bus Bar (TMGB) exists, bond the new equipment to it.
 - 1. Bond the following (if not bonded already).
 - a. New patch panels.
 - b. New ladder rack.
 - c. New equipment.
- C. Conduct 2-point tests to verify bonding of par h panels, c binets, and equipment.
 - a. Verify bonding from the TMGB or TO to the bolding ground with resistance of 0.1 ohm or les
 - b. Test bonding of new puch puels, ladder racks, and racks to the TMGB or TGB with resistance of 0.1 ohi. or less.
 - c. Document the esults of the test and submit them to the Owner for review.

3.6 FIRESTOPPING

- A. The AVIC styll instant and stopping material in accordance with construction elements and manufacturer specification.
 - An exterior full-height walls (extending from floor slab to underside of floor or roof's b above), exterior walls, floor slabs, roof slabs, stairway enclosures, duct risers and elevator shafts are considered fire barriers (fire-rated). All penetrations through fire barriers must be fire stopped in accordance with the Contract bocuments. Through-floor penetrations and all penetrations installed within fire barriers shall be fire stopped to the rating of the associated floor and/or wall after the cables and/or sleeves have been installed.
 - a. The Contractor shall provide conduit sleeves or other approved firestopping for penetrations through all floors and full-height walls. See the Products section for other firestopping sleeve products.
 - b. Note: the Contractor shall also provide conduit sleeves through non-firestopped walls. The sleeves shall be secured and sealed to walls and floors but the openings in the sleeves do not need to be firestopped.

- B. Existing raceways, cable trays, and cabling that penetrate existing building construction shall be firestopped to the extent necessary to fill cavities that may exist between existing building construction and existing communications penetrations or existing conduit sleeve, and between existing conduits and existing conduit sleeve.
 - a. If the Contractor uses an existing opening or gap in a wall or floor, the Contractor shall become responsible for bringing that opening up the firestopping requirements described in these Specifications and it the referenced standards.
- C. Coordinate each firestop selection with adjacent work. In areas accessible to the public and other "finished" areas, firestop systems work shall be elected installed, and finished to the quality of adjacent surfaces of building construction being penetrated.
- D. Thoroughly clean and remove any fire stopping materiathat drips of falls onto wall or floor surfaces.
- E. After installation, protect the fire stop mater? I from damage during construction. If damage occurs despite such protections, remove, and replace fire stopping material as required to restore the integrity of the fire ratio.

3.7 CLOSE-OUT AND FINAL ACCEPT AN SE

- A. At the time of completion of the installation, the Contractor shall notify, in writing, the Owner's PM for a talk through of the installation for the purpose of preparing a final punch list towards acceptant of the installation. Once the items on the final punch list have been corrected by the Contractor, they are to submit another request to review the punch list the same are acceptance of the installation.
- B. The Content of the Submit "As-Built" computer generated electronic record drawings in the CAD format.
 - where shall provide the Contractor with AutoCAD floor plan base sheets to use for s-Built drawings.

Prior to hal acceptance and payment, the Contractor shall provide the Owner with a varrant certificate and registration for this installation.

L See Section 275117.5 for audiovisual support and warranty requirements.

END OF SECTION

SECTION 275117.5 – AUDIOVISUAL SUPPORT AND WARRANTY REQUIREMENTS

PART 1 – GENERAL

1.1 RELATED DOCUMENTS

A. Drawings ("associated project drawings") and general project of a Contract, including General and Supplementary Condition and other Division 01 Specification Sections, apply to this Section.

1.2 SUMMARY

A. This section includes the support and warranty of the audioy sual system.

1.3 SCOPE

A. The AVIC shall provide all materials, to 's, equ' ment, and labor required for the complete installation of the Work cancer for in the contract documents provided by the Owner. Let to the specifications and requirements for the support and warranty of the actiovisual system.

PART 2 - PRODUCTS

2.1 SUPPORT A. D.W. RRANT

- A. The liquisual vstem shall be end-to-end certified by the AVIC.
- B. An extended material, labor and performance warranty shall be provided by the installer for period of at least one (1) year.
- C. The AVIC shall provide ongoing support for warranty work as well as me lifications and enhancements that may be required as part of that warranty.
 - The AVIC shall provide pricing for optional service contracts that would extend the warranty period of the installation. Terms shall include any and all benefits of their warranty.

PART 3 – EXECUTION

3.1 SUPPORT AND WARRANTY

A. The AVIC shall repair or replace all defective equipment or workmanship (with no cost to Owner) for a period of one (1) year from the date of the acceptance

demonstration, regardless of when the equipment was originally purchased, or workmanship performed by the AVIC. The commencement date of the warranty shall begin and only begin with the acceptance demonstration.

- 1. Provide a warranty letter, signed by an officer of the AVIC, that verifies the warranty.
- B. Provide manufacturer's warranty certificates for cabling. For structured cabling, provide a 25-year warranty, signed by the manufacturer.
- C. Any and all equipment furnished as part of this installation half a warrantee for parts and labor for one (1) year or the entire span of the respective manufacturer's warranty (whichever is longer).
- D. The AVIC shall respond to any reports of defective system performance by the Owner within forty-eight (48) business how. The AVIC shall respond by assessing and diagnosing the problem. The time of repair of replace any defective item covered by the warranty man be no longer man is required to receive replacement parts plus forty- ght (48) hours.
- E. The AVIC shall provide a minimum of four (4) strvice visits to the site for inspection, cleaning, and addistment of the appropriate the year-long warranty period. These standard less scheduled with the Owner prior to each visit so that questions or follow-less successes can be gathered and presented, if and where necessary. The AVIC shall deliver to the Owner all documentation outlining the terms and conditions of the warranty.
- F. The AVIC may present at time of proposal any additional service packages and support or carranty rouns in addition to those required here, including but not limited.
 - 1. n exter year plan
 - 2. A. xtended 3-year plan

END OF SECTION

AUDIOVISUAL SYSTEMS 275117-

	ť		2000		
-	SPECIFICATI	ļ	FIIBN	THE .	NOTES
ALIDIOMETAL AN DATHWAY	AV	+			
ELECTRICAL MECHNOLOGY EL DOR ROXES					EXISTING
AV PLATES FOR FLOOR BOXES	A	ſ	AVIC	0	
CONDUITS, JUNCTION BOXES & CONDUIT SLEEVES -	74		AVIC	AVIC	
CONDUITS AND CONDUIT SLEEVES - NOT SHOWN OR	74		AVIC	AVIC	
NOTED BUT REQUIRED TO COMPLETE THE INSTRUCTION PACESSORIES - SHOWN OR NOTED ON AVORAWINGS	*		AVIC	AVIC	
RACEWAY, JUNCTION BOXES & TRIM ACCESSORIES - NOT SHOWN OR NOTED ON AV DRAWINGS BUT REQUIRED TO CAMP ET THE MACTH I ATIOM.	24		AVIC	AVIC	
LADDER BACK IN MDF	AN N	t	AVIC	AVIC	и
CABLING AND SUPPORTS FOR AUDIOVISUAL SYSTEMS (INCLUDING J-HOOKS AND OTHER SUPPORTS WHERE REQUIRED)	¥		AVIC	AVIC	ATHWAY BET. 1 THE SOURCE AND THE AV AND GING DEVICES. AC. CABLING NOT SHOWN ON DRAWINGS.
AUDIOVISUAL CABLING TO AV FLAT PANEL DISPLAYS AND PROJECTORS	¥		AVIC	AVIC	
CABLING AND INSTALLATION OF H1 - H5, M1, A1, A2, PS, WA TP AND S1 - S3 AV LOCATIONS AND EQUIPMENT.	¥		AVIC	AVIC	COORDINATE EXACT LOCATIONS AT DISPLAYS AND PROJECTORS WITH OWNER.
AV FACEPLATES, JACKS, PATCH PANELS, AND TERMINATIONS	¥		AVIC	AVIC	
AV PATCH CABLES	¥		AVIC	AVIC	
PAGING SYSTEM, INCLUDING CABLING AND PATHWAY TO SPEAKERS	A		AVIC	AVIC	NOTE 2.
CONNECTION BETWEEN PAGING SYSTEM AND EXISTING TELEPHONE SYSTEM	¥		AVIC	AVIC	
MOTORIZED PROJECTOR SCREENS	₽		AVIC	AVIC	
RELOCATE THERMOSTAT FOR JACARANDA B DISPLAY MOLINT	¥		OWNER	OWNER	
BACKER BOARDS FOR FLAT PANEL DISPLAY MOUNTS	:	T	OWNER	OWNER	
POWER (120V +) FOR AUDIOVISUAL AND INTERCOM HEADEND EQUIPMENT	1		OWNER	OWNER	
POWER FOR LOCAL AUDIO-VIDEO CONTROLS	1		OWNER	OWNER	PROVIDE POWER FOR AUDIO AND VIDEO DIST AMPS AND USB CHARGING, WHERE REQUIF
POWER FOR FLAT PANEL DISPLAYS AND PROJECTORS			OWNER	OWNER	
POWER FOR MOTORIZED PROJECTOR SCREENS		1	OWNER	OWNER	
UPS BATTERY BACKUP FOR HEAD-END EQUIPMENT	1	1	OWNER	OWNER	
BUILDING ELECTRICAL GROUNDING SYSTEM		†	OWNER	OWNER	
GROUNDING SYSTEM AND TELECOMMUNICATIONS					6 3401
GROUNDING/BONDING (TMGB OR TGB)		1	OWNER	OWNER	NOIE 3.
BONDING LADDER RACKS & CABINETS TO TELECOMMUNICATIONS BONDING SYSTEM	AV		AVIC	AVIC	NOTE 3.
BONDING PATCH PANELS TO TELECOMMUNICATIONS BONDING SYSTEM	¥		AVIC	AVIC	NOTE 3.
BONDING AUDIOVISUAL HEAD END EQUIPMENT TO THE ECOMMUNICATIONS BONDING SYSTEM	NA.		AVIC	AVIC	NOTE 3.

- NOTES
 1. "ANC' MEANS "AUDIOVISUAL IMPLEMENTATION CONTRACTOR".
 2. "ANC' MEANS "AUDIOVISUAL IMPLEMENTATION CONTRACTOR".
 3. INCLUDES TESTING THE BONDED COMMECTION WITH THIS STEP.

TECHNOLOGY SYMBOL KEY

Mission Viejo

in even used yearly collective and section and the section and sec MOTORIZED PROJECTENS SCHENS SIZE AND TIME AS SPECIFIED ON DRAINBOOS AND INTRODUCED PROJECT INVASION SCHENS SCHEDIS SCH 2 0

CLIENTFIRST TECHNOLOGY CONSULTING

999 PLAZA DRIVE SCHAUMBURG, IL 60173 847,598,0345

65" FLAT PAMEL CISPLAY WITH MOUNT, DEDICATED 1% CRECLIT BY OWNER BEHIND SCREEN

FON TRANSMITTER AND DECORATIONS THE WALL FALTE OF TRANSMITHION SIGNAL BACK TO AV-HADD TO TOURHEYT PROVING NAMERACITATIONS FROM LAN MATIOTO PRINSED HAS COPPERED. CAREE

and an Except gold, and the Section of the Section ₽**◊** ÷

-coan in Victoria (val 1914) Di BCOM made schal, abbadow victoria un variori di victoria finima purpo y en la contrata di procesco e in transcribenzo subo paudi un von subcribenzo, altri simi valcoria di Victoria di mondo ci si si in del victoria coanno proposito di victoria di processo di contrata di processo di contrata di valundazioni della contrata codo vietti. HASSURF 10

HEM RECENSE AND ESCORATOR STALLWILL PLATT TO RECENSE HOME SIGML, PROMILAY CARRES WAND AND AND AND AND BOOK DRAWNESS. MICHOPHONE MICK AND DECORATOR-STYLE PLATE IN LICE ALLOW SGANL TO PIUN MACK TO AN HEAD DAD. \$ 50

¥0

IOVISUAL - DIVIS 1 OF 1 1 BOR

ALGO PARISE, WALL AND RETEN BALES WITHOUT OWNERS EXPENSION IN MAST INDICE. MOOTHING MACHINE WAS ARRESTED WAS SERVED OWNERS AND CONTINUED FROM THE CONTINUED FROM THE WAS ARRESTED WAS ARRESTED BY AND ARRESTED WAS AR

230

PARTITION SENSOR, CONNECTED TO AN SYSTEM, WHICH SENSES WHETHER THE MONTAGE PROPER OF CLOSED, PROMISE CAREING DESIGNED FOR SENSOR BACK TO AN HEAD END. В 0

EXECUTED AV WALL PLATES TO REMAIN RESECURE EXISTING ANCIDON BOX REAT EXISTING ANCIDIATES TO WALL. WINDLESS MICHONE, MYTDAN, PROVIDE JANCTICH BOX WITH GROUNERS TATE AT A MYTDAN, PROVIDE CARANG BOX TO AN YEAR DID, PROVIDE SUPPLICEMENT, METAL, JANCTICH BOX AND METAL PACENNY IF CERNALD PACCESSING. **(**

TP WALL-MOUNTED TOUGH PAMEL FOR AN CONTROLS, MOUNT IN WALL USING RECESSED WALL-MOUNT NT.

PAGING SPEACER. THOUMAY RECESSED CELING SPEACER WITH LOW PHOPILE BACK. CAN, CREY, OFTID IN PARIS, INSTALL IN EDISTING SOFFIT, PROVIDE CAIR, ING. TO AM-HEAD END, RUN CABLING ABOVE SOFFIT. S PAGING SPEAKER. THO-MAY T'PDISOANT SPEAKER WITH BLACK FINESH. 52. PARES, PROVIDE CABLING BACK TO AN HEAD END. PAGING Si P

PAGING SPEACEN SURFACE WALL-MOUNT SPEACEN WITH WHITE PINSH UNLESS NOTED OTHERWISE (FILK TOR REJACK FIREN), PROVIDE MOUNTER DESLOCET AND ADDITIONAL, MOUNTERS, DESCORES BARRED OF TITING OF MOUNTING CONDITION, DEPLOYED IN PROVIDE MOUNTING CONDITION, DEPLOYED IN PAIRS, PROVIDE CARLING BLOKE TO AN PELD BIO.

No. Revisions / Submissions Date
CITY OF MISSION VIEJO ISSUED FOR BID

NORMAN P. MURRAY
COMMUNITY & SENIOR
CENTER

AUDIO/VISUAL UPGRADE

TECHNOLOGY GENERAL NOTES & SYMBOLS MISSION VIEJO, CA 92691

T1.01


ISSUED FOR BID STANDOZZ No. Revisions / Submissions Date CITY OF MISSION VIEJO

NORMAN P. MURRAY
COMMUNITY & SENIOR
CENTER

AUDIO/VISUAL UPGRADE

MISSION VIEJO, CA 92691

AUDIO/VISUAL REFLRECTED CEILING PLAN - AREA A



Mission Viejo

CLIENTFIRST TECHNOLOGY CONSULTING

999 PLAZA DRIVE SCHAUMBURG, IL 60173 847,598,0345

FLAT PANEL DISPLAY MOUNTING - ALTERNATE 2 SCALE: 3"= 1'-0"



CLIENTFIRST
TECHNOLOGY CONSULTING
SOFULAD DENT
SCHUMBURG. IL 60773
647,586,0246

No. Revisions / Submissions
CITY OF MISSION VIEJO 8/28/2023 ISSUED FOR BID

NORMAN P. MURRAY
COMMUNITY & SENIOR
CENTER

AUDIO/VISUAL UPGRADE

MISSION VIEJO, CA 92691

MUSION VIEJO, CA 92691

AUDIONISUAL DETAILS

